

**PAIN MANAGEMENT AND SKIN CONDITIONS**

Patient Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_  
 Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Email: \_\_\_\_\_  
 Allergies:  NKDA (no known drug allergies)  Aspirin/ NSAID's  Cyclobenzaprine  Lidocaine / Local Anesthetic  Tramadol  Opioid  
 Gabapentin  Penicillin  Amitriptyline  Other: \_\_\_\_\_

**PAIN MANAGEMENT**

1. \_\_\_ CMPD Topical Cream – Diclofenac Sodium 1.5% Lidocaine 2.5% Prilocaine 2.5% #120gm – Apply 1gm three to four times daily for treatment of pain
2. \_\_\_ CMPD Topical Cream – Gabapentin 3%, Diclofenac Sodium 1.5%, Lidocaine 2.5%, Prilocaine 2.5% #120gm – Apply 1gm three to four times daily for treatment of pain
3. \_\_\_ CMPD Topical Cream (NEEDS SEPARATE PRESCRIPTION) – Ketamine 10% Gabapentin 6% Lidocaine 5% Diclofenac 3% Baclofen 2% #120ml – Apply 1–2 mls three to four times daily for treatment of pain
4. \_\_\_ CMPD Topical Cream – Gabapentin 6% Lidocaine 5% Diclofenac 3% Baclofen 2% #120ml – Apply 1 – 2mls three to four times daily for treatment of pain
5. \_\_\_ Celecoxib 400mg Cap #90 – Take one capsule by mouth once daily

**HYPERKERATOTIC (THICK) SKIN & LESIONS**

6. \_\_\_ CMPD Urea 500mg Cap #120 – Mix 2 caps and 2gm of gel, apply twice daily to thick skin AND DISPENSE Clobetasol 0.05% Gel #120gm – Apply 2gm twice daily to thick skin with inflammation
  - a. If Checked, pharmacy is authorized to dispense the below in lieu of the medications listed in #5 above if needed for any reason or if desired by patients
    - i. \_\_\_ CMPD Urea 500mg Cap #120 – Mix 2 caps and 2gm of gel, apply twice daily to thick skin AND DISPENSE Fluocinonide 0.05% Gel #120gm – Apply 2gm twice daily to thick skin with inflammation
    - ii. \_\_\_ CMPD Urea 500mg–Mometasone 1mg Cap #120 – Mix 2 caps and 2gm of BASSA–GEL™, apply twice daily to thick skin

**HYPERKERATOTIC (THICK) SKIN WITH FUNGAL INFECTION**

7. \_\_\_ CMPD Urea 500mg–Itraconazole 50mg Cap #120 – Mix 2 caps and 2gm gel, apply twice daily to thick skin with fungus AND DISPENSE Clobetasol 0.05% Gel #120gm – Apply 2gm twice daily to thick skin with inflammation
  - a. If checked, pharmacy is authorized to dispense the below in lieu of the medications listed in #6 above if needed for any reason or if desired by patient
    - i. \_\_\_ CMPD Urea 500mg–Itraconazole 50mg Cap #120 – Mix 2 caps and 2gm of gel, apply twice daily to thick skin with fungus AND DISPENSE Fluocinonide 0.05% Gel #120gm – Apply 2gm twice daily to thick skin with inflammation
    - ii. \_\_\_ CMPD Urea 500mg–Mometasone 1mg–Itraconazole 50mg Cap #120 – Mix 2 caps with BASSA–GEL™, apply twice daily to thick skin with fungus

**Refills:** (Number of refills indicated here refers to all medications listed above) \_\_ 1 Year \_\_5\_\_3\_\_1\_\_Zero

Physician Name: \_\_\_\_\_  
 Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 DEA: \_\_\_\_\_ NPI: \_\_\_\_\_

\_\_\_\_\_  
Physician's Signature

\_\_\_\_\_  
Date

