





About SHOPRIDER Mobility Products, Inc.

Since 1988, SHOPRIDER® Mobility Products scooters and power chairs have been available in the United States. Our products have quickly become one of the top brands sold in the country by bringing advanced features, innovative designs and affordable pricing to our consumers.

Shoprider Mobility Products power chairs are the most reliable and most technically advanced products available in the US today. Manufactured to stringent quality standards, our products are backed by a comprehensive warranty making Shoprider Mobility Products the obvious choice amongst consumers.

CONTENTS

<i>Jimmie</i>	3	<i>XLR 14 - SS</i>	9
<i>Smartie</i>	4	<i>XLR 14 - CS</i>	10
<i>Streamer Sport</i>	5	<i>Accessories</i>	12
<i>6Runner 10</i>	6	<i>Seating and Positioning</i>	13
<i>6Runner 14</i>	7	<i>Unit Specifications</i>	14
<i>XLR Plus</i>	8		



The Jimmie is a portable and light weight power chair designed for the user on the go. The unit has a quick-disconnect system for effortless disassembly, advanced electronics and high efficiency in-line motors. The Jimmie disassembles effortlessly into three pieces, with the heaviest weighing just 35.8 lb. It also has all the features of larger power chairs including height & angle adjustable arm rests, adjustable footplate and adjustable seat height.

KEY BENEFITS

- + 250lb Weight Capacity
- + Wireless Take-A-Part technology
- + Adjustable Seat Height
- + Easy to Dismantle into Three Parts
- + Padded Arm Rests

COLOR OPTION



Burgundy

Easily disassembles into three pieces



SPECIFICATIONS

WEIGHT CAPACITY	250 lbs.
WIDTH ¹	22.5"
LENGTH ¹	35"
UNIT WEIGHT ³	106 lbs.
MAX SPEED	3.75 mph

GROUND CLEARANCE	2"
SAFE CLIMBING ANGLE	6° 10%
FRONT REAR WHEELS	6" Solid
DRIVE WHEEL	9" Solid
SUSPENSION TYPE	Limited

BATTERY OPTIONS	12V x 2 Batt. Pack
BATTERY WEIGHTS	10 lbs. x 2
RANGE ² UP TO	10 miles
CHARGER	2A Off-board
STFH	19.5" - 20"




The Smartie is a portable and light weight power chair designed for the user on the go. The unit has a quick-disconnect system for effortless disassembly, advanced electronics and high efficiency in-line motors. The Smartie disassembles effortlessly into three pieces, with the heaviest weighing just 29 lbs. The Smartie is also equipped with our Envirofriendly battery system, design to have a longer life span over conventional SLA batteries.

KEY BENEFITS

- + 250lb Weight Capacity
- + Wireless Take-A-Part technology
- + Adjustable Seat Height
- + Easy to Dismantle into Three Parts
- + Padded Arm Rests

COLOR OPTION



PHET LITHIUM-ION
BATTERY PACK



ANGLE ADJUSTABLE
FOOT PLATE

SPECIFICATIONS

WEIGHT CAPACITY	250 lbs.
WIDTH ¹	22.5"
LENGTH ¹	35"
UNIT WEIGHT ³	106 lbs.
MAX SPEED	3.75 mph

GROUND CLEARANCE	2"
SAFE CLIMBING ANGLE	6° 10%
FRONT REAR WHEELS	6" Solid
DRIVE WHEEL	9" Solid
SUSPENSION TYPE	Limited

BATTERY OPTIONS	PHET Li-Ion
BATTERY WEIGHTS	7.3 lbs.
RANGE ² UP TO	10 miles
CHARGER	2A Off-board
STFH	19.5" - 20"

Streamer Sport

Model No: 888WA

K0823



The Streamer Sport is a mid-size power chair designed for the daily user. It has a 300 lb. weight capacity and rear-wheel drive maneuverability. The unit comes standard with height and width adjustable arm rests, solid tires, adjustable angle footplate and a 19in. captains seat. The Streamer Sport has a 10-mile battery range and 3in. ground clearance that will tackle daily use with ease.

KEY BENEFITS

- + 300lb Weight Capacity
- + 10" Rear-Wheel Drive
- + Captain Seat
- + Height Adjustable, Flip Back Arm Rest
- + Angle Adjustable Foot Plate

COLOR OPTION



Burgundy

HEIGHT ADJUSTABLE,
FLIP-BACK ARM RESTS

ANGLE ADJUSTABLE
FOOT PLATE

10" REAR-WHEEL DRIVE



SPECIFICATIONS

WEIGHT CAPACITY	300 lbs.
WIDTH ¹	24"
LENGTH ¹	36"
UNIT WEIGHT ³	203 lbs.
MAX SPEED	5 mph

GROUND CLEARANCE	3"
SAFE CLIMBING ANGLE	6° 10%
FRONT	6" Solid
DRIVE WHEEL	9" Solid
SUSPENSION TYPE	Limited

BATTERY OPTIONS	U1
BATTERY WEIGHTS	21.3 lbs x 2
RANGE ² UP TO	10 miles
CHARGER	5A Off-board
STFH	21.5" - 23.5"



The 6Runner 10 is a mid-size power chair that is designed for the daily user. It sports a mid-wheel drive system and has the added stability of having six points of contact with the ground. The 6Runner 10 also has our stable four post seating system and suspension system for smooth drive operation. The unit has easy battery access, an 18in. wide reclining seat and 300 lb. weight capacity.

KEY BENEFITS

- + 300lb Weight Capacity
- + Mid-wheel Drive
- + Full Suspension
- + Easy Battery Access
- + Four Post Seating System

COLOR OPTION



Burgundy

10" MID-WHEEL
DRIVE SYSTEM

FLIP BACK HEIGHT
ADJUSTABLE ARM PADS

ANGLE ADJUSTABLE
FOOT PLATE



SPECIFICATIONS

WEIGHT CAPACITY	300 lbs.
WIDTH ¹	23"
LENGTH ¹	42"
UNIT WEIGHT ³	191 lbs.
MAX SPEED	5 mph

GROUND CLEARANCE	3"
SAFE CLIMBING ANGLE	6° 10%
FRONT REAR WHEELS	7" Solid 7" Solid
DRIVE WHEEL	10" Solid
SUSPENSION TYPE	Limited

BATTERY OPTIONS	U1
BATTERY WEIGHTS	21.3 lbs x 2
RANGE ² UP TO	10 miles
CHARGER	5A Off-board
STFH	21.5" - 23.5"

6Runner 14

Model No: 888WNLHLD

K0825



The 6Runner 14 is a heavy duty power chair that is designed for the daily user. It sports a mid-wheel drive system and has the added stability of having six points of contact with the ground. The 6Runner 14 also has our stable four post seating system and suspension system for smooth drive operation that will handle most driving surfaces. The unit has a 450 lb. weight capacity, reclining seat, adjustable arm rest and easy battery access.

KEY BENEFITS

- + 450lb Weight Capacity
- + 14" Mid-wheel Drive
- + Reclining Captain Seat
- + Height Adjustable, Flip Back Arm Rest
- + Angle Adjustable Foot Plate

COLOR OPTION



Burgundy

14" MID-WHEEL
DRIVE SYSTEM

EASY BATTERY
ACCESS



SPECIFICATIONS

WEIGHT CAPACITY	450 lbs.
WIDTH ¹	26"
LENGTH ¹	42"
UNIT WEIGHT ³	277 lbs.
MAX SPEED	3.75 mph

GROUND CLEARANCE	3"
SAFE CLIMBING ANGLE	6° 10%
FRONT REAR WHEELS	7" Solid 7" Solid
DRIVE WHEEL	14" Solid
SUSPENSION TYPE	Limited

BATTERY OPTIONS	NF-22
BATTERY WEIGHTS	33 lbs x 2
RANGE ² UP TO	18 miles
CHARGER	5A Off-board
STFH	22" - 24"



The XLR Plus is equipped with 10" Drive Wheels. The self-adjusting Mid-Wheel Drive suspension system is matched with four independently suspended front and rear casters. This provides the added stability of having six points of contact with the ground. Equipped with a full independent suspension system, the XLR Plus provides a smooth driving experience for both indoor and most outdoor driving surfaces. The XLR Plus also has a flip forward seat for easy battery access to our Xtra Long Range battery options, and comfortably accommodates a 300 lb. weight capacity.

*Exceeds Medicare's indoor use designation

KEY BENEFITS

- + 300lb Weight Capacity
- + Mid-Wheel Drive
- + Full Suspension
- + Easy Battery Access
- + Four Post Seating System

COLOR OPTION



Burgundy

10" MID-WHEEL
DRIVE SYSTEM

INDEPENDENT FRONT
AND REAR SUSPENSION



SPECIFICATIONS

WEIGHT CAPACITY	300 lbs.
WIDTH ¹	22"
LENGTH ¹	36"
UNIT WEIGHT ³	205 lbs.
MAX SPEED	5 mph

GROUND CLEARANCE	3"
SAFE CLIMBING ANGLE	6° 10%
FRONT REAR WHEELS	6" Solid 5" Solid
DRIVE WHEEL	10" Solid
SUSPENSION TYPE	Active/Independent

BATTERY OPTIONS	NF-22
BATTERY WEIGHTS	33 lbs x 2
RANGE ² UP TO	18 miles
CHARGER	5A Off-board
STFH	18.5" - 22.5"



The XLR 14 Power Chair is equipped with large 14" Drive Wheels. The self-adjusting Mid-Wheel Drive suspension system is matched with four independently suspended front and rear casters. This provides the added stability of having six points of contact with the ground. When accompanied with the full independent suspension system, the XLR14 provides a smooth driving experience that will handle virtually any driving surface. A natural fit with our power tilt seating system, which offers a 50° of tilt. The XLR 14 also has a flip forward seat for easy battery access to our Xtra Long Range battery options, and comfortably accommodates a 300 lb. weight capacity.

KEY BENEFITS

- + Xtra Long Range Battery Capacity
- + 300lb Weight Capacity
- + 14" Mid-wheel Drive w/ Suspension System
- + Independently Suspended Front & Rear Casters
- + Power Tilt Seating System

COLOR OPTION

- Burgundy
- Blue
- Black
- Champagne

POWER TILT SEATING SYSTEM

14" MID-WHEEL DRIVE SYSTEM



SPECIFICATIONS

WEIGHT CAPACITY	300 lbs.
WIDTH ¹	24.6"
LENGTH ¹	43"
UNIT WEIGHT ³	283 lbs.
MAX SPEED	4 mph

GROUND CLEARANCE	2.75"
SAFE CLIMBING ANGLE	6° 10%
FRONT REAR WHEELS	6" Solid 5" Solid
DRIVE WHEEL	14" Solid
SUSPENSION TYPE	Active/Independent

BATTERY OPTIONS	Group 34	Group 24
BATTERY WEIGHTS	39 lbs.	51 lbs.
RANGE ² UP TO	16 miles	20 miles
CHARGER	8A Off-board	
STFH	18 ½" - 21"	



The XLR 14 Power Chair is equipped with large 14" Drive Wheels. The self-adjusting Mid-Wheel Drive suspension system is matched with four independently suspended front and rear casters. This provides the added stability of having six points of contact with the ground. When accompanied with the full independent suspension system, the XLR14 provides a smooth driving experience that will handle virtually any driving surface. A natural fit with our power tilt seating system, which offers a 50° of tilt. The XLR 14 also has a flip forward seat for easy battery access to our Xtra Long Range battery options, and comfortably accommodates a 300 lb. weight capacity.

KEY BENEFITS

- + Xtra Long Range Battery Capacity
- + 300lb Weight Capacity
- + 14" Mid-wheel Drive w/ Suspension System
- + Independently Suspended Front & Rear Casters
- + Power Tilt Seating System

COLOR OPTION (ALL INCLUDED)

-  Burgundy
-  Blue
-  Black
-  Champagne

CAPTAIN SEAT

14" MID-WHEEL DRIVE SYSTEM

POWER TILT SEATING SYSTEM



SPECIFICATIONS

WEIGHT CAPACITY	300 lbs.
WIDTH ¹	24.6"
LENGTH ¹	43"
UNIT WEIGHT ³	283 lbs.
MAX SPEED	4 mph

GROUND CLEARANCE	2.75"
SAFE CLIMBING ANGLE	6° / 10%
FRONT REAR WHEELS	6" Solid 5" Solid
DRIVE WHEEL	14" Solid
SUSPENSION TYPE	Active/Independent

BATTERY OPTIONS	Group 34	Group 24
BATTERY WEIGHTS	39 lbs.	51 lbs.
RANGE ² UP TO	16 miles	20 miles
CHARGER	8A Off-board	
STFH	21 1/2" - 24"	

XLR 14 MODEL SHOWN
STANDARD FEATURES AND OPTIONS
K0835 SHOWN



ACCESSORIES

Make your power chair unique with these great accessories from SHOPRIDER. We offer a wide range of accessories to enhance your mobility experience and make your power chair tailored to your needs.



SWING AWAY ELEVATING LEG REST

An adjustable leg rigging option that allows for 15" to 18" of adjustment. Easily swings away for transferring.



SWING AWAY FOOT REST

Swing Away Foot Rests easily adjust from 14" - 16 1/2" of length, and easily swings away for transfer.



SAFETY FLAG

Adds visibility while using your power chair. Safety flag measures 4.5' tall.



CANE/CRUTCH HOLDER

A Velcro loop easily attaches to hold a cane or set of crutches for storage while your power chair is in use.



MESH O² TANK HOLDER

Mesh tank holder easily attaches to the seat back, and will hold up to E style cylinders.



METAL O² TANK HOLDER

Metal tank holder easily attaches via accessory port, and will hold up to E style cylinders.



RESIDUAL LIMB SUPPORT

Allows for single or dual limb support. Easily attaches to front accessory ports of the power chair.



SWING AWAY JOYSTICK MOUNT

Swing Away Joystick mount gives a user additional space when close to a table or for ease when transferring.



USB CHARGING CONNECTOR¹

USB charger connects to the front charging port to allow for charging of cell phones or tablets.

¹ It is not recommended to charge a device when the power chair's battery is at or below 50% battery level. DISCLAIMER: Not all accessories are available for all products. Please speak to your provider for details & availability.

SEATING OPTIONS

SHOPRIDER offers a wide variety of seating and positioning options to fit many consumer needs. Below are a variety of standard seat offering and upgrades available.



STANDARD ON SMARTIE

SV18171/219G

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.



STANDARD ON JIMMIE

SV18171/219RB

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.



STANDARD ON GRUNNER 10/XLR 14-CS

SV18171/222RB

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.



STANDARD ON STREAMER SPORT

SV191821B

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.



STANDARD ON GRUNNER 14

SV2121211/2RB

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.



SEAT UPGRADE

SV23191/2191/2B

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.



STANDARD ON STREAMER SPORT/XLR PLUS

SV252223B

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.



STANDARD ON XLR 14-SS

SP202023RB

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.



SEAT UPGRADE

SP222223B

Also fits: 6Runner 10, 6Runner 14, XLR Plus, XLR 14.

DISCLAIMER: Not all seating options are available for all products. Please speak to your provider for details & availability, or view our seating guide for seating compatibility.

UNIT SPECIFICATIONS

MODEL	WEIGHT CAPACITY	TURNING RADIUS ²	WIDTH ²	LENGTH ^{2,3}	MAX SPEED ⁴	GROUND CLEARANCE	FRONT WHEELS	DRIVE WHEELS	REAR WHEELS	DRIVE TRAIN	SUSPENSION TYPE
JIMMIE	250 lbs.	14.25"	22.5"	35"	3.75 mph	2"	6" Solid Casters	9" Solid	2" Solid Anti-tip	2-motor, RWD	Limited
SMARTIE	250 lbs.	14.25"	22.5"	35"	3.75 mph	2"	6" Solid Casters	9" Solid	2" Solid Anti-tip	2-motor, RWD	Limited
STREAMER SPORT	300 lbs.	16.5"	24"	36"	5 mph	3"	6" Solid Casters	9" Solid	2" Solid Anti-tip	2-motor, RWD	Limited
6RUNNER 10	300 lbs.	17.5"	23"	42"	5 mph	3"	7" Solid Casters	10" Solid	7" Solid Casters	2-motor, MWD	Limited
6RUNNER 14	450 lbs.	18"	26"	42"	3.75 mph	3"	7" Solid Casters	14" Solid	7" Solid Casters	2-motor, MWD	Full
XLR PLUS	300 lbs.	17"	22"	36"	5 mph	3"	6" Solid Casters	10" Solid	5" Solid Casters	2-motor, MWD	IFS/IRS
XLR 14	300 lbs. ¹	17"	24.6"	43"	4 mph	2.75"	6" Solid Casters	14" Solid	5" Solid Casters	2-motor, MWD	IFS/IRS

¹ Max weight capacity reduced to 250 lbs. when 16" deep seat is equipped.

² Due to manufacturing tolerances and continued improvement, this specification can be subject to variance. Dimensions are for the power base only, overall dimensions can change depending on seating and accessory selection.

³ Without front riggings.

⁴ Varies with user weight, terrain, battery type, battery condition and tire pressure.

⁵ 60A, PG 6-Key VR2 required with Power Tilt Seating.

⁶ Tested in accordance with ANSI/RESNA, WC Vol. 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Testing conducted at maximum weight capacities. This specification can be subject to variance.

⁷ Battery weight may vary based on manufacturer.

⁸ HCPCS code for pan seating.

SEAT-TO-FLOOR	POWER TILT SEATING ⁵	STANDARD ELECTRONICS	BATTERY SIZE (2 REQUIRED)	STANDARD BATTERY CHARGER	PER-CHARGE RANGE ^{4,6}	BATTERY WEIGHT ⁷	WEIGHT OF HEAVIEST PIECE	STANDARD SEAT SIZE	HCPCS CODES	WARRANTY
19.5" - 20"	N/A	PG Drive nVSI, 50A	12Ah x 2 Battery Pack	2A, Off- board	10 Miles	10 lbs.	35.4 lbs.	18" x 17.5", CS	K0821	Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors
19.5" - 20"	N/A	PG Drive nVSI, 50A	12Ah x 2 Battery Pack	2A, Off- board	10 Miles	7.3 lbs.	35.4 lbs.	18" x 17.5", CS	K0821	Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors
21.5" - 23.5"	N/A	Dynamic Shark, 40A	12V, U-1	5A, Off- board	10 Miles	21.3 lbs.	N/A	19" x 18", CS	K0823/ K0822 ⁸	Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors
21.5" - 23.5"	N/A	PG Drive VSI, 40A	12V, U-1	5A, Off- board	10 Miles	21.3 lbs.	N/A	18" x 17.5", CS	K0823/ K0822 ⁸	Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors
22" - 24"	N/A	Dynamic Shark, 60A	12V, NF-22	5A, Off- board	18 Miles	33 lbs.	N/A	21" x 21", CS	K0825/ K0824 ⁸	Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors
18.5" - 22.5"	N/A	PG Drive nVSI, 50A	12V, NF-22	5A, Off- board	18 Miles	33 lbs.	N/A	19" x 18", CS	K0823/ K0822 ⁸	Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors
22.2" - 24"/ 18.5" - 21"	Std.	PG Drive VR2, 60A	12V, 60Ah/ 12V 75Ah	8A, Off- board	18 Miles/ 20 Miles	39 lbs./ 51 lbs.	N/A	18" x 17.5", CS 20" x 20", SS	K0836/ K0835 ⁸	Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered as legal advice.

The information contained herein is correct at time of publication. We reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continued improvement, length, width, turning radius and ground clearance can be subject to variance.

IFS = Independent Front Suspension

IRS = Independent Rear Suspension

CS = Captain Seat

SS = Solid Seat Pan, Captain Back

