



| Ordered By:   |   | Clinician/A    | TP/RTS | S:                                | Phone Num                                      | ber:          |             |
|---|---|----------------|--------|-----------------------------------|--|---------------|-------------|
| Acct. Number: PO Number:  |   | A              |        |                                   |  |               |             |
| City: State:  | Zip Code:                               | Email:         |        |                                   | Marked For: _                                  |               |             |
| Ship to:  |   | _ Phone Number | :      |                                   |  | _             |             |
| Address:  |   | _ City:        |        | State: 2                          | Zip Code:                                      | _ Lift Gate:  |             |
| XLR 14 - CS   KC Captain Seat Group 2 Single Power Option 300lb Weight Capacity  DME providers are responsible for determining a codes when submitting for insurance reimburser should not be considered legal advice. All prices subject to change without notice. | ppropriate billing<br>nent. HCPCS codes |                | 0      |                                   |  |               |             |
| BASE MODEL  |   | ,              | ELI    | ECTRONIC                          | S  |               |             |
| DESCRIPTION   | PRICE HO                                | CPCS CODE      | Requ   | uired Option -                    | Choose a single                                | or dual actu  | ator option |
| ☐ XLR14-CS  | \$7,127 K0                              | 0836           | DES    | CRIPTION                          |  | PRICE         | HCPCS CODE  |
| BASE COLOR OPTION   | NS .                                    |                |        | 60 Amp VR2 P                      | ower Module                                    | Standard      |             |
| Choose one color option to be   |   |                |        | VR2 6-Key Joy<br>Actuator Func    |  | \$1899        | E2310       |
| DESCRIPTION   | PRICE                                   |                |        | <sup>1</sup> Required for tilt fo | ınction.                                       |               |             |
| Burgundy  | N/C                                     |                |        | VR2 6-Key Joy                     |  | \$2999        | E2311       |
| ☐ Blue  | N/C                                     |                |        | Actuator Func                     |  |               |             |
| Pewter  | N/C                                     |                |        |                                   | nd AFP function. Whe<br>6-Key w/ 1 Actuator of | -             |             |
| Black   | N/C                                     |                | JO     | YSTICK M                          | OUNTING B                                      | BACKET        | S           |
| BATTERY CHARGER   |   |                |        |                                   | 3011111G                                       |               |             |
| DESCRIPTION   | PRICE                                   |                | _      | CRIPTION                          |  | PRICE         | HCPCS CODE  |
|   |   |                | Ш      | Fixed, Inline  Left               | Right  | Standard      |             |
| 8 Amp Off-Board   | Standard                                |                | П      | Swing-Away, F                     |  | \$235         | E1028       |
| DRIVE WHEELS  |   |                | Ш      | Swilly-Away, I                    | ixea Lengin                                    | φ <b>2</b> 33 | L1020       |
| DESCRIPTION   | PRICE                                   |                |        | Left                              | Right  |               |             |
| 14" Flat-Free, Pair   | Standard                                |                |        | Swing-Away, M                     |  | \$235         | E1028       |
| 14" Pneumatic Tires   | \$200                                   |                |        | Length Adjusta                    | able   |               |             |
| Pair; Gray  |   |                |        | Left                              | Right  |               |             |
| CEATING CYCTEM  |   |                | 4.5    | MPECTO                            |  |               |             |
| SEATING SYSTEM  |   |                | AH     | MRESTS                            |  |               |             |
| Required Option   |   |                | DES    | CRIPTION                          |  | PRICE         | HCPCS CODE  |
| DESCRIPTION   | PRICE HC                                | CPCS CODE      |        | Flip Back, Hei                    | ght Adjustable                                 | No Charge     |             |
| SHOPRIDER Power Tilt (Requir  | ed) \$5,830 E1                          | 002            |        | Left Arm Troug                    | gh   | \$160         | E2209       |
|   |   |                |        | Right Arm Tro                     | ugh  | \$160         | E2209       |

SR\_XLR14AFPOrderForm\_08.29.24

## XLR 14 - CS | K0836

Captain Seat Group 2 Single Power Option 300lb Weight Capacity For easy ordering and information, please contact Customer Care Toll Free at 1(800) 743-0772 Fax: 1(877) 797-7081 or Email to quotes@shoprider.com

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered legal advice. All prices are MSRP.

| LA   | PBELIS   |                  |                    | CE             | NIER MOU  | JNI AFP                                      |                       |                            |          |
|--|--|------------------|--------------------|----------------|---|--|-----------------------|----------------------------|----------|
| DES  | SCRIPTION  | PRICE            |                    | Req            | uired Option - (  | Choose a dual a                              | ctuator o             | ption                      |          |
|  | 66" Lap Belt   | Standard         |                    | DES            | CRIPTION  |  | PRICE                 | НСР                        | CS CODE  |
|  | WC-19 Compliant Lap Belt**  ** Requires WC-19 Occupied Trans   | \$120<br>it Kit  |                    |                | Power Articula<br>Platform <sup>7,8</sup><br>Part: 800914-044-0     | -  | \$2,999               | E101                       | 2        |
| ED   | ONT RIGGINGS   |                  |                    |                | <sup>7</sup> When choosing th<br>6-Key w/2 Actuator                 | nis option, select VR2<br>rs in Electronics. | 1                     |                            |          |
|  | CCRIPTION  | PRICE            |                    |                | 8 When AFP is select<br>rigging options sho<br>due to fitment restr | ould not be selected                         |                       |                            |          |
|  | Seat Mounted Foot Platform (11 ½ - 18 ½") of adjustment <sup>3</sup>   | Standard         |                    | AFF            | P Setup Mea   | surements                                    |                       |                            |          |
|  |  |                  |                    | Ме             | asurements  |  | Inc                   | hes                        |          |
|  |  |                  |                    | Pos            | sterior Knee to Bo  | ttom of Heel                                 |                       |                            |          |
|  | Extra Large Footplate 12.5" x 15.5" (D x W)  | \$160.00         |                    |                | shion Thickness (\$<br>18171/222RB(RG)                              | Subtract). Subtract                          | 4" if                 | -5"                        |          |
|  | 12.5 X 15.5 (D X W)  |                  | TO STATE OF        | Cus            | shion Compressio  | n (Add)                                      |                       |                            |          |
|  |  |                  |                    | Cus            | shion Overlap (Su   | btract)                                      |                       | -2"                        |          |
|  | Omit Seat Mounted Foot<br>Platform   | No Charge        |                    | Тор            | AFP Pivot to Foo  | otplate (Total)                              |                       |                            |          |
|  | Swing Away Foot Rests Pair; (17" - 19 ½") of adjustment <sup>4</sup>   | \$250            |                    | SV18<br>SV19   | 3171/222RB(RG) -<br>91820RB(RG) - 5"                                | SV23191/219                                  | RB(RG) - 5            | п                          |          |
|  | Swing Away Elevating Leg Rests   | \$180            |                    | _              | P Length Opt  | ions "                                       |                       |                            |          |
|  | Pair; (18" - 21") of adjustment <sup>5</sup>   | E0990            | 5                  |                | 8"  | ☐ 11.5"                                      |                       | 14.5"                      |          |
|  |  |                  | 30                 |                | 8.5"<br>9.5"  | 13.5"  |                       | 15"<br>15.5" <sup>11</sup> |          |
|  |  |                  |                    |                | 10.5"   |  | Ш                     |                            |          |
|  | Residual Limb Support  | \$340 ea         |                    | * STF          | H must be a minimu  | m of 22" to meet the 2                       | " ground cle          | earance requ               | irement. |
|  | Rigging Selections:  | E1020            |                    | DA             | TTEDIEC   |  |                       |                            |          |
|  | Limb Supports Side 6   |                  |                    | ВА             | TTERIES   |  |                       |                            |          |
|  | Left Right   |                  |                    | DES            | CRIPTION  |  | PRICE                 | HCI                        | PCS CODE |
|  | <sup>3</sup> Measurements are from top edge of seat cushion to top of footplate heel.<br>Adjustments range from 11 ½" to 18 ½" in 1" increments. |                  | of footplate heel. |                | No Batteries  |  | No Cha                | rge                        |          |
|  | 4 Swing Away foot rests can be adjusted from 17" to 19 ½"  |                  |                    |                | Group 34, 60 A  | mp Gel Batteries                             | <sup>9</sup> \$498 ea | a E23                      | 59       |
| Swing away length adjustment is measured from top edge of seat cushion to top of foot plate heel. Swing Away lengths cannot be preset from the factory. <sup>5</sup> ELR lengths are measured from the top front edge of the seat cushion to the top of the footplate heel position. Adjustments are 18" to 21" in ½" increments. ELR lengths cannot be preset from the factory. |  |                  |                    | Group 24, 75 A | mp Gel Batteries  | <sup>9</sup> \$520 ea                        | a E23                 | 63                         |          |
|  |  | 18" to 21" in ½" |                    | 22NF, 50 Amp A | AGM Batteries   | \$200 ea                                     |                       |                            |          |

 $^{\rm 6}$  If two supports are required, please select both left and right.

 $^9$  MK is currently the exclusive battery offered for the XLR 14. Two Batteries are required for this model, all options have inset battery terminals.

## XLR 14 - CS | K0836

Captain Seat Group 2 Single Power Option 300lb Weight Capacity For easy ordering and information, please contact Customer Care Toll Free at 1(800) 743-0772 Fax: 1(877) 797-7081 or Email to quotes@shoprider.com

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered legal advice. All prices are MSRP.

| AC   | CESSORIES   |                           |              |            | SEAT                |  |  |
|--|---|---------------------------|--------------|------------|---------------------|--|--|
|  | WC-19 Compliant<br>Occupied Transit Kit**   | \$400                     |              |            | Please<br>Client H  |  |  |
|  | Transit Tie-Down Kit<br>Unoccupied**  | \$160                     |              |            | Client W<br>Seat to |  |  |
|  | O2 Tank Holder  | \$150                     |              | E2208      |                     |  |  |
|  | Lighting Kit w/ Turn Signal<br>& Hazard Flash Function***<br>**Transit Tie-Down Kit adds 5/16 | \$500<br>" to overall sea | t-to-floor-h | eight      |                     |  |  |
|  | ***Kit must be selected at time of punit order once it has shipped.                           | ourchase, and c           | annot be ad  | ded onto a | 21<br>22            |  |  |
| HE   | ADREST OPTIONS  |                           |              |            | ☐ 22                |  |  |
|  | Standard Headrest   | Inc.                      |              |            | Seat to f           |  |  |
|  | Headrest Mounting<br>Bracket w/ 1" Ball received<br>for Capt Style Seat Backs                 | \$300<br>r                |              | E1028      | specifica           |  |  |
|  | 5" x 10" Dimensional Gel<br>Pad   | \$230                     |              | E0955      |                     |  |  |
|  | 5" x 12" Dimensional Gel<br>Pad   | \$240                     |              | E0955      |                     |  |  |
| SEAT OPTIONS   |   |                           |              |            |                     |  |  |
| DES  | CRIPTION  | WEIGHT                    | Color        | PRICE      |                     |  |  |
| Cap  | tain Seat   |                           |              | Standard   |                     |  |  |
|  | SV18171/222RG - 18"W x 17 ½"D   | 300lb max                 | Gray         |            |                     |  |  |
|  | SV18171/222RB - 18"W x 17 ½"D   | 300lb max                 | Black        |            |                     |  |  |
|  | SV191820RB - 19"W x 18"D 10   | 300lb max                 | Black        |            |                     |  |  |
|  | SV191820RG - 19"W x 18"D 10   | 300lb max                 | Gray         |            |                     |  |  |
|  | SV2121211/2RG - 21"W x 21"D 10  | 300lb max                 | Gray         |            |                     |  |  |
|  | SV2121211/2RB - 21"W x 21"D 10  | 300lb max                 | Black        |            |                     |  |  |
| 10 This seat can accommodate metal O2 holder, cane/crutch and walker holder accessories.  Captain seats have a manual recline range from approximately 95° to 120° as illustrated below  * This seat is non recline. |   |                           |              |            |                     |  |  |
| 95°  |   |                           |              |            |                     |  |  |

| Q |    |     |        | <b>~</b> 1 • 1 | - | * |
|---|----|-----|--------|----------------|---|---|
| • | EA | T-T | $\cup$ | 5) <b>—</b> [  |   |   |
|   |    |     |        |                | _ |   |

| Please Supply Client Information: |                                       |        |  |  |  |  |
|-----------------------------------|---------------------------------------|--------|--|--|--|--|
| Client Height:                    |                                       |        |  |  |  |  |
| CI                                | ient Weight:                          |        |  |  |  |  |
| Se                                | eat to Floor Height (Check one        | below) |  |  |  |  |
|                                   |                                       |        |  |  |  |  |
|                                   | Seating System Seat to Floor Heights* |        |  |  |  |  |
|                                   | Captain Seating 21 ½" min 24" max     |        |  |  |  |  |

| L 21 72 | □ 23  |
|---------|-------|
| 22"     | 23 ½" |
| 22 1/2" | □ 24" |

Seat to floor height is adjustable from 21 1/2" to 24" in 1/2" increments.



STFH is measured from top of seat cushion uncompressed to floor

<sup>\*</sup> While every effort will be taken to ensure STFH dimensions will be preset to your specifications prior to shipping, variations in options may affect final settings.

## XLR 14 - CS | K0836 Captain Seat

Captain Seat
Group 2 Single Power Option
300lb Weight Capacity

For easy ordering and information, please contact Customer Care Toll Free at 1(800) 743-0772 Fax: 1(877) 797-7081 or Email to quotes@shoprider.com

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered legal advice. All prices are MSRP.

| SERVICE EMBLEM | IS   |            | LIGHTING KIT  |
|----------------|------|------------|---|
| DESCRIPTION    | MSRP |            | Lighting Kit*** \$500   |
| ☐ MARINE CORP  | \$5  |            | Lighting Kit includes joystick mounted control box with left, right, hazard and main lighting switches.  "Kit must be selected at time of purchase, and cannot be added onto a unit order |
| ☐ ARMY         | \$5  |            | once it has shipped.  |
| □ NAVY         | \$5  | $\Theta$   |   |
| ☐ COAST GUARD  | \$5  |            |   |
| ☐ AIR FORCE    | \$5  | <b>(1)</b> |   |
| Notes          |      |            |   |
|                |      |            |   |
|                |      |            |   |
|                |      |            |   |
|                |      |            |   |
|                |      |            |   |