

SHOPRIDER®
A TRUSTED NAME IN MOBILITY



Scooter Catalog

Echo Folding

The Echo Folding is for consumers on the go. The scooter folds for transportation and unfolds for use in a matter of seconds. The unit weighs in at just 64 lb. and can store easily in small spaces. It comes standard with solid tires, electric brake system and a curved tiller for added comfort. Available in red, gray and black, the Echo Folding will get you to your destination in style.

 Red  Gray  Black

Model Number: FS777



The Echo Folding easily folds down for storage or transportation.



Technical Specifications

| | |
|----------------------------|----------------|
| Overall Dimensions (L x W) | 39.5" x 17.5" |
| Number, Size of Tires | 2, 6" (2, 8") |
| Suggested User Weight | Max. 200 |
| Weight | 64 |
| Each Battery Module Weight | 7 |
| Battery Size | 12V10AH x 2 |
| Charger | Off board (2A) |
| Output Power of Motor | 0.45 |
| Maximum Speed | 3.75 |
| Maximum Climbing Angle/ | 10%(6°) |
| Safe Climbing Angle | |
| Range (Per Charge) | 8.7-10 |
| Turning Radius | 36" |
| Ground Clearance | 1.5" |
| Handle Bar | T-Bar |

Echo

The Echo scooter has a light weight frame, and disassembles into three pieces. The heaviest part weighs just 35 lb. It has a height adjustable seat, allowing for improved comfort during driving operation. The Echo also comes standard with a quick connect battery pack, solid tires and a basket to store personal items.



- + 250lb Weight Capacity**
- + Quick Connect Battery Pack**
- + Removable Battery For Charging**
- + Adjustable Seat Height**

● Red ● Blue

Model Number: SL73



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 250 lbs. |
| WIDTH | 21" |
| LENGTH | 37" |
| UNIT WEIGHT | 70 lbs. |
| MAX SPEED | 3.8 mph |

| | |
|----------------------------|---------------------|
| GROUND CLEARANCE | 1.5" |
| SAFE CLIMBING ANGLE | 6° 10% |
| FRONT REAR WHEELS | 8" Solid 8" Solid |
| SUSPENSION TYPE | Limited |
| BATTERY OPTIONS | 10Ah x 2 |

| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 15 lbs. |
| RANGE UP TO | 8 miles |
| CHARGER | 2A Off-board |
| HANDLE BAR TYPE | T-bar |
| TURNING RADIUS | 32" |

Scootie

The Scootie is light-weight, easy to transport and has articulating front wheels. The Scootie weighs in at just 82 lb. with the batteries installed. The patented articulating front wheels allow four-wheel stability with three-wheel maneuverability. The Scootie is length adjustable and can fold down for easy transport and storage.



- + 250lb Weight Capacity
- + Length Adjustable
- + Removable Battery Pack
- + Keyed Ignition Security
- + Adjustable Flip-Up Arms

● Red ● Blue

Model Number: TE-787NA
Medicare Billing Code: K0800



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 250 lbs. |
| WIDTH | 17" |
| LENGTH | 37-40" |
| UNIT WEIGHT | 82 lbs. |
| MAX SPEED | 3.5 mph |

| | |
|----------------------------|---------------------|
| GROUND CLEARANCE | 1.5" |
| SAFE CLIMBING ANGLE | 6° 10% |
| FRONT REAR WHEELS | 7" Solid 8" Solid |
| SUSPENSION TYPE | Limited |
| BATTERY OPTIONS | 14Ah x 2 |

| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 22 lbs. |
| RANGE UP TO | 10 miles |
| CHARGER | 2A Off-board |
| HANDLE BAR TYPE | T-bar |
| TURNING RADIUS | 32" |



Dasher 3

The Dasher 3 scooter is built for the active consumer. It has a 250 lb. weight capacity and has a quick-disconnect system. The unit disassembles into three parts, the heaviest weighing just 33 lb. The Dasher 3 maneuvers with ease and has an adjustable tiller for added comfort during operation. The Dasher 3 also comes standard with solid tires for a smoother ride and swivel seating system.

- + 250lb Weight Capacity**
- + Swivel Seating**
- + Disassembles Into Three Parts**
- + Curved Tiller For Extra Knee Room**

Dasher 3
 Model Number: GK83
 Medicare Billing Code: K0800

● Burgundy



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 250 lbs. |
| WIDTH | 21.5" |
| LENGTH | 41.5" |
| UNIT WEIGHT | 87 lbs. |
| MAX SPEED | 3.8 mph |

| | |
|----------------------------|---------------------|
| GROUND CLEARANCE | 1.5" |
| SAFE CLIMBING ANGLE | 6° 10% |
| FRONT REAR WHEELS | 8" Solid 8" Solid |
| SUSPENSION TYPE | Limited |
| BATTERY OPTIONS | 14Ah x 2 |

| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 20 lbs. |
| RANGE UP TO | 7.5 miles |
| CHARGER | 2A Off-board |
| HANDLE BAR TYPE | T-bar |
| TURNING RADIUS | 33" |

Dasher 4

The Dasher 4 scooter is built for the active consumer. It has a 250 lb. weight capacity and has a quick-disconnect battery system. The unit disassembles into three parts, the heaviest weighing just 33 lb. The Dasher 4 maneuvers with ease and has an adjustable tiller for added comfort during operation. The Dasher 4 also comes standard with solid tires, swivel seating system and a 7.5 mile range.



- + 250lb Weight Capacity**
- + Swivel Seating**
- + Dismantles Into Three Parts**
- + Curved Tiller**

Dasher 4
 Model Number: GK8
 Medicare Billing Code: K0800

● Burgundy ● Champagne ● Blue

SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 250 lbs. |
| WIDTH | 22" |
| LENGTH | 44" |
| UNIT WEIGHT | 94 lbs. |
| MAX SPEED | 3.8 mph |

| | |
|----------------------------|---------------------|
| GROUND CLEARANCE | 1.5" |
| SAFE CLIMBING ANGLE | 6° 10% |
| FRONT REAR WHEELS | 7" Solid 8" Solid |
| SUSPENSION TYPE | Limited |
| BATTERY OPTIONS | 14Ah x 2 |

| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 20 lbs. |
| RANGE UP TO | 7.5 miles |
| CHARGER | 2A Off-board |
| HANDLE BAR TYPE | T-bar |
| TURNING RADIUS | 37" |

Escape

The Escape scooter has a 250 lb. weight capacity and a quick-disconnect system for effortless disassembly. The unit disassembles into four parts, the heaviest weighing just 33 lb. The Escape maneuvers with ease and has an adjustable tiller for added comfort during operation. The Escape also comes standard with solid tires for a smoother ride and swivel seating system. The Escape also features a split battery pack design that make it convenient for travel.



- + 250lb Weight Capacity**
- + Heaviest Part Weighs 33Lb**
- + Dismantles Into Four Parts**
- + Swivel Seating**
- + Curved Tiller**

● Red ● Blue

Model Number: 7A



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 250 lbs. |
| WIDTH | 21.3" |
| LENGTH | 43.7" |
| UNIT WEIGHT | 110 lbs. |
| MAX SPEED | 4 mph |

| | |
|----------------------------|---------------------|
| GROUND CLEARANCE | 1.5" |
| SAFE CLIMBING ANGLE | 6° 10% |
| FRONT REAR WHEELS | 8" Solid 8" Solid |
| SUSPENSION TYPE | Limited |
| BATTERY OPTIONS | 14Ah x 2 |

| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 10 lbs. x 2 |
| RANGE UP TO | 8.8 miles |
| CHARGER | 2A Off-board |
| HANDLE BAR TYPE | T-bar |
| TURNING RADIUS | 46" |

Sunrunner 3

The Sunrunner 3 is a mid-size three-wheel scooter with a 300 lb. weight capacity. The unit comes standard with a deluxe captain's seat that can accommodate most users. It has an adjustable tiller for added user comfort and a front head light for added convenience for evening operation. It is available optionally with a full lighting package, adding turn signal indicators and hazard lights. The unit has a 3" ground clearance for operation on multiple terrains.



- + 300lb Weight Capacity
- + Slide & Swivel Seating
- + Adjustable Tiller
- + Optional Rear Light Package
- + Adjustable Seat Height

Burgundy
 Blue

Model Number: 888B-3
 Medicare Billing Code: K0806



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 300 lbs. |
| WIDTH | 23" |
| LENGTH | 44" |
| UNIT WEIGHT | 165 lbs. |
| MAX SPEED | 5 mph |

| | |
|----------------------------|-------------------------------|
| GROUND CLEARANCE | 3" |
| SAFE CLIMBING ANGLE | 6° 10% |
| FRONT REAR WHEELS | 10" Pneumatic 10" Pneumatic |
| SUSPENSION TYPE | Limited |
| BATTERY OPTIONS | 35Ah x 2 |

| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 24 lbs. |
| RANGE UP TO | 25 miles |
| CHARGER | 5A Off-board |
| HANDLE BAR TYPE | T-bar |
| TURNING RADIUS | 37" |

Sunrunner 4

The Sunrunner 4 is a mid-size four-wheel scooter with a 300 lb. weight capacity. The unit comes standard with a deluxe captain's seat that can accommodate most users. It has an adjustable tiller for added user comfort and a front head light for added convenience for evening operation. It is available optionally with a full lighting package, adding turn signal indicators and hazard lights. The unit has a 3" ground clearance for operation on multiple terrains.



- + 300lb Weight Capacity**
- + Slide & Swivel Seating**
- + Adjustable Tiller**
- + Optional Rear Light Package**
- + Adjustable Seat Height**

Burgundy
 Blue

Model Number: 888B-4
 Medicare Billing Code: K0899



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 300 lbs. |
| WIDTH | 23" |
| LENGTH | 48" |
| UNIT WEIGHT | 180 lbs. |
| MAX SPEED | 5 mph |

| | |
|----------------------------|-------------------------------|
| GROUND CLEARANCE | 3" |
| SAFE CLIMBING ANGLE | 6° 10% |
| FRONT REAR WHEELS | 10" Pneumatic 10" Pneumatic |
| SUSPENSION TYPE | Limited |
| BATTERY OPTIONS | 35Ah x 2 |


| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 24 lbs. |
| RANGE UP TO | 25 miles |
| CHARGER | 5A Off-board |
| HANDLE BAR TYPE | T-bar |
| TURNING RADIUS | 50" |



Sprinter XL4

The Sprinter XL4 is a heavy duty four-wheel scooter with a 350 lb. weight capacity. The unit comes standard with a deluxe captain's seat that can accommodate most users. It has an adjustable tiller for added user comfort and a front head light for added convenience for evening operation. It is available optionally with a full lighting package, adding turn Signal indicators and hazard lights. The 12" solid wheels give the unit a 3" ground clearance for operation on multiple terrains.

- + 350lb Weight Capacity**
- + Slide & Swivel Seating**
- + Adjustable Tiller**
- + Optional Rear Light Package**
- + Adjustable Seat Height**

 Burgundy

Model Number: 889B-4
Medicare Billing Code: K0899



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 350 lbs. |
| WIDTH | 23" |
| LENGTH | 52" |
| UNIT WEIGHT | 181 lbs. |
| MAX SPEED | 5 mph |

| | |
|----------------------------|-------------------------------|
| GROUND CLEARANCE | 3" |
| SAFE CLIMBING ANGLE | 8° 14% |
| FRONT REAR WHEELS | 12" Pneumatic 12" Pneumatic |
| SUSPENSION TYPE | Limited |
| BATTERY OPTIONS | 32-40Ah x 2 |


| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 24 lbs. |
| RANGE UP TO | 25 miles |
| CHARGER | 5A Off-board |
| HANDLE BAR TYPE | T-bar |
| TURNING RADIUS | 54" |



Enduro XL3⁺

The Enduro XL3⁺ is a heavy duty three-wheel scooter with a 500 lb. weight capacity. It has a delta style tiller which houses the controls for the lighting system, turn signals, driving lever and horn. It has a dual purpose driving lever which allows the user to push forward or pull back depending on dexterity for ease when driving. The unit comes standard with a 20" seat that can accommodate most riders, and has swivel and recline features for added comfort and ease of use.

- + 500lb Weight Capacity**
- + Slide & Swivel Seating**
- + Full Suspension System**
- + Full Lighting Package**
- + Adjustable Tiller**

 Burgundy

Model Number: 778XLSBN
Medicare Billing Code: K0899



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 500 lbs. |
| WIDTH | 28" |
| LENGTH | 53" |
| UNIT WEIGHT | 222 lbs. |
| MAX SPEED | 5 mph |

| | |
|----------------------------|-------------------------------|
| GROUND CLEARANCE | 4" |
| SAFE CLIMBING ANGLE | 8° 14% |
| FRONT REAR WHEELS | 12" Pneumatic 12" Pneumatic |
| SUSPENSION TYPE | Full |
| BATTERY OPTIONS | 50-75Ah x 2 |

| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 50 lbs. |
| RANGE UP TO | 25-39 miles |
| CHARGER | 8A Off-board |
| HANDLE BAR TYPE | Delta |
| TURNING RADIUS | 49" |

Enduro XL4⁺

The Enduro XL4⁺ is a heavy duty three-wheel scooter with a 500 lb. weight capacity. It has a delta style tiller which houses the controls for the lighting system, turn signals, driving lever and horn. It has a dual purpose driving lever which allows the user to push forward or pull back depending on dexterity for ease when driving. The unit comes standard with a 20" seat that can accommodate most riders, and has swivel and recline features for added comfort and ease of use.



- + 500lb Weight Capacity
- + Slide & Swivel Seating
- + Full Suspension System
- + Full Lighting Package
- + Adjustable Tiller

● Burgundy

Model Number: 889XLSBN
Medicare Billing Code: K0899



SPECIFICATIONS

| | |
|------------------------|----------|
| WEIGHT CAPACITY | 500 lbs. |
| WIDTH | 28" |
| LENGTH | 56" |
| UNIT WEIGHT | 240 lbs. |
| MAX SPEED | 5 mph |

| | |
|----------------------------|-------------------------------|
| GROUND CLEARANCE | 4" |
| SAFE CLIMBING ANGLE | 8° 14% |
| FRONT REAR WHEELS | 12" Pneumatic 12" Pneumatic |
| SUSPENSION TYPE | Full |
| BATTERY OPTIONS | 50-75Ah x 2 |

| | |
|------------------------|--------------|
| BATTERY WEIGHTS | 50 lbs. |
| RANGE UP TO | 25-39 miles |
| CHARGER | 8A Off-board |
| HANDLE BAR TYPE | Delta |
| TURNING RADIUS | 72" |

Accessories



USB Charger

Keep your devices charged with our USB charging adapter. Safely charge a phone or tablet while on the go from your scooter's charging port.

P/N: 206226-00100



Mesh Oxygen Tank Holder

A flexible way to store your oxygen tank while on the go. The mesh bag is light weight for easy installation on your product.

P/N: OXY-03



Safety Flag

Be seen while using your product. The safety flag is 4.5 feet tall to make sure you can be seen while traveling around town.

P/N: SAF-9002



Metal Oxygen Tank Holder

A flexible way to store your oxygen tank while on the go. The mesh bag is light weight for easy installation on your product.

P/N:0210 (10inch length)
P/N:0216 (16inch length)



Arm Rest Cup Holder

Store your beverage while on the go. Our cup holder is light weight and durable. It can be fixed to left or right side arm rest.

P/N: CUPHOLDER



Premium Side Mirrors

Store your beverage while on the go. Our cup holder is light weight and durable. It can be fixed to left or right side arm rest.

P/N: 202908-88120 (Left & Right)
(Fits all scooter models)

Note: Not all accessories fit every unit. Please contact customer service or your sales rep to confirm fitment on a particular unit.



SPECIFICATIONS

| MODEL | WEIGHT CAPACITY | TURNING RADIUS ¹ | WIDTH ¹ | LENGTH ¹ | MAX SPEED ² | GROUND CLEARANCE | FRONT WHEELS | REAR WHEELS | DRIVE TRAIN | SUSPENSION TYPE |
|-------------------------------|-----------------|-----------------------------|--------------------|---------------------|------------------------|------------------|---------------|---------------|--------------|-----------------|
| Echo Folding | 250 lbs. | 36" | 17.5" | 39.5" | 3.75 mph | 1.5" | 6" Solid | 8" Solid | 1-motor, RWD | Limited |
| Echo | 250 lbs. | 32" | 21" | 37" | 3.8 mph | 1.5" | 7" Solid | 8" Solid | 1-motor, RWD | Limited |
| Scootie | 250 lbs. | 38" | 17" | 37-40" | 3.5 mph | 2" | 8" Solid | 8" Solid | 1-motor, RWD | Limited |
| Dasher 3 | 250 lbs. | 33" | 22" | 39.5" | 3.8 mph | 1.5" | 8" Solid | 8" Solid | 1-motor, RWD | Limited |
| Dasher 4 | 250 lbs. | 37" | 22" | 39.5" | 3.8 mph | 1.5" | 7" Solid | 8" Solid | 1-motor, RWD | Limited |
| Escape | 250 lbs. | 46" | 21.3" | 43.7" | 4 mph | 1.5" | 8" Solid | 8" Solid | 1-motor, RWD | Limited |
| Sunrunner 3 | 300 lbs. | 37" | 23" | 48" | 5 mph | 3" | 10" Pneumatic | 10" Pneumatic | 1-motor, RWD | Limited |
| Sunrunner 4 | 300 lbs. | 50" | 23" | 48" | 5 mph | 3" | 10" Pneumatic | 10" Pneumatic | 1-motor, RWD | Limited |
| Sprinter XL4 | 350 lbs. | 54" | 23" | 52" | 5 mph | 3" | 12" Pneumatic | 12" Pneumatic | 1-motor, RWD | Limited |
| Enduro XL3⁺ | 500 lbs. | 72" | 28" | 56" | 5 mph | 4" | 12" Pneumatic | 12" Pneumatic | 1-motor, RWD | Full |
| Enduro XL4⁺ | 500 lbs. | 72" | 28" | 56" | 5 mph | 4" | 12" Pneumatic | 12" Pneumatic | 1-motor, RWD | Full |

¹ Due to manufacturing tolerances and continued improvement, this specification can be subject to variance. Dimensions are for the scooter base only, overall dimensions can change depending on seating and accessory selection.

² Varies with user weight, terrain, battery type, battery condition and tire pressure.

³ Tested in accordance with ANSI/RESNA, WC Vol. 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Testing conducted at maximum weight capacities. This specification can be subject to variance.

⁴ Battery weight may vary based on manufacturer. Weights listed are each battery, (2) are required on all scooter models.

| HANDLE BAR | BATTERY SIZE (2 REQUIRED) | STANDARD BATTERY CHARGER | PER-CHARGE RANGE ^{2,3} | BATTERY WEIGHT ⁴ | WEIGHT OF UNIT | STANDARD SEAT SIZE | HCPCS CODES | WARRANTY |
|------------|---------------------------|--------------------------|---------------------------------|-----------------------------|----------------|--------------------|-------------|--|
| T-Bar | 10Ah Battery | 2A, Off-board | 8.7-10 Miles | 7 lbs. | 64 lbs. | 15" x 14" | — | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| T-Bar | 10Ah Battery | 2A, Off-board | 8 Miles | 15 lbs. | 70 lbs. | 17" x 14" | — | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| T-Bar | 14Ah Battery Pack | 2A, Off-board | 10 Miles | 22 lbs. | 82 lbs. | 15" x 14" | K0800 | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| T-Bar | 14Ah Battery | 2A, Off-board | 7.5 Miles | 20 lbs. | 94 lbs. | 18" x 16" | K0800 | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| T-Bar | 14Ah Battery | 2A, Off-board | 7.5 Miles | 20 lbs. | 94 lbs. | 18" x 16" | K0800 | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| T-Bar | 14Ah Battery | 2A, Off-board | 8.8 Miles | 10 lbs. | 110 lbs. | 18" x 16" | — | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| T-Bar | 35Ah Battery | 5A, Off-board | 25 Miles | 24 lbs. | 180 lbs. | 19" x 18" | 0806 | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| T-Bar | 35Ah Battery | 5A, Off-board | 25 Miles | 24 lbs. | 180 lbs. | 19" x 18" | K0899 | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| T-Bar | 32-40Ah Battery | 5A, Off-board | 25 Miles | 24 lbs. | 181 lbs. | 19" x 18" | K0899 | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| Delta | 50-75Ah Battery | 8A, Off-board | 25-39 Miles | 50 lbs. | 240 lbs. | 20" x 18" | K0899 | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |
| Delta | 50-75Ah Battery | 8A, Offboard | 25-39 Miles | 50 lbs. | 240 lbs. | 20" x 18" | K0899 | Limited Lifetime: Frame 12 MO. Limited: electronics/drive motors |

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered as legal advice.


The information contained herein is correct at time of publication. We reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continued improvement, length, width, turning radius and ground clearance can be subject to variance.


SHOPRIDER
A TRUSTED NAME IN MOBILITY


1338 W. STORM PARKWAY
SUITE D
TORRANCE, CA. 90501
800.743.0772



[shopridermobility](#)

 [shopridermobility](#)

 [shopridermobile](#)

 [shoprider.com](#)