Pre-Vaccination Checklist for COVID-19 Vaccines



n yo tion	swer "yes" to any question, it does not necessarily ou should not be vaccinated. It just means additional s may be asked. If a question is not clear, please ask Ithcare provider to explain it.			1
		Yes	No	k
1.	Are you feeling sick today?			
2.	Have you ever received a dose of COVID-19 vaccine?			
	If yes, which vaccine product?			
	Pfizer			
	Moderna			
	☐ Another product			
3.	Have you ever had a severe allergic reaction (e.g., anaphylaxis) to something? For example, a reaction for which you were treated with epinephrine or EpiPen®, or for which you had to go to the hospital?			
	Was the severe allergic reaction after receiving a COVID-19 vaccine?			
	Was the severe allergic reaction after receiving another vaccine or another injectable medication?			
4.	Have you received passive antibody therapy (monoclonal antibodies or convalescent serum) as treatment for COVID-19?			
5.	Have you received another vaccine in the last 14 days?			
6.	Have you had a positive test for COVID-19 or has a doctor ever told you that you had COVID-19?			
7.	Do you have a weakened immune system caused by something such as HIV infection or cancer or do you take immunosuppressive drugs or therapies?			
8.	Do you have a bleeding disorder or are you taking a blood thinner?			
9	Are you pregnant or breastfeeding?			t

PROVIDER COVID-19 IMMUNIZATION CONSENT FORM

Location type:(clinic, health department, pharmacy, etc.,) Address: City: Date of Service: Zip Code: Date of Service:	For COVID-19 Provider	use only Clinic Name/Code:				
Person Receiving Vaccine: (Legal) First Name: MI: Last Name: Last Name:	Location type:(clinic,	health department, pharmac	y, etc.,)	Country		
Person Receiving Vaccine: (Legal) First Name: MI: Last Name: Last Name:	Address:	7in Codo	City:_	County.		
I. MEDICAL HISTORY: Complete the following questions for the individual receiving the vaccine. If you answer "YES" you may not be able to receive the COVID-19 vaccine. If YES and further guidance is needed, Refer to Pfizer website at www.PfizerMedInfo.com or call 1-800-438-1985 for vaccine information on vaccine temperature excursions, efficacy, safety, stability, dosage, vaccine ingredients, mechanism of action and administration For overview for Vaccination Providers about Moderna COVID-19 vaccine refer to www.modernatx.com or call 1-866-MODERNA. Have you had a previous COVID-19 vaccine? If yes, date? Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19 vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type,	State:	Zip Code:	Date of	Service:		
Date of Birth:						
1. MEDICAL HISTORY: Complete the following questions for the individual receiving the vaccine. If you answer "YES" you may not be able to receive the COVID-19 vaccine. If YES and further guidance is needed, Refer to Pfizer website at www.PfizerMedInfo.com or call 1-800-438-1985 for vaccine information on vaccine temperature excursions, efficacy, safety, stability, dosage, vaccine ingredients, mechanism of action and administration For overview for Vaccination Providers about Moderna COVID-19 vaccine refer to www.modernatx.com or call 1-866-MODERNA. Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine may be due in 21 days or 28 days ofter initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date.						
1. MEDICAL HISTORY: Complete the following questions for the individual receiving the vaccine. *If you answer "YES" you may not be able to receive the COVID-19 vaccine. *If YES and further guidance is needed, Refer to Pfizer website at www.PfizerMedInfo.com or call 1-800-438-1985 for vaccine information on vaccine temperature excursions, efficacy, safety, stability, dosage, vaccine ingredients, mechanism of action and administration For overview for Vaccination Providers about Moderna COVID-19 vaccine refer to www.modernatx.com or call 1-866-MODERNA. Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due dat	(Legal) First Name:		N	II: Last Name:		
#YES and further guidance is needed, Refer to Pfizer website at www. PfizerMedInfo.com or call 1-800-438-1985 for vaccine information on vaccine temperature excursions, efficacy, safety, stability, dosage, vaccine ingredients, mechanism of action and administration For overview for Vaccination Providers about Moderna COVID-19 vaccine refer to www.modernatx.com or call 1-866-MODERNA. Have you had a previous COVID-19 vaccine? If yes, date? Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	Date of Birth:					
#YES and further guidance is needed, Refer to Pfizer website at www. PfizerMedInfo.com or call 1-800-438-1985 for vaccine information on vaccine temperature excursions, efficacy, safety, stability, dosage, vaccine ingredients, mechanism of action and administration For overview for Vaccination Providers about Moderna COVID-19 vaccine refer to www.modernatx.com or call 1-866-MODERNA. Have you had a previous COVID-19 vaccine? If yes, date? Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	1. MEDICAL HIST	TORY: Complete the follow	wing ques	stions for the individual receiving the	vaccine.	
1-800-438-1985 for vaccine information on vaccine temperature excursions, efficacy, safety, stability, dosage, vaccine ingredients, mechanism of action and administration For overview for Vaccination Providers about Moderna COVID-19 vaccine refer to www.modernatx.com or call 1-866-MODERNA. Have you had a previous COVID-19 vaccine? If yes, date? Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	If you answer "YES"	you may not be able to rec	ceive the (COVID-19 vaccine.		
For overview for Vaccination Providers about Moderna COVID-19 vaccine refer to www.modernatx.com or call 1-866-MODERNA. Have you had a previous COVID-19 vaccine? If yes, date? Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunicoompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	1-800-438-1985 for va	ccine information on vaccin	ne tempera	ture excursions, efficacy, safety,	**VEC	NO
Have you had a previous COVID-19 vaccine? If yes, date? Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	For overview for Vacc	ination Providers about Mo			*YES	NU
Have you had any vaccines within the previous 14 days? Pfizer-BioNTech or Moderna COVID-19 vaccine should be administered alone with minimal interval of 14 days before or after any other vaccine. Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your			late?	· · · · · · · · · · · · · · · · · · ·		
Do you have a fever today? Are you sick today? Do you have COVID-19 infection and are currently in isolation? Are you currently in quarantine for known exposure to COVID-19? Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your				sioNTech or Moderna COVID-19 vaccine		
Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your						
Have you ever had severe allergic reaction (anaphylactic reaction) to any vaccine, vaccine component or injectable therapy? (including Pfizer-BioNTech or Moderna COVID-19 vaccine) Such as difficulty breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your						
breathing, swelling of your face and throat, fast heartbeat, bad rash all over your body, dizziness and weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	Have you ever had sever	re allergic reaction (anaphylact	tic reaction)) to any vaccine, vaccine component or		
weakness. Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your						
Are you pregnant, breastfeeding or planning to become pregnant? Women in this group may receive Pfizer-BioNTech or Moderna COVID-19 vaccine, a discussion with your healthcare provider can help make informed decision. Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your		our face and throat, fast heartb	eat, bad ras	n all over your body, dizziness and		
Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	Are you pregnant, breast					
Are you immunocompromised or have HIV, cancer, chronic kidney, lung, heart disease, sickle cell, severe obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your		COVID-19 vaccine, a discussion	on with you	r healthcare provider can help make		
obesity, do you smoke or have diabetes mellitus? Are you receiving any immunosuppressive therapy? These individuals may still receive Pfizer-BioNTech or Moderna COVID-19 vaccine unless otherwise contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your		omised or have HIV, cancer, ch	ronic kidno	ev. lung, heart disease, sickle cell, severe		
Contraindicated. Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	obesity, do you smoke o	r have diabetes mellitus? Are y	you receiving	ng any immunosuppressive therapy? These		
Have you received monoclonal antibodies or convalescent plasma as part of COVID-19 treatment? Pfizer-BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	The state of the s	2 51 60 1	erna COVII	D-19 vaccine unless otherwise		
BioNTech or Moderna COVID-19 vaccine should be deferred for at least 90 days to avoid interference of treatment with vaccine-induced immune responses. NOTE: Depending on vaccine type, a second dose of COVID-19 vaccine may be due in 21 days or 28 days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your			cent plasma	as part of COVID-19 treatment? Pfizer-		
days after initial vaccine. Refer to your COVID-19 vaccination record card for second dose due date. Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your	BioNTech or Moderna C	COVID-19 vaccine should be d				
Contact your PCP or your ADH Local Health Unit in 21 days or 28 days for more information. Keep your						
and in the state of the state o			A A A A A A A A A A A A A A A A A A A			
	Have you received mono BioNTech or Moderna C treatment with vaccine-i NOTE: Depending on days after initial vaccine Contact your PCP or y	oclonal antibodies or convales of COVID-19 vaccine should be denduced immune responses. I vaccine type, a second dose one. Refer to your COVID-19 vour ADH Local Health Unit in	of COVID-1 vaccination of 21 days on	at least 90 days to avoid interference of 19 vaccine may be due in 21 days or 28 record card for second dose due date. r 28 days for more information. Keep your		
contract a reservation of the contract of the						15 i a
Please read the section on the reverse side of this form. understand and agree to section 2. Release and			clinic			
Please read the section on the reverse side of this form. The Providers Privacy Notice is available at the clinic Assignment of the COVID-19 Immunization Consent Form and Vession Resignent Formand	, -					,0110
Please read the section on the reverse side of this form. The Providers Privacy Notice is available at the clinic site or accompanies this form. I understand and agree to section 2. Release and Assignment of the COVID-19 Immunization Consent Form and Vaccine Recipient Emergence Use of Authorization Fact Shoot (FLIA)						
Please read the section on the reverse side of this form. The Providers Privacy Notice is available at the clinic site or accompanies this form. Then sign in the box at right. Understand and agree to section 2. Release and Assignment of the COVID-19 Immunization Consent Form and Vaccine Recipient Emergence Use of Authorization Fact Sheet (EUA).				Signature of Patient/Parent/Gua	ardian:	
Please read the section on the reverse side of this form. The Providers Privacy Notice is available at the clinic site or accompanies this form. I understand and agree to section 2. Release and Assignment of the COVID-19 Immunization Consent Form and Vaccine Recipient Emergence Use of Authorization Fact Shoot (FLIA)		Please sign	here _			
Please read the section on the reverse side of this form. The Providers Privacy Notice is available at the clinic site or accompanies this form. Then sign in the box at right. Understand and agree to section 2. Release and Assignment of the COVID-19 Immunization Consent Form and Vaccine Recipient Emergence Use of Authorization Fact Sheet (EUA).		To el		I was said and pole		

RELEASE AND ASSIGNMENT: I have read or had explained to me the Vaccine Recipient Emergency Use Authorization (EUA) Fact Sheet for COVID-19 vaccine risks and benefits. To read the Vaccine Recipient Emergency Use Authorization Fact Sheet for each vaccine visit the website www.cvdvaccine.com : or you may also visit the Local Health Unit or private provider to receive a printed copy of the EUA Fact Sheet. To read the Vaccine Recipient Emergency Use Authorization for Moderna COVID-19 vaccine visit the website https://www.fda.gov/media/144638/download or (modernatx.com) I give consent to this COVID-19 provider/staff for the individual named below to be vaccinated with COVID-19 vaccine. I hereby acknowledge that I have reviewed a copy of the Provider's Privacy Notice. I understand that information about this COVID-19 vaccination will be included in (WebIZ) Arkansas Immunization Information System. To My Insurance Carrier(s): I authorize the release of any medical information necessary to process my insurance claim(s). I authorize and request payment of medical benefits directly to this COVID-19 Provider. I agree that the authorization will cover all medical services rendered until I revoke the authorization. I agree that the photocopy of this form may be used instead of the original.												
PATIENT INFORMATION (Legal) First Name:		Mi	: Last Name:									
Date of Birth: /			Female Phone #:									
			Apt. No									
			Zip Code:									
Race: White Hispanic												
5793 SECTION 8	Alaska Native 🗌 Asian [Other Pacific Islander Other									
Patient's Relationship to Insurance Policy Holder: Self Spouse Child Other												
Medicaid/ARKids Num			e i									
Medicare Number:	D	6 25										
☐ Insurance Company Na												
Member ID/Policy #:												
REQUIRED POLICY HOLDER INFORMATION:												
(Legal) First Name: MI: Last Name:												
Policy Holder Date of Birth: / / Email Address:												
Policy Holder's Employer	Name:											
COVID-19 VACCINE AD Refer to product-specific I	MINISTRATION (Con Emergency Use Authoriz	pleted by staff c zation (EUA) fact	only) sheet for COVID-19 providers									
Ultra-cold COVID-19 Vacc	Frozen COVID-19 Moderna	9 Vaccine	Refrigerated COVID-19 Vaccine AstraZeneca Janssen Novavax-Matrix-M1 Other COVID-19 Vaccine									
Route Site Cod	e Dosage mL	MFG Code	Lot Number									
□IM		22.0										
MFG Codes: PFR=Pfizer, MOD= Site Codes: Right Deltoid = RD, L	Moderna, ASZ=AstraZeneca, . eft Deltoid = LD, Right Leg =	JSN=Janssen, NVX=No RL, Left Leg = LL, Rig	lvavax, MSD=Merck ht Arm = RA, Left Arm = LA									
Signature and Title of Vaccine Administrator: Date Vaccine Administered: / /												
- W - WG 10-12												