EntyvioConnect

ENROLLMENT FORM

For your patients prescribed Entyvio, *EntyvioConnect* gives access to the following programs:

Benefits Investigation

Support during the process of determining a patient's insurance benefits and eligibility for certain *EntyvioConnect* services

Prior Authorization (PA) Support

Assistance in obtaining PA approval from the patient's insurance company to cover Entyvio

Denial and Appeal Support

Guidance to support an office when appealing any denied PA requests

Co-Pay Program

Allows commercially insured, eligible patients to pay as little as \$5 per dose*, up to a total benefit of \$20,000 per year

Start Program

New-to-Entyvio patients who have received a denied PA from a commercial health plan are eligible to receive Entyvio at no cost for up to 1 year while the appeals process is conducted

Bridge Program

Entyvio patients with a temporary loss or gap in commercial coverage or authorization are eligible to receive Entyvio at no cost for up to 6 months

Nurse Support

Enrolled patients will be paired with a Nurse Educator to receive continued guidance throughout their treatment on Entyvio. Our nurses do not provide medical advice. Patients can request Nurse Support when they sign up on page 4

See pages 5 and 6 for terms and conditions for EntyvioConnect and its programs and services.

ENROLL TODAY!

To enroll in *EntyvioConnect*, have your patients fill out the first and second pages of the enrollment form, ensuring they sign both gray boxes.



FAX completed forms to 1-877-488-6814



Call 1-855-ENTYVIO (1-855-368-9846)

with any questions

EntyvioConnect Patient Support Managers are available Monday to Friday from 8 am to 8 pm ET (except holidays).





Please see Indications and Important Safety Information on page 7.

*The EntyvioConnect Co-Pay Program ("Co-Pay Program") provides financial support for commercially insured patients who qualify for the Co-Pay Program. The Co-Pay Program cannot be used if patient is a beneficiary of, or any part of the prescription is covered by: 1) any federal-, state-, or government-funded healthcare program (Medicare, Medicare, Medicare, Medicare), Medicare, Medicare program (Part D), or if patient is currently in the coverage gap, or 3) insurance that is paying the entire cost of the prescription. Patient may not seek reimbursement from any other plan or program (Part D), or if patient is currently in the coverage gap, or 3) insurance that is paying the entire cost of the prescription. Patient may not seek reimbursement from any other plan or program (Flexible Spending Account [FSA], Health Savings Account [HSA], Health Reimbursement Account [HRA], etc.) for any out-of-pocket costs covered by the Co-Pay Program. Patient or healthcare provider may be required to submit an Explanation of Benefits (EOB) following each infusion to the Co-Pay Program. Takeda reserves the right to change or end the Co-Pay Program at any time without notice, and other terms and conditions may apply. Offer not valid for patients under 18 years of age. Assistance under the Co-Pay Program is not transferable. The Co-Pay Program only applies in the United States, including Puerto Rico and other U.S. territories, and does not apply where prohibited by law, taxed, or restricted. This does not constitute health insurance. Void where use is prohibited by your insurance provider. If your insurance situation changes you must notify EntyvioConnect at 1-844-368-9846. This offer is not transferable and is limited to one offer per person and may not be combined with any other coupon, discount, prescription savings card, rebate, free trial, patient assistance, or other offer. Not valid if reproduced.



DIAGNOSIS CODES

This guide is designed to support the reimbursement process for both providers and payers by providing coding information for Entyvio. Providers are responsible for determining and submitting the appropriate codes, charges, and modifiers for all medically appropriate services and products. Please contact individual payers for current and specific coding, coverage, and payment policies.

The following coding information is intended as general information only. Please refer to your patient's payer's policies for specific billing guidance.

The following ICD-10-CM diagnosis codes may be appropriate to describe these disease states:

ICD-10-CM codes for ulcerative colitis ¹				
Code	Description			
K51.00	Ulcerative (chronic) pancolitis without complications			
K51.20	Ulcerative (chronic) proctitis without complications			
K51.30	Ulcerative (chronic) rectosigmoiditis without complications			
K51.50	Left-sided colitis without complications			
K51.80	Other ulcerative colitis without complications			
K51.90	Ulcerative colitis, unspecified, without complications			

ICD-10-CM codes for Crohn's disease ¹			
Code	Description		
K50.00	Crohn's disease of small intestine without complications		
K50.10	Crohn's disease of large intestine without complications		
K50.80	Crohn's disease of both small and large intestine without complications		
K50.90	Crohn's disease, unspecified, without complications		

ICD-10-CM=International Classification of Diseases, Tenth Revision, Clinical Modification.

EntyvioConnect Enrollment and Prescription Form FAX page 3 and page 4 to 1-877-488-6814

or call **1-855-ENTYVIO** (1-855-368-9846)

Monday through Friday, from 8 am to 8 pm ET (except holidays)



Name (First, Middle Initial, Las	t)		Birth Date (MM/DD/YY	(YY)	Gende	r 🛮 Male	☐ Femal
Address							
City/State/ZIP			=				
Legal Representative Name (if applicable)			Legal Representative Primary Phone (if applicable)				
2. PATIENT INSURA	NCE INFO	RMATION (FAX A COPY OF BOTH SIDE	ES OF THE PRIMARY AND/	OR SECONDAR	Y INSURANCE CARI)[S])	
Primary Insurance Plan		Plan Phone	Secondary or Prescript	ion Plan	Plan Phon	,	
Subscriber Name			Subscriber Name				
	Relati	onship to Patient			ship to Patient		
		o#					
PA Reference #			RxBIN	RxPCN	RxGro	up	
3. PRESCRIBER INFO	ORMATION	ı					
Prescriber Name (First, Last) _			Preferred Contact Name	e			
Practice/Facility Name			Office Phone		Office Fax		
Address			Co-pay/Claims/AR Fax	(if different from	above)		
City/State/ZIP			Tax ID #		NPI#		
4. INFUSION SITE IN	FORMATI	ON (REQUIRED IF DIFFERENT FROM F	RESCRIBER)				
Treatment Provider Name (First	., Last)		Description of site of ca		scribing 🛘 Patient	Other	
Practice/Facility Name			- □ Hospital □ Infusi - outpatient cente		ce home	☐ Other	
Address			Office Phone		Office Fav		
Address	City/State/ZIP						
			Tax ID #				
			Tax ID #		_ NPI #		
City/State/ZIP		ATION AND PRIOR THERAPIES			_ NPI #		
City/State/ZIP	L INFORM	ATION AND PRIOR THERAPIES	Tax ID # Preferred Contact Name		_ NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s)	L INFORM	ATION AND PRIOR THERAPIES	Tax ID # Preferred Contact Name		_ NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications	L INFORM	ATION AND PRIOR THERAPIES	Tax ID # Preferred Contact Name	e	_ NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² : Humira* (adal	L INFORM	ATION AND PRIOR THERAPIES	Tax ID # Preferred Contact Name	e	_ NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications	L INFORM	ATION AND PRIOR THERAPIES	Tax ID # Preferred Contact Name	e	_ NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² : Humira* (adal Other	L INFORM	ATION AND PRIOR THERAPIES	- Tax ID # Preferred Contact Name	e	_ NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² : Humira* (adal Other	L INFORM	ATION AND PRIOR THERAPIES □ 6-MP/azathioprine □ Cimzia* (certolizu	- Tax ID # Preferred Contact Name	e	_ NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² : Humira* (adal Other Medication Allergies, if any	L INFORM	ATION AND PRIOR THERAPIES □ 6-MP/azathioprine □ Cimzia* (certolizu	- Tax ID #Preferred Contact Name	e	_ NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² :	L INFORM mumab)	ATION AND PRIOR THERAPIES □ 6-MP/azathioprine □ Cimzia* (certolizu	PHARMACY TRIAGE)	enfliximab) □ Co	NPI #		
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² :	L INFORM mumab)	ATION AND PRIOR THERAPIES G-MP/azathioprine Gimzia* (certolization) FOR USE (REQUIRED FOR SPECIALTY	PHARMACY TRIAGE)	enfliximab) □ Co	NPI #		
S. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² :	L INFORM mumab) EECTIONS cription in	ATION AND PRIOR THERAPIES G-MP/azathioprine Gimzia* (certolize FOR USE (REQUIRED FOR SPECIALTY offormation. Attach your prescription if	Preferred Contact Name Imab pegol)	enfliximab)	NPI #rticosteroids □ Stela	ra* (ustekin	umab)
S. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² :	L INFORM mumab)	ATION AND PRIOR THERAPIES G-MP/azathioprine Gimzia* (certolize FOR USE (REQUIRED FOR SPECIALTY offormation. Attach your prescription if	Preferred Contact Name Imab pegol)	enfliximab)	rticosteroids Stela s (NY and NJ).	ra* (ustekin	umab)
S. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² :	L INFORM mumab) EECTIONS cription in	ATION AND PRIOR THERAPIES G-MP/azathioprine Gimzia* (certolize FOR USE (REQUIRED FOR SPECIALTY offormation. Attach your prescription if	PHARMACY TRIAGE) This form does not complete the Enty dilute Entyvio for intrav	e	rticosteroids	ra* (ustekin	umab)
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² : Humira* (adal Other Medication Allergies, if any 6. DOSAGE AND DIF Please complete Entyvio press ENTYVIO IV PRESCRIP Dose	L INFORM mumab) EECTIONS cription in	ATION AND PRIOR THERAPIES G-MP/azathioprine Gimzia* (certolize FOR USE (REQUIRED FOR SPECIALTY offormation. Attach your prescription if	Preferred Contact Name Imab pegol)	e	rticosteroids	ra* (ustekin	umab)
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies²:	mumab) EECTIONS cription in TION INFOR	ATION AND PRIOR THERAPIES General Gen	PHARMACY TRIAGE) This form does not complete the Enty dilute Entyvio for intrav	e	rticosteroids	ra* (ustekin	umab)
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies²:	L INFORM mumab) ECTIONS cription in TION INFOR	ATION AND PRIOR THERAPIES G-MP/azathioprine Gimzia* (certolization) FOR USE (REQUIRED FOR SPECIALTY) Iformation. Attach your prescription if RMATION (COMPLETE THIS SECTION) Description 14-day supply; 1 prescription, no refill	PHARMACY TRIAGE) This form does not complete the Enty dilute Entyvio for intrav	e	rticosteroids	ra* (ustekin	umab)
S. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies ² : Humira* (adal Other Medication Allergies, if any 6. DOSAGE AND DIF Please complete Entyvio pres ENTYVIO IV PRESCRIP Dose Initiation Week 0: Infusion 300 mg IV	mumab) EECTIONS Cription in TION INFOR Dispense	ATION AND PRIOR THERAPIES G-MP/azathioprine Cimzia* (certolizu FOR USE (REQUIRED FOR SPECIALTY Information. Attach your prescription if EMATION (COMPLETE THIS SECTION) Description 14-day supply; 1 prescription, no refill 30-day supply; 1 prescription, no refill	PHARMACY TRIAGE) This form does not complete the Enty dilute Entyvio for intrav	e	rticosteroids	ra* (ustekin	umab)
S. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies²:	mumab) PECTIONS Cription in TION INFOR Dispense 1 vial 1 vial 1 vial	ATION AND PRIOR THERAPIES General Gen	PHARMACY TRIAGE) This form does not complete the Enty dilute Entyvio for intrav	e	rticosteroids	ra* (ustekin	umab)
5. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies²:	mumab) EECTIONS Cription in TION INFOR Dispense	ATION AND PRIOR THERAPIES G-MP/azathioprine Cimzia* (certolizu FOR USE (REQUIRED FOR SPECIALTY Information. Attach your prescription if EMATION (COMPLETE THIS SECTION) Description 14-day supply; 1 prescription, no refill 30-day supply; 1 prescription, no refill	PHARMACY TRIAGE) This form does not complete the Enty dilute Entyvio for intrav	e	rticosteroids	ra* (ustekin	umab)
S. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies²:	mumab) PECTIONS Cription in TION INFOR Dispense 1 vial 1 vial 1 vial	ATION AND PRIOR THERAPIES General Gen	PHARMACY TRIAGE) This form does not complete the Enty dilute Entyvio for intrav	e	rticosteroids	ra* (ustekin	umab)
S. PATIENT CLINICA ICD-10-CM Diagnosis Code(s) Current Medications Prior therapies²:	mumab) PECTIONS Cription in TION INFOR Dispense 1 vial 1 vial 1 vial	ATION AND PRIOR THERAPIES General Gen	PHARMACY TRIAGE) This form does not complete the Enty dilute Entyvio for intrav	e	rticosteroids	ra* (ustekin	umab)

By signing this form, I certify that therapy with Entyvio is medically necessary for the patient identified in this application ("Patient"). I have reviewed the current Entyvio Prescribing Information and will be supervising Patient's treatment. I have received from Patient, or his/her personal representative, the necessary authorization to release, in accordance with applicable federal and state law regulations, referenced medical and/or other patient information relating to Entyvio therapy to Takeda Pharmaceuticals U.S.A., Inc., including its present and future affiliates, business partners, agents and contractors, for the purpose of seeking information related to coverage and/or assisting in initiating or continuing Entyvio therapy. I authorize EntyvioConnect to transmit this prescription to the appropriate pharmacy designated by me, Patient (or his/her legal representative), or Patient's plan. I agree that product provided through the Program (if applicable) shall only be used for Patient, must not be resold, offered for sale or trade, or returned for credit, nor shall Patient nor any third-party payer, Medicare, or Medicaid be charged for this product. I have read, understand, and agree to the applicable Terms and Conditions. I understand that I am under no obligation to prescribe or purchase Entyvio or any other product manufactured by Takeda, and I certify I have received nothing of value from Takeda or its agents or representatives for prescribing a Takeda product.

Please see Indications and Important Safety Information on <u>page 7</u>. For complete Dosage and Administration, please see full <u>Prescribing Information</u>, including <u>Medication Guide</u>.

EntyvioConnect Enrollment and Prescription Form FAX page 3 and page 4 to 1-877-488-6814

PATIENT SIGNATURE/LEGAL REPRESENTATIVE SIGNATURE (Indicate relationship)

or call **1-855-ENTYVIO** (1-855-368-9846)

Monday through Friday, from 8 am to 8 pm ET (except holidays)



Mobile Phone	Alternate Phone	Okay to leave a message about the status of my enrollment	t or prescription? 🛮 Yes 🖾 No
8. PATIENT HIPAA AUTH	HORIZATION		
By signing the Patient I authorize my physicial that receives my prescriptormation relating to as all information provinc. and its present or behalf in connection will use my Protected I Patient Support Prograinclude (but not be limeducation, financial ass Specifically, I authorize order to enroll me in Expecifically, I authorize order to enroll me in Expecifically, I authorize order to enroll me in Expecifically pharmal to coordinate prescript I understand that empedescribed herein, to accordinate prescript I understand that my healthcare proformarketing services, may no longer be protontained in Takeda's that such cancellation will of this enrollment form to sign this Authorization will of this enrollment form to sign this Authorization health insurance, and proformation in the provided in the p	Authorization section on than, health insurance, and phription) to disclose my protomy medical condition, treaded on this form ("Protecte future affiliates, including the ith the EntyvioConnect Pathealth Information for the pam products, supplies, or senited to) verification of insursistance with co-pays, patienthe Companies to 1) receiventyvioConnect and contact connect; 2) provide me, and crials, information, and service and information, and service and contact connects, and others involved and the Companies of the Companies of Inderstand that Protected and that I may cancel this website Privacy Notice available and that I may cancel this website Privacy Notice available and that I may cancel this website Privacy Notice available and that refusing to sign on and that refusing to sign other macy providers treat me of the contact of the contact of the contact of the companies o	ne second page of this EntyvioConnect harmacy providers (including any special ected health information, including, but the the thealth Information, to Takeda Pharmach affiliates and service providers that where ient Support Program (the "Companies ourpose of facilitating the provision of the vices as selected by me or my physicinance benefits and drug coverage, prior ent assistance programs, and other relative, use, and disclose my Protected Healthme, and/or the person legally authorized for the person legally authorized for the person legally authorized for the person legally authorized to significate the person legally authorized to some including but not limited to community use my Protected Health Information of the legal the	not limited to, surance, as well maceuticals U.S.A., rork on Takeda's "). The Companies he Entyvio Connect an and may authorization red programs. The Information in red to sign on my hon my behalf, investigate, and nicating with my verify my coverage; yses. In for the purposes wise required rither, I understand ticals U.S.A. his Authorization ropy of this doing so are red. I understand his Authorization. on the first page that I may refuse way my physician, a this Authorization.

to sign this Authorization and that refusing to sign this Authorization will not chahealth insurance, and pharmacy providers treat me. I also understand that if I do I will not be able to receive EntyvioConnect Patient Support Program products,	ange the way my physician, o not sign this Authorization,
Patient Authorization I have read, understand, and agree to the release of my protected health information	as described above.
PATIENT SIGNATURE/LEGAL REPRESENTATIVE SIGNATURE (Indicate relationship)	DATE
Patient Support Program Enrollment I have read, understand, and agree to the use of my personal information for the purposes described on page 5, section 9.	☐ Check this box if you wish to opt-in for <i>EntyvioConnect</i> Nurse Support
	Check this box if you wish to enroll

DATE

in text message communication, as described on page 6, section 14

PATIENT COPY



9. PATIENT SUPPORT PROGRAM ENROLLMENT

Enroll me in the *EntyvioConnect* Patient Support Program (the "Program"). I have read and understand the applicable terms and conditions. I certify that all the information provided on this form is accurate and complete, and I agree to notify the Program immediately if my medical or prescription drug coverage changes in any way. I understand that Takeda and its business partners will use my personal information to enroll me in the Program, provide the support I am asking for, and offer related services to me. I authorize Takeda, its affiliates and business partners to use my personal information to provide me with information and offers related to Entyvio, the diseases and the conditions it treats, and related treatment options. In addition to information about Entyvio and related health conditions, I understand this may include information about clinical trials and market research opportunities, and other support services or programs Takeda may in the future develop for patients. I also authorize Takeda to use my de-identified information to help Takeda improve and develop products, services, materials, and programs or for health economic outcomes and market research. I understand that I may revoke my permission at any time. To learn how Takeda will use and protect my personal information, I acknowledge that I have reviewed Takeda's Privacy Notice (www.takeda.com/privacy-notice/).

10. PATIENT HIPAA AUTHORIZATION

By signing the Patient Authorization section on the second page of this *EntyvioConnect* Enrollment Form, I authorize my physician, health insurance, and pharmacy providers (including any specialty pharmacy that receives my prescription) to disclose my protected health information, including, but not limited to, information relating to my medical condition, treatment, care management, and health insurance, as well as all information provided on this form ("Protected Health Information"), to Takeda Pharmaceuticals U.S.A., Inc. and its present or future affiliates, including the affiliates and service providers that work on Takeda's behalf in connection with the EntyvioConnect Patient Support Program (the "Companies"). The Companies will use my Protected Health Information for the purpose of facilitating the provision of the *EntyvioConnect* Patient Support Program products, supplies, or services as selected by me or my physician and may include (but not be limited to) verification of insurance benefits and drug coverage, prior authorization education, financial assistance with co-pays, patient assistance programs, and other related programs. Specifically, I authorize the Companies to 1) receive, use, and disclose my Protected Health Information in order to enroll me in EntyvioConnect and contact me, and/or the person legally authorized to sign on my behalf, about *EntyvioConnect*; 2) provide me, and/or the person legally authorized to sign on my behalf, with educational materials, information, and services related to EntyvioConnect; 3) verify, investigate, and provide information about my coverage for Entyvio, including but not limited to communicating with my insurer, specialty pharmacies, and others involved in processing my pharmacy claims to verify my coverage; 4) coordinate prescription fulfillment; and 5) use my information to conduct internal analyses.

I understand that employees of the Companies only use my Protected Health Information for the purposes described herein, to administer the *EntyvioConnect* Patient Support Program or as otherwise required or allowed under the law, unless information that specifically identifies me is removed. Further, I understand that my healthcare provider may receive financial remuneration from Takeda Pharmaceuticals U.S.A. for marketing services. I understand that Protected Health Information disclosed under this Authorization may no longer be protected by federal privacy law. I understand that I am entitled to a copy of this Authorization. I understand that I may cancel this Authorization and that instructions for doing so are contained in Takeda's Website Privacy Notice available at www.takeda.com/privacy-notice/. I understand that such cancellation will not apply to any information already used or disclosed through this Authorization. This Authorization will expire within five (5) years from the date it is signed and provided on the first page of this enrollment form, unless a shorter period is provided for by state law. I understand that I may refuse to sign this Authorization and that refusing to sign this Authorization will not change the way my physician, health insurance, and pharmacy providers treat me. I also understand that if I do not sign this Authorization, I will not be able to receive *EntyvioConnect* Patient Support Program products, supplies, or services.

11. START PROGRAM TERMS AND CONDITIONS

The Start Program provides Entyvio at no cost to eligible new-to-therapy patients who have received a prior authorization denial from their commercial payer. Patients eligible for federal or state healthcare programs (Medicare, Medicaid, TRICARE, etc.) are ineligible. Patients must have a valid prescription for Entyvio that is consistent with Entyvio's label. The Start Program provides Entyvio at no cost to eligible patients for up to one year. If a patient enrolled in the Start Program is still appealing coverage at one year, the patient may be eligible for additional Entyvio under the Start Program. Patients must submit evidence of prior authorization denial from their commercial payer and other required documents. There is no purchase obligation by virtue of a patient's participation in the Start Program. Free product provided through the Start Program is only available through the Start Program's contracted non-commercial specialty pharmacy. No claim for reimbursement for product dispensed through the Start Program may be submitted to any third-party payer. Benefits provided under the Start Program are not transferable. The Start Program is a one-time offer per patient. Eligibility will be determined on a case-by-case basis. Takeda reserves the right to change or end the Start Program at any time, and other terms and conditions may apply.

PATIENT COPY (CONTINUED)



12. BRIDGE PROGRAM TERMS AND CONDITIONS

The Bridge Program provides continuity of care when an eligible Entyvio patient experiences a loss of or gap in commercial insurance coverage or authorization. The Bridge Program provides up to 6 months of product at no cost to enrolled patients while they obtain commercial coverage for Entyvio. Patients must be currently receiving Entyvio therapy and experiencing a gap in or loss of commercial coverage. The Bridge Program is not available to patients who are eligible for federal or state healthcare programs (Medicare, Medicaid, TRICARE, etc.). Patients who have not yet received their first dose of Entyvio are not eligible. There is no purchase obligation by virtue of a patient's participation in the Bridge Program. Free product provided through the Bridge Program is only available through the Bridge Program's contracted non-commercial specialty pharmacy. No claim for reimbursement for product dispensed through the Bridge Program may be submitted to any third-party payer. Benefits provided under the Bridge Program are not transferable. The Bridge Program is a one-time offer per patient. Eligibility will be determined on a case-by-case basis. Takeda reserves the right to change or end the Bridge Program at any time, and other terms and conditions may apply.

13. CO-PAY PROGRAM TERMS AND CONDITIONS

The EntyvioConnect Co-Pay Program ("Co-Pay Program") provides financial support for commercially insured patients who qualify for the Co-Pay Program. The Co-Pay Program cannot be used if patient is a beneficiary of, or any part of the prescription is covered by: 1) any federal, state-, or government-funded healthcare program (Medicare, Medicare Advantage, Medicaid, TRICARE, etc.), including a state pharmaceutical assistance program (the Federal Employees Health Benefit [FEHB] Program is not a government-funded healthcare program for the purpose of this offer), 2) the Medicare Prescription Drug Program (Part D), or if patient is currently in the coverage gap, or 3) insurance that is paying the entire cost of the prescription. Patient may not seek reimbursement from any other plan or program (Flexible Spending Account [FSA], Health Savings Account [HSA], Health Reimbursement Account [HRA], etc.) for any out-of-pocket costs covered by the Co-Pay Program. Patient or healthcare provider may be required to submit an Explanation of Benefits (EOB) following each infusion to the Co-Pay Program. Takeda reserves the right to change or end the Co-Pay Program at any time without notice, and other terms and conditions may apply. Offer not valid for patients under 18 years of age. Assistance under the Co-Pay Program is not transferable. The Co-Pay Program only applies in the United States, including Puerto Rico and other U.S. territories, and does not apply where prohibited by law, taxed, or restricted. This does not constitute health insurance. Void where use is prohibited by your insurance provider. If your insurance situation changes you must notify EntyvioConnect at 1-844-368-9846. This offer is not transferable and is limited to one offer per person and may not be combined with any other coupon, discount, prescription savings card, rebate, free trial, patient assistance, or other offer. Not valid if reproduced.

14. TEXT MESSAGING

By agreeing to these *EntyvioConnect* (the "Program") text message terms and conditions, you agree to receive text messages on your mobile device subject to the Terms & Conditions described below. You also consent to receive autodialed and/or pre-recorded calls and/or text messages from or on behalf of the Program at the telephone number provided above. You understand that this consent is not a condition of purchase or use of the Program or of any Takeda product or service.

Participants will receive an average of 5 text messages each month while enrolled in the Program. Such messages may be nonmarketing messages related to the Patient Support Program.

There is no fee payable to Takeda to receive text messages; however, your carrier's message and data rates may apply.

You represent that you are the account holder for the mobile telephone number(s) that you provide to opt into the Program. You are responsible for notifying Takeda immediately if you change your mobile telephone number. You may notify Takeda of a number change by calling 1-855-ENTYVIO.

Data obtained from you in connection with your registration for, and use of, this SMS service may include your phone number and/or email address, related carrier information, and elements of pharmacy claim information and will be used to administer this Program and to provide Program benefits such as information about your prescription, refill reminders, as well as Program updates and alerts.

Takeda will not be liable for any delays in the receipt of any SMS messages as delivery is subject to effective transmission from your network operator.

This Program is valid with most major US carriers, including Verizon Wireless, Sprint, Nextel, Boost Mobile, T-Mobile®, AT&T, Alltel, ACS Wireless, Bluegrass Cellular, Carolina West Wireless, CellCom, Cellular One of East Central Illinois (ECIT), Cincinnati Bell, Cricket, C-Spire Wireless, Duet IP (AKA Max/Benton/Albany), Element Mobile, Epic Touch, GCI Communications, Golden State, Hawkeye (Chat Mobility), Hawkeye (NW Missouri Cellular), Illinois Valley Cellular (IVC), Inland Cellular, iWireless, Keystone Wireless (Immix/PC Management), MetroPCS, MobiPCS, Mosaic, MTPCS/Cellular One (Cellone Nation), Nex-Tech Wireless, nTelos, Panhandle Telecommunications, Pioneer, Plateau, Revol Wireless, Rina-Custer, Rina-All West, Rina-Cambridge Telecom Coop, Rina-Eagle Valley Comm, Rina-Farmers Mutual Telephone Co, Rina-Nucla Nutria Telephone Co, Rina-Silver Star, Rina-South Central Comm, Rina-Syringa, Rina-UBET, Rina-Manti, Simmetry, South Canaan/CellularOne of NEPA, Thumb Cellular, Union Wireless, United Wireless, U.S. Cellular, Viaero Wireless, Virgin Mobile, and West Central Wireless (includes Five Star Wireless).

Takeda may be required to contact the user if an adverse event is reported.

You agree to indemnify Takeda and any third parties texting on its behalf in full for all claims, expenses, and damages related to or caused, in whole or in part, by your failure to immediately notify us if you change your telephone number, including but not limited to all claims, expenses, and damages related to or arising under the Telephone Consumer Protection Act.

Takeda reserves the right to rescind, revoke, or amend the Program without notice at any time.

You can unsubscribe from this Program by texting STOP. For questions about this Program, text HELP or contact the customer support center at 1-855-ENTYVIO.



For appropriate adult patients with moderate to severe ulcerative colitis or Crohn's disease when other therapies have not worked well enough or cannot be tolerated.

IMPORTANT SAFETY INFORMATION

- ENTYVIO (vedolizumab) for injection is contraindicated in patients who have had a known serious or severe hypersensitivity reaction to ENTYVIO or any of its excipients.
- Infusion-related reactions and hypersensitivity reactions including anaphylaxis, dyspnea, bronchospasm, urticaria, flushing, rash, and increased blood pressure and heart rate have been reported. These reactions may occur with the first or subsequent infusions and may vary in their time of onset from during infusion or up to several hours post-infusion. If anaphylaxis or other serious infusion-related or hypersensitivity reactions occur, discontinue administration of ENTYVIO immediately and initiate appropriate treatment.
- Patients treated with ENTYVIO are at increased risk for developing infections. Serious infections have been reported in patients treated with ENTYVIO, including anal abscess, sepsis (some fatal), tuberculosis, salmonella sepsis, Listeria meningitis, giardiasis, and cytomegaloviral colitis. ENTYVIO is not recommended in patients with active, severe infections until the infections are controlled. Consider withholding ENTYVIO in patients who develop a severe infection while on treatment with ENTYVIO. Exercise caution in patients with a history of recurring severe infections. Consider screening for tuberculosis (TB) according to the local practice.
- Progressive multifocal leukoencephalopathy (PML), a rare and often fatal opportunistic infection of the central nervous system (CNS), has been reported with systemic immunosuppressants, including another integrin receptor antagonist. PML is caused by the John Cunningham (JC) virus and typically only occurs in patients who are immunocompromised. One case of PML in an ENTYVIO-treated patient with multiple contributory factors has been reported in the post marketing setting (e.g., human immunodeficiency virus [HIV] infection with a CD4 count of 300 cells/mm³ and prior and concomitant immunosuppression). Although unlikely, a risk of PML cannot be ruled out. Monitor patients for any new or worsening neurological signs or symptoms. Typical signs and symptoms associated with PML are diverse, progress over days to weeks, and include progressive weakness on one side of the body or clumsiness of limbs, disturbance of vision, and changes in thinking, memory, and orientation leading to confusion and personality changes. If PML is suspected, withhold dosing with ENTYVIO and refer to a neurologist; if confirmed, discontinue ENTYVIO dosing permanently.
- There have been reports of elevations of transaminase and/or bilirubin in patients receiving ENTYVIO. ENTYVIO should be discontinued in patients with jaundice or other evidence of significant liver injury.
- Prior to initiating treatment with ENTYVIO, all patients should be brought up to date with all immunizations according to current immunization guidelines. Patients receiving ENTYVIO may receive non-live vaccines and may receive live vaccines if the benefits outweigh the risks
- Most common adverse reactions (incidence ≥3% and ≥1% higher than placebo): nasopharyngitis, headache, arthralgia, nausea, pyrexia, upper respiratory tract infection, fatigue, cough, bronchitis, influenza, back pain, rash, pruritus, sinusitis, oropharyngeal pain, and pain in extremities.

Please see full Prescribing Information, including Medication Guide.

INDICATIONS

Adult Ulcerative Colitis

ENTYVIO (vedolizumab) is indicated in adults for the treatment of moderately to severely active UC.

Adult Crohn's Disease

ENTYVIO (vedolizumab) is indicated in adults for the treatment of moderately to severely active CD.

References: 1. Centers for Medicare & Medicaid Services. 2020 ICD-10-CM. https://www.cms.gov/Medicare/Coding/ICD10/2020-ICD-10-CM. Accessed March 23, 2020. 2. Entyvio (vedolizumab) prescribing information. Takeda Pharmaceuticals.

