



**Vaccine Status: 05/05/2023**

**Moderna Bivalent Booster: OUT OF STOCK**

**Pfizer Bivalent Booster: In stock and expect continued shipments.**

**\*\*BRING YOUR VACCINATION CARD TO APPOINTMENT IF PREVIOUSLY VACCINATED\*\***

The following website will allow you to retrieve and print your vaccination record.

[https://nesiis-dhhs-prod.ne.gov/prd\\_ir/public/clientSearch.do?language=en](https://nesiis-dhhs-prod.ne.gov/prd_ir/public/clientSearch.do?language=en)

THE LATEST INFORMATION REGARDING COVID 19 VACCINATIONS DATED April 21st, 2023

The Centers for Disease Control and Prevention (CDC) and The Lincoln Lancaster County Health Department have approved an additional dose of the updated Covid-19 bivalent booster for adults **65 YEARS AND OLDER AND THOSE WITH WEAKENED IMMUNE SYSTEMS.**

**YOU MAY NOW SCHEDULE AN APPOINTMENT TO RECEIVE AN ADDITIONAL COVID-19 BIVALENT DOSE AT THIS TIME!!**

### **General Information on Omicron Booster**

- Everyone 12 & older is eligible for the new **Bivalent Omicron Vaccine**
- All Booster Vaccinations for 12 & older will be 1 dose of the Bivalent Omicron Vaccine
- Must be 60 days after last Booster, or 60 days after the Primary Series.
- Moderna Bivalent is for 18 and older
- Pfizer Bivalent is for 12 and older
- Pharmacies may vaccinate 3 years of age and older
- Children 6 months of age through 2 must be vaccinated in physician's office

For more information first choose the type of Vaccine and then find the appropriate age:

**For more information first choose the type of Vaccine and then find the appropriate age:**

## **Moderna**

Age 6 months through 17:

- 1st Primary Dose
- 2nd Primary Dose 4-8 weeks (28-56 days) after first dose
- If Immunocompromised 3<sup>rd</sup> Dose 28 days after second dose (monovalent)

Age 12-17

- Moderna Booster is not available, but may obtain a Pfizer Bivalent Booster

Age 18 and older:

- 1st Primary Dose
- 2nd Primary Dose 4-8 weeks (28-56 days) after first dose
- 1 Bivalent Booster 60 days after initial 2 dose series, or
- 1 Bivalent Booster 60 days after any previous Booster

## **Pfizer**

Age 6 months through 4:

- 1st Primary Dose
- 2nd Primary Dose 3-8 weeks (21-56 days) after first dose
- 3<sup>rd</sup> Primary Dose 8 weeks (56 days) after 2nd dose

Age 5 through 11:

- 1st Primary Dose
- 2nd Primary Dose 3-8 weeks (21-56 days) after first dose
- 3<sup>rd</sup> Dose, 1st Booster of monovalent, 5 months after 2nd dose
- Immunocompromised: 3<sup>rd</sup> dose 4 weeks after 2<sup>nd</sup>
- Immunocompromised: 4<sup>th</sup> dose 3 months after 3<sup>rd</sup>

Age 12 and older:

- 1st Primary Dose
- 2nd Primary Dose 3-8 weeks (21-56 days) after first dose
- Bivalent Booster 60 days after initial 2 dose series, or
- Bivalent Booster 60 days after any previous Booster

## **JOHNSON & JOHNSON**

Age 18 and older:

- 1st Primary Dose
- 2<sup>nd</sup> Primary Dose 2 months after 1<sup>st</sup> dose (may choose J&J, Moderna, or Pfizer)
- Bivalent Booster 60 days after dose 1 or 2

## Novavax

Age 12 and older:

- The Novavax COVID-19 vaccine is authorized as a 2-dose primary series only—and not as a booster dose—at this time.
- 1st Primary Dose
- 2<sup>nd</sup> Primary Dose 3-8 weeks after 1<sup>st</sup> dose
- Bivalent Booster 60 days after initial 2 dose series

CDC Website

[https://www.cdc.gov/coronavirus/2019-ncov/vaccines/different-vaccines/overview-COVID-19-vaccines.html?CDC\\_AA\\_refVal=https%3A%2F%2Fwww.cdc.gov%2Fcoronavirus%2F2019-ncov%2Fvaccines%2Fdifferent-vaccines%2FModerna.html](https://www.cdc.gov/coronavirus/2019-ncov/vaccines/different-vaccines/overview-COVID-19-vaccines.html?CDC_AA_refVal=https%3A%2F%2Fwww.cdc.gov%2Fcoronavirus%2F2019-ncov%2Fvaccines%2Fdifferent-vaccines%2FModerna.html)

