CONSULTANT PHARMACIST AGREEMENT

For

New Patients Starting Natural Bio-Identical Hormone Replacement Therapy

Okuley's offers an ongoing consultation service for women and men who are receiving bio-identical natural hormone replacement therapy. A consulting fee of \$150.00 for up to a two hour consult will be charged to you when you start natural bio-identical hormone replacement therapy. This fee covers services you receive with our clinical pharmacists, including: initial work-up, research and consultation with you and your physician. You will be asked to make follow-up visits 1, 3, 6, and 12 months after starting your therapy. Each follow-up visit carries a fee of \$50.00 and lasts up to 30 minutes. Follow-up visits are needed to adjust therapies and ensure you are well balanced.

What can I expect?

*We will work closely with your doctor to find the right therapy to meet your needs. It is important for you, as the patient, to communicate regularly with your physician about your goals. If your doctor needs more information about Bio-identical Hormone Replacement Therapy, we would be happy to provide it to him/her. The success of your therapy is greatly dependent upon a positive physician/pharmacist relationship.

*Unlike the commercial hormone replacement therapies with only a few strengths, Bioidentical hormones can be formulated in any dosage, and in a variety of forms to meet your personal needs.

*There will be an adjustment period of approximately three months, though the time frame may vary slightly from one person to the next. During this initial period, we will be in contact with you to discuss your symptoms and answer any questions you may have regarding your therapy. Successful hormone replacement therapy requires patience and consistent communication with your health care professionals.

Lab Work

Levels of hormones can be helpful in evaluating your replacement needs. We suggest that you have your physician get base line levels of your hormones **before** starting human bio-identical hormone replacement.

Levels can be checked by either blood or saliva sample. If you prefer to have saliva testing, please contact the pharmacy for a saliva kit. Blood levels will have to be drawn at your physician's office.

The following labs are what we suggest you have drawn or collected:

Males:

Testosterone Free DHEA-sulfate SHBG Estradiol LH PSA

Cortisol—4 point (If under a lot of stress)

Thyroid (T4 total and free, T3 total and free, TSH, Vit D 25, Vit D 25 OH, Ferritin) (if tired, constipated, cold blooded, depressed, or experiencing weight gain) **Lipid Panel**



Physician Medical Release Authorization

"I hereby authorize my Physician to furnish and agent of <u>Okuley's Pharmacy and Home Medical</u> any and all records pertaining to my medical history, services rendered and/or treatments. I understand that employees of <u>Okuley's Pharmacy and Home Medical</u> will protect my privacy and this information will be released to other health care professionals only when it is necessary in order to provide health care services to me. I further understand that an <u>Okuley's Pharmacy and Home Medical</u> employee will not release this information unless authorized by me in writing. This authority shall continue until revoked by me in writing."

Physician Name:	
Address:	
City, State, Zip:	
Phone:	
Deticat Name	
Patient Name:	
Address:	
City, State, Zip:	
Phone:	
Signature:	
Patient Name:	SS#:

General Medical History Form

Please return your form to the Pharmacy when you have finished. The Pharmacist will meet with you to review your information. Thank you.

<u>PATIENT INFORMATION</u> :	TODAY'S DATE:
Name:	Birth Date:
Address:	Age:
City:	Phone:
Occupation:	Wk Phone:
Please provide your prescrip	otion insurance card before we fill your prescription
Living Situation: Spouse Alone Partner	Friend(s) Parent Children Other
Status: Married Divorced Widowed	
Blood Type: O A B AB	
71	
MEDICAL STATUS	
How do you rate your general health?	Excellent; Good; Fair Poor.
	Height:in.; Weight:lbs
Blood pressure: Pulse:	
Lifestyle Information:	
Do	you use: Yes or No If yes, how often and how much?
Tobacco (smoke, chew, dip)	
Alcohol (beer, wine, hard liquor)	
Caffeine (cola drinks, tea, coffee)	

Physical impairment	ny of the following: _ Visual impairment	_ Hearing impairment
EXERCISE: Do you exercise regularly If YES, describe what you do and		
YES NO If YES, describe what		nent techniques?
SLEEP: How long does it take you to f How many hours of sleep do you get per	-	rs
Do you sleep uninterrupted all night?	YES NO	
If NO, how many times do you awaken:	times. Do you a	waken at a particular time(s)?
What awakens you?		
Do you nap during the day? YES	NO How often and	how long do you nap?
DIET: Describe your typical daily food	l intake:	
DIET: Describe your typical daily food First Meal: Second Meal:	l intake: Third Meal:	Any Snacks/Other:
		Any Snacks/Other:
	Third Meal: currently under the care of	f a physician? YES NO
First Meal: Second Meal: DOCTOR INFORMATION: Are you If YES, please list each doctor from who	Third Meal: currently under the care of om you seek care, including	f a physician? YES NO g address and phone number, if
First Meal: Second Meal: DOCTOR INFORMATION: Are you If YES, please list each doctor from who known:	Third Meal: currently under the care of the care of the care, including a display and	f a physician? YES NO g address and phone number, if Phone:
First Meal: Second Meal: DOCTOR INFORMATION: Are you If YES, please list each doctor from who known: Doctor Name:	Third Meal: currently under the care of om you seek care, including Address: Address:	f a physician? YES NO g address and phone number, if Phone: Phone:
First Meal: Second Meal: DOCTOR INFORMATION: Are you If YES, please list each doctor from who known: Doctor Name: Doctor Name:	Third Meal: currently under the care of the care of the care, including the care, including the care. Address: Address: Address:	f a physician? YES NO g address and phone number, if Phone: Phone:

Heart disease (ex. C High cholesterol or	(ex. Hypertension) ophagas) sues	DiabetesArthritis or joiDepressionEpilepsyHeadaches/mi	ema, COPD) int problems graines glaucoma, etc.)
High blood pressure Cancer Ulcers (stomach, esc Thyroid disease Hormonal related Is	(ex. Hypertension) ophagas) sues	Depression Epilepsy Headaches/mi Eye disease (g	graines glaucoma, etc.)

Medication	Strength	Medication	Strength

OVER-THE-COUNTER (OTC) PRODUCTS:

Please check all products that you use.

Pain RelieverAcetaminophen (ex. Tylenol®)Ibuprofen (ex. Motrin IB ®)Naproxen (ex. Aleve®)Ketoprofen (ex. Orudis KT ®)Cough Suppressant (ex. Robitussin DM ®)Antihistamine product (ex. Chlor-Trimenton®)Decongestant product (ex. Sudafed ®)Combination product (cough & cold reliever)	Antidiarrheals (ex. Imodium ®, Pepto Bismol®,
---	---

Please indicate how often you use each product that you checked above (ie, every day, most days, occasionally or regularly).

OTC Product	Taken How Often	OTC Product	Taken How Often

HERBAL SUPPLEMENTS, VITAMINS, AND OTHER NATURAL PRODUCTS:

Product	Taken How Often	Product	Taken How Often

3. _____ Since When: _____

Check the answer that best describes you.

Sexual Function

Decreased libido or desire for sex

Rare Moderate Frequent Severe

Loss of morning erections

Rare Moderate Frequent Severe

Difficulty maintaining erections

Rare Moderate Frequent Severe

Difficulty starting an erection/No erection

Rare Moderate Frequent Severe

Ejaculation potency problems-decreased volume of ejaculate and ejaculatory force

Rare Moderate Frequent Severe

Mental Function

Feeling of burn out/inability to concentrate

Rare Moderate Frequent Severe

Tiredness, fatigue, and loss of energy

Rare Moderate Frequent Severe

Decreased mental sharpness and attention

Rare Moderate Frequent Severe

Forgetfulness

Rare Moderate Frequent Severe

Feeling of depression-important things, such as marriage and work, have lost significance

Rare Moderate Frequent Severe

Increased irritability, anger, and bad temper

Rare Moderate Frequent Severe

Musculoskeletal Condition Decreased physical stamina Moderate Frequent Severe Rare Decreased Muscle size, tone and strength Rare Moderate Frequent Severe "Sore-body syndrome"-aches and pains in muscles and joints Rare Moderate Frequent Severe Development of osteoporosis or arthritis Rare Moderate Frequent Severe **Metabolic or Physical/Disease Problems** Increased total cholesterol and triglycerides Rare Moderate Frequent Severe Diabetes onset/Rise in blood sugar Moderate Frequent Severe Rare Increased blood pressure Rare Moderate Frequent Severe Increased waist size-weight gain especially around the middle Rare Moderate Frequent Severe Increased fat in the breast and hip areas Moderate Frequent Severe Rare

Age you are:	
Age you feel:	

Dry skin on the hands and face

Rare

Moderate

Frequent

Severe

QUESTION DOCUMENTATION FORM

Please write down any questions you may have about Prescription Bio-Identical Hormone Replacement Therapy (RxBHRT), other medications, or any other questions that come up as you read through the materials you have received. Bring this question sheet with you to your consultation so you can discuss this information with your pharmacist/nurse. Thank you.

this information with your pharmacist/nurse.	Thank you.
1.	
2.	
3.	
4.	
5.	

Male Consultation Patient Symptoms Sheet

Rate your current status for each symptom by checking the appropriate number. Please feel free to use the additional space at the bottom to describe any symptom. This section may be repeated on subsequent visits.

	Mild	to	Severe
Headaches	1	3	5
Anxiety	1	3	5
Moodiness	1	3	5
Depressed Moods	1	3	5
Irritability, Anger, Temper	1	3	5
Emotional Swings	1	3	5
Insomnia	1	3	5
Fuzzy Thinking	1	3	5
Short-term Memory Loss	1	3	5
Food Cravings (salty or sweet)	1	3	5
Weight Gain (especially around the middle)	1	3	5
Shortness of Breath	1	3	5
Low Libido	1	3	5
Difficulty Starting an Erection (or No Erection)	1	3	5
Difficulty Maintaining Erections	1	3	5
Loss of Erections	1	3	5
Ejaculatory Problems	1	3	5
Dry Hair/Skin (especially hands and face)	1	3	5

Hair Loss	1	3	5
Loss of Pubic Hair	1	3	5
Frequent Urinary Tract Infections	1	3	5
Heart Palpitations	1	3	5
Fatigue, Lack of Energy	1	3	5
Bladder Symptoms	1	3	5
Symptoms of Low Thyroid (decreased metabolism)	1	3	5
Symptoms of Low Sugar (shakiness, lightheadedness before next meal)	1	3	5

Additional Comments:

Thyroid Symptom Assessment

Pleas	e check all symptoms that apply:	
	Fatigue (especially in evening)	Heat Intolerance
	Dry, Coarse, or Itchy Skin	Irritability
	Scalp Hair Loss	Moist Skin
	Dry, Coarse, or Thinning Hair	Increased Sweating
	Memory Lapses	Diarrhea
	Thinning Eyebrows	Tremors
	Headaches	Nervousness
	Anxiety	Brittle Hair
	Poor Concentration	Thinning of Skin
	Fibromyalgia	Trouble Sleeping
	Cold Feeling in Extremities	
	General Aches and Pains	
	Brittle Nails	
	Heart Palpitations	
	Low Stamina	
	Cold Intolerance	
	Swollen or Puffy Eyes	
	High Cholesterol	
	Upper Eyelid Drop	
	Low Libido	
	Depression	
	Low Heart Rate/Blood Pressure	
	Constipation	
	Low Body Temperature	
	Weight Gain	
	Increased Swelling	
	Infertility	

ADRENAL QUESTIONAIRE

If you answer yes to 3 or more questions, you may have some degree of adrenal burnout. Check the line if yes:

 _ Are you tired for "no reason"?
 _ Do you have trouble getting up in the morning?
 _ Do you need coffee or colas to keep you going?
 _ Do you feel run down and stressed?
 _ Do you crave salty or sweet snacks?
 _ Are you struggling to keep up with life's daily demands?
 Can you not bounce back from stress or illness?
 _ Are you not having fun anymore?
 _ Is your sex drive decreased?
 Do you have difficulty falling/staying asleep or do you have trouble shutting you mind off at night?
 _ Do you have vivid nightmares or dreams?
 Do you have low blood pressure (lower than 110 on the top and lower than 70 on the bottom)?
 _ Do you feel as if you could take a nap an hour or so after lunch?
 Do you eat at least one processed or sweetened food at each meal or frequently skip meals?
 _ Are your pupils normally dilated even during the day?
 Do you seem to get sick or suffer from allergies more frequently than you used to?
 _ Do you feel pressured or rushed often during the day?
 Do you experience lightheadedness, mood swings or headaches if you go more than 4-6 hours between meals?

MEMORY QUESTIONAIRE

Over the	last year, I have experienced:
Bed	coming forgetful
Lap	oses in memory
Bed	coming less attentive
Les	ss interest in normal activities
Fee	eling less sharp
Diff	ficulty remembering people's names
Diff	ficulty making decisions
Pro	blems finding the right words to communicate
Diff	ficulty solving routine problems
Diff	ficulty learning new things
Pro	blems writing, reading, or organizing thoughts
Diff	ficulty following instructions

Amino Acid Deficiency Symptoms

<u>Instructions</u>: Mark the box or boxes that identify your corresponding symptoms.

L-glut	amine
	Cravings for sugar, starch, or alcohol
	Reduced mental stability
L-tyro	sine, L-phenylalanine
	Depression
	Lack of energy
	Lack of drive
	Lack of focus, concentration
GABA	·
	Stiff and tense muscles
	Stressed
	Feeling "burned out"
	Unable to relax
DL-ph	nenylalanine, D-phenylalanine
	Very sensitive to emotional or physical pain
	Cry easily
	Crave comfort, reward, or numbing treats
	"Love" certain foods or drugs
L-tryp	otophan, 5-HTP (serotonin), Melatonin (sleep)
	Depression, Negativity
	Worry, anxiety
	Low self-esteem
	Obsessive thoughts/behaviors
	The "winter blues"
	PMS
	Irritability, rage
	Heat intolerance
	Panic, phobias
	Afternoon or evening cravings
	Fibromyalgia, TMJ
	Sleep disturbances – hard time getting to sleep, or staying asleep
	Suicidal thoughts
Do you	arous any of the following to compensate for the above symptoms? (sheek to left)

Do you crave any of the following to compensate for the above symptoms? (check to left)

sweets, starches, alcohol, chocolate, caffeine, tobacco, marijuana, cocaine, heroin

HEALTH APPRAISAL QUESTIONNAIRE

Name	Date

DIRECTIONS

This questionnaire asks you to assess how you have been feeling **during the last four months**. This information will help you keep track of how your physical, mental and emotional states respond to changes you make in your eating habits, priorities, supplement program, social and family life, level of physical activity and time spent on personal growth. All information is held in strict confidence. Take all the time you need to complete this questionnaire.

For each question, circle the number that best describes your symptoms:

- O = No or Rarely—You have never experienced the symptom or the symptom is familiar to you but you perceive it as insignificant (monthly or less)
- 1 = Occasionally—Symptom comes and goes and is linked in your mind to stress, diet, fatigue or some identifiable trigger
- 4 = Often—Symptom occurs 2-3 times per week and/or with a frequency that bothers you enough that you would like to do something about it
- 8 = Frequently—Symptom occurs 4 or more times per week and/or you are aware of the symptom every day, or it occurs with regularity on a monthly or cyclical basis

Some questions require a YES or NO response: 0 = NO 8 = YES

PART I

No/Rarely Occasionally Often Frequently

SECTION A

- 1. Indigestion, food repeats on you after you eat
- Excessive burping, belching and/or bloating following meals
- 3. Stomach spasms and cramping during or after eating
- A sensation that food just sits in your stomach creating uncomfortable fullness, pressure and bloating during or after a meal
- 5. Bad taste in your mouth
- 6. Small amounts of food fill you up immediately
- 7. Skip meals or eat erratically because you have no appetite

Total points

SECTION B

- Strong emotions, or the thought or smell of food aggravates your stomach or makes it hurt
- 2. Feel hungry an hour or two after eating a good-sized meal
- 3. Stomach pain, burning and/or aching over a period of 1-4 hours after eating
- Stomach pain, burning and/or aching relieved by eating food; drinking carbonated beverages, cream or milk; or taking antacids
- Burning sensation in the lower part of your chest, especially when lying down or bending forward
- 6. Digestive problems that subside with rest and relaxation
- Eating spicy and fatty (fried) foods, chocolate, coffee, alcohol, citrus or hot peppers causes your stomach to burn or ache
- 8. Feel a sense of nausea when you eat
- 9. Difficulty or pain when swallowing food or beverage

Total points

SECTION C

- 1. When massaging under your rib cage *on your left side*, there is pain, tenderness or soreness
- 2. Indigestion, fullness or tension in your abdomen is delayed, occurring 2-4 hours after eating a meal
- Lower abdominal discomfort is relieved with the passage of gas or with a bowel movement
- Specific foods/beverages aggravate indigestion
- The consistency or form of your stool changes (e.g., from narrow to loose) within the course of a day

No/Rarely Occasionally Often

SECTION C (cont.)

- 6. Stool odor is embarrassing
- 7. Undigested food in your stool
- 8. Three or more large bowel movements daily
- 9. Diarrhea (frequent loose, watery stool)
- 10. Bowel movement shortly after eating (within 1 hour)

Total points

SECTION D

- Discomfort, pain or cramps in your colon (lower abdominal area)
- Emotional stress and/or eating raw fruits and vegetables causes abdominal bloating, pain, cramps or gas
- Generally constipated (or straining during bowel movements)
- 4. Stool is small, hard and dry
- 5. Pass mucus in your stool
- 6. Alternate between constipation and diarrhea
- 7. Rectal pain, itching or cramping
- 8. No urge to have a bowel movement
- 9. An almost continual need to have a bowel movement

Total points

PART II

- When massaging under your rib cage on your right side, there is pain, tenderness or soreness
- 2. Abdominal pain worsens with deep breathing
- Pain at night that may move to your back or right shoulder
- 4. Bitter fluid repeats after eating
- Feel abdominal discomfort or nausea when eating rich, fatty or fried foods
- Throbbing temples and/or dull pain in forehead associated with overeating
- 7. Unexplained itchy skin that's worse at night
- 8. Stool color alternates from clay colored to normal brown
- 9. General feeling of poor health

PART II	No/Rarely	Occasionally	Often	Frequently	No/Rarely Occasionally	Often	
O. Aching muscles not due to exercise		-	-		SECTION A	2845	
Retain fluid and feel swollen around the abdominal area					When you miss meals or go without food for extended periods of do you experience any of the following symptoms?	tim	e
2. Reddened skin, especially palms					1. A sense of weakness		
3. Very strong body odor,					2. A sudden sense of anxiety when you get hungry		
4. Are you embarrassed by your breath?					3. Tingling sensation in your hands		
5. Bruise easily					A sensation of your heart beating too quickly or forcefully		
6. Yellowish cast to eyes					5. Shaky, jittery, hands trembling		
	l poi	nts			6. Sudden profuse sweating and/or your skin feels clammy		
ART III					7. Nightmares possibly associated with going to bed on an empty stomach		
ECTION A					8. Wake up at night feeling restless		
1. Feel cold or chilled—hands, feet or all over—for no					9. Agitation, easily upset, nervous		
apparent reason					10. Poor memory, forgetful		
2. Your upper eyelids look swollen					11. Confused or disoriented		
Muscles are weak, cramp and/or tremble					12. Dizzy, faint		
4. Are you forgetful?					13. Cold or numb		
5. Do you feel like your heart beats slowly?					14. Mild headaches or head pounding		
6. Reaction time seems slowed down					15. Blurred vision or double vision		
7. In general, are you disinterested in sex because your desire is low?					16. Feel clumsy and uncoordinated 16 Total points		
8. Feel slow-moving, sluggish					SECTION B		-
9. Constipation					1. Frequent urination during the day and night		
O. Dryness, discoloration of skin and/or hair I. Have you noticed recently that your voice is deepening?			region.		Unusual thirst—feeling like you can't drink enough water		
2. Thick, brittle nails					3. Unusual hunger—eating all the time		
Weight gain for no apparent reason					4. Vision blurs		
Outer third of your eyebrow is thinning or disappearing					Feel itchy all over Tingling or numbness in your feet		
5. Swelling of the neck					7. Sense of drowsiness, lethargy during the day		
	l poi	nts			not associated with missing meals or not sleeping 8. Eating starchy foods, even if they are healthy and		
ECTION B 1. Lingering mild fatigue after exertion or stress					unprocessed (like rice, corn, beans, whole wheat or oats), causes you to gain weight or prevents you		
2. Do you find that you get tired and exhaust					from losing weight 9. Sores heal slowly		
easily?					10. Loss of hair on your legs		
3. Craving for salty foods					Total points		,
 Sensitive to minor changes in weather and surroundings Dizzy when rising or standing up from a kneeling position 					PART V ·	9	
6. Dark bluish or black circles under your eyes							
7. Have bouts of nausea with or without vomiting					SECTION A		
8. Catch colds or infections easily					1. Feel jittery		
9. Wounds heal slowly					First effort of the day causes pain, pressure, tightness or heaviness around the chest		
 Your body or parts of your body feel tender, sore, sensitive to the touch, hot and/or painful 					3. Exhaustion with minor exertion		
Feel puffy and swollen all over your body					4. Heavy sweating (no exertion, no hot flashes)		
Skin is gradually tanning without exposure					5. Difficulty catching breath, especially during exercise		
to sun or the ingestion of high levels of carotene-rich foods (e.g., daily carrot juice intake)					Heart pounding, sensation of heart beating too quickly, too slowly or irregularly		
or supplements					Swelling in feet, ankles and/or legs comes and goes for no apparent reason		

PART V (cont.)	No/Rarely	Occasionally	Fragmontiv		No/Rarely	Occasionally	Offen	Frequently
SECTION B		LOSSO HER		SECTION B (cont.)				
1. Muscle pain at rest				12. Do you become suddenly scared for no reason?				
2. Cramp-like pains in your ankles, calves or legs				13. Do you break out in a cold sweat?				
Numbness, tingling and prickling sensation in hands and feet				14. "Butterflies in your stomach," nausea and/or diarrhea	and the same of th			
4. Cold feet and/or toes appear blue				Total	poi	nts		
5. Brief moments of hearing loss	620 10			SECTION C				
6. Nausea comes and goes quickly (unrelated to eating)				 Do you feel pent up and ready to explode? 				
7. Feel worse standing: legs get heavy and fatigued				2. Are you prone to noisy and emotional outbursts?				
8. Leg discomfort or fatigue relieved by elevating legs				3. Do you do things on impulse?				
 Fingers and toes get numb in cold weather even when protected 				4. Are you easily upset or irritated?				
WARREST AND A MEDICAL SERVICE CONTROL OF THE CONTRO				5. Do you go to pieces if you don't control yourself?				
10. Notice changes in your ability to feel pain or differentiate between sensations of hot or cold11. Body hair (on arms, hands, fingers, legs and toes)				6. Do little annoyances get on your nerves and make you angry?				
is thinning or has disappeared 12. Do you notice a decline in your ability to make				7. Does it make you angry to have anyone tell you what to do?				
decisions, concentrate, focus attention or follow directions?	900-450	100		Do you flare up in anger if you can't have what you want right away?	2000		102	21000
Total	point	S		Total	poi	nts	u cesto	
PART VI				PART VII				
SECTION A				1. Eyes water or tear				
SECTION A				Mucus discharge from the eyes				
 Family, friends, work, hobbies or activities you hold dear are no longer of interest 				3. Ears ache, itch, feel congested or sore				
2. Do you cry?				4. Discharge from ears				
3. Does life look entirely hopeless?				5. Is your nose continually congested? 5				
4. Would you describe yourself as feeling miserable				6. Are you prone to loud snoring?				
and sad, unhappy or blue?				7. Does your nose run?				
 Do you find it hard to make the best of difficult situations? 				8. Nosebleeds				
6. Sleep problems—too much or too little sleep				9. Hoarse voice				
7. Changes in your appetite and weight				10. Do you have to clear your throat?				
Lately you've noticed an inability to think clearly or concentrate				11. Do you feel a choking lump in your throat? 12. Do you suffer from severe colds?				
9. Difficulty making decisions and/or clarifying and				13. Do frequent colds keep you miserable all winter?				
achieving your goals				14. Flu symptoms last longer than 5 days				
Total	poin	ts	necessia.	15. Do infections settle in your lungs?				
SECTION B	10112-5			16. Chest discomfort or pain 15				
1. Does worrying get you down?				17. Do you experience sudden breathing difficulties?				
Does every little thing get on your nerves and wear you out?				18. Do you struggle with shortness of breath?				
3. Would you consider yourself a nervous person?				19. Difficulty exhaling (breathing out)20. Breathlessness followed by coughing during exertion,				
4. Do you feel easily agitated?				no matter how slight				
5. Do you shake and tremble?				21. Inability to breathe comfortably while lying dowr20				
6. Are you keyed up and jittery?				22. Do you cough up lots of phlegm?				
7. Do you tremble or feel weak when someone shouts at you?				23. Can you hear noisy rattling sounds when breathing in and out?				
8. Do you become scared at sudden movements or				24. Are you troubled with coughing?				
noises at night?				25. Do you wheeze?				
9. Do you find yourself sighing a lot?				26. Do you have severe soaking sweats at night?				
10. Are you awakened out of your sleep by frightening dreams?11. Do frightening thoughts leave coming back in your mind?				27. Do your lips and/or nails have a bluish hue? 28. Are you sleepy during the day?				
11. Do frightening thoughts keep coming back in your mind?				28.746 yet steepy defining the day.				

requently

- 29. Do you have difficulty concentrating?
- Eyes, ears, nose, throat and lung symptoms seem associated with specific foods like dairy or wheat products
- Eyes, ears, nose, throat and lung symptoms are associated with seasonal changes

Total points

PART VIII

- 1. Involuntary loss of urine when you cough, lift something or strain during an activity
- 2. Mild lower back ache or pain
- 3. Abdominal achiness or pain
- 4. Pain or burning when urinating
- 5. Rarely feel the urge to urinate
- Feel the need to urinate less than every two hours during the day or night
- 7. Strong smelling urine
- 8. Back or leg pains are associated with dripping after urination
- 9. Sore or painful genitals
- 10. Urine is a rose color
- 11. Sudden urge to void causes involuntary loss of urine
- Generalized sense of water retention throughout your body

Total points

PART IX

SECTION A

- Bones throughout your entire body ache, feel tender or sore
- 2. Localized bone pain
- 3. Hands, feet or throat get tight, spasm or feel numb
- 4. Difficulty sitting straight
- 5. Upper back pain
- 6. Lower back pain
- 7. Pain when sitting down or walking
- 8. Find yourself limping or favoring one leg
- 9. Shins hurt during or after exercise

Total points

SECTION B

- 1. Are you stiff in the morning when you wake up?
- Difficulty bending down and picking up clothing or anything from the floor
- 3. Joint swelling, pain or stiffness involving one or more areas (fingers, hands, wrists, elbows, shoulders, toes, arches, feet, ankles, knees or ankles)
- 4. Joints hurt when moving or when carrying weight
- A routine exercise program, like daily walking, causes your knees to swell or hurt
- 6. Difficulty opening jars that were previously easy to open
- 7. Discomfort, numbness, prickling or tingling sensation, or pain in neck, shoulder or arm

SECTION B (cont.)

- 8. Intermittent pain or ache on one side of head spreading to cheek, temple, lower jaw, ear, neck and shoulder
- 9. Difficulty chewing food or opening mouth
- 10. Difficulty standing up from a sitting position
- 11. Shooting, aching, tingling pain down the back of leg
- 12. Is it difficult to reach up and get a 5-pound object like a bag of flour from just above your head?
- 13. Injure, strain or sprain easily

Total points

SECTION C

- 1. Muscles stiff, sore, tense and/or achy
- 2. Burning, throbbing, shooting or stabbing muscle pain
- Muscle cramps or spasms (involuntary or after exertion/exercise)
- 4. Is muscle pain or stiffness greater in the morning than other times of the day?
- 5. Specific points on body feel sore when pressed
- 6. Feel unrefreshed upon awakening
- 7. Headaches
- 8. Pain at the sides of your head or in your face especially when awakening
- 9. Your jaw clicks or pops
- 10. Muscle twitch or tremor—eyelids, thumb, calf muscle
- 11. Irresistible urge to move legs
- 12. Legs move during sleep
- Unpleasant crawling sensation inside calves when lying down
- Hand and wrist numbness or pain (e.g., interferes with writing or with buttoning or unbuttoning your clothes)
- Feeling of "pins and needles" in your thumb and first three fingers
- 16. Pain in forearm and sometimes in shoulder

Total points

PART X

SECTION A

- 1. Head feels heavy
- 2. Dizziness
- Difficulty bending over, standing up from sitting, rolling over in bed and/or turning your head from side to side
- Your hands tremble, ever so slightly, for no apparent reason
- You feel like you're wearing heavy weights on your feet when walking
- 6. Bump into things, trip, stumble and feel clumsy
- 7. Difficulty breathing
- 8. Difficulty swallowing
- People tell you to speak up because they have trouble hearing you
- 10. Speaking and forming words does not feel automatic
- 11. Need 10-12 hours of sleep to feel rested

PART X (cont.)	No/Rarely Occasionally Frequently No/Rarely Occasionally
SECTION A (cont.)	SECTION A (cont.)
12. Lack strength (your grip is weak, holding your head	[B]
or picking your arms up takes effort)	5. Abdominal bloating, feeling swollen (e.g., feet)
 Hands get tired when you write and your handwriting is less legible and smaller than it used to be 	6. Temporary weight gain
4. Muscles in arms and legs seem softer and smaller	7. Breast tenderness, swelling
5. Is your eyesight, sense of smell and taste or ability to hear not as sharp as it used to be?	8. Appearance of breast lumps
	9. Discharge from nipples
6. Do you find yourself moving slower than you used to?	10. Nausea and/or vomiting
······································	11. Diarrhea or constipation
ECTION B	12. Aches and pains (back, joints, etc.)
Difficulty absorbing new information	[C] 13. Craving for sweets
2. Tend to forget things	14. Increased appetite or binge eating
3. Trouble thinking or concentrating	15. Headaches
4. Easily distracted	16. Being easily overwhelmed, shaky or clumsy
 Do you have a tendency to become frustrated quickly? 	17. Heart pounding
Inability to sit still for any length of time, even at mealtime	18. Dizziness or fainting
	[D]
7. Finishing tasks is easier said than done	19. Confused and forgetful to the point that work suffers
8. Do you have more trouble solving problems or managing your time than usual?	20. Overwhelmed with feelings of sadness and worthlessness
9. Low tolerance for stress and otherwise	21. Difficulty sleeping or falling asleep
ordinary problems	22. Engaging in self-destructive behavior
Tota	l points Total points
PART XI	SECTION B
PART XI	SECTION B Do you experience any of these symptoms during your period?
Men Only	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area
	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow Total points
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night **PART XII** **Women Only** (Menopausal women should skip to Sections E.a.)	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night Total PART XII Women Only (Menopausal women should skip to Sections E a section A Do you persistently experience any of these symptoms with the section of the section of the section of the sections of the sections of the sections of the sections of the section o	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements 6. Difficult (straining) urination
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night Tota CART XII Women Only (Menopausal women should skip to Sections Easter) Section A Do you persistently experience any of these symptoms we lays to two weeks prior to menstruation?	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night Tota PART XII Women Only (Menopausal women should skip to Sections E as Section A Do you persistently experience any of these symptoms we days to two weeks prior to menstruation? [A]	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swallen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge 8. Offensive vaginal discharge
Men Only 1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night Total PART XII Women Only (Menopausal women should skip to Sections E as a section of the section	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swollen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge 8. Offensive vaginal discharge 9. Vaginal itching or burning with or without intercourse
1. Sensation of not emptying your bladder completely 2. Need to urinate less than 2 hours after you have finished urinating 3. Find yourself needing to stop and start again several times while urinating 4. Find it difficult to postpone urination 5. Have a weak urinary stream 6. Need to push or strain to begin urinating 7. Dripping after urination 8. Urge to urinate several times a night Tota PART XII Women Only (Menopausal women should skip to Sections E assection A Do you persistently experience any of these symptoms widays to two weeks prior to menstruation? [A]	SECTION B Do you experience any of these symptoms during your period? 1. Cramping in lower abdomen or pelvic area 2. Lower abdominal pain is sharp and/or dull or intermittent 3. Bloating and sense of abdominal fullness 4. Diarrhea or constipation 5. Nausea and/or vomiting 6. Low back and/or legs ache 7. Headaches 8. Unusual fatigue (take naps) resulting in missed work 9. Painful and/or swallen breasts 10. Scanty blood flow Total points SECTION C 1. Painful or difficult sexual intercourse 2. Low abdominal, back and vaginal pain throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 4. Vaginal bleeding other than during your period 5 5. Painful bowel movements 6. Difficult (straining) urination 7. Abnormal vaginal discharge 8. Offensive vaginal discharge

12 Total points

PART XII (cont.)

No/Rarely Occasionally Often Frequently

No/Rarely Occasionally Often

SECTION D

- 1. Absence of periods for six months or longer
- 2. Periods occur irregularly (e.g., 3 to 6 times a year)
- 3. Profuse heavy bleeding during periods
- 4. Menstrual blood contains clots and tissue
- 5. Bleeding between periods can occur anytime
- 6. Periods occur greater than every 35 days
- Intense upper stomach pain, lasting several hours at the time you ovulate (approximately day 14 of your cycle)
- Bleeding occurs at ovulation (approximately day 14 of your cycle)
- 9. Monthly abdominal pain without bleeding

10

- 10. Abundant cervical mucus
- 11. Acne and/or oily skin
- 12. Overwhelming urges for sexual intercourse
- 13. Aggressive feelings
- 14. Increased growth of dark facial and/or body hair
- 15. Poor sense of smell

15

- 16. Voice is becoming deeper
- 17. Breasts seem to be getting smaller
- 18. Receding hairline

Total points

SECTION E

- 1. Vaginal discharge
- 2. Vaginal secretions are watery and thin
- 3. Vaginal dryness
- 4. Sexual intercourse is uncomfortable

SECTION E (cont.)

- 5. Interest in having sex is low
- 6. Engorged breasts
- 7. Breast tenderness, soreness
- 8. Difficulty with orgasm
- 9. Vaginal bleeding after sexual intercourse
- 10. Do you skip periods?
- The length (number of days) of your period varies month to month, with the number of days of bleeding getting fewer

Total points

SECTION F

- Sense of well-being fluctuates throughout the day for no apparent reason
- 2. Sudden hot flashes
- 3. Spontaneous sweating
- 4. Chills
- 5. Cold hands and feet
- 6. Heart beats rapidly or feels like it is fluttering
- 7. Numbness, tingling or prickling sensations
- 8. Dizziness
- 9. Mental fogginess, forgetful or distracted
- 10. Inability to concentrate
- 11. Depression, anxiety, nervousness and/or irritability
- 12. Difficulty sleeping
- 13. Conscious of new feelings of anger and frustration
- 14. Skin, hair, vagina and/or eyes feel dry
- Stopped menstruating around six months ago, yet still experience some vaginal bleeding

Total points

Please mark an "X" to indicate areas where you feel pain, swelling or discomfort, or areas of your skin that have changed color or texture (e.g., moles, rashes, etc.). Describe what you feel or observe in your own words. Write anywhere in this area.



