



Inspection Report:	<b>BOOM TRUCK</b>	K-ANN	UAL		
OSHA/ANSI/ASME Standards:	OSHA 1926.1400, 1910.1	80,1926.60	01 ASME B30.5,B30	0.10	
Date Inspected: 06/17/2020	Operation Hours: 13,965. Opera			Operation Miles: 135,566.	
Inspector: Steve Marquis	Inspection ID: 88.577.1592825362				
<b>Equipment Identifi</b>	cation and Spec	ificatio	ons		
Name and Address of Owner				01887 USA	
Serial Number	50407		nit Number:	C-125	
Year	2000	N	<b>Ianufacturer</b>	MANITOWOC	
Model	2892				
Max Capacity	56,000 lbs				
<b>Main Hoist Rope Diameter</b>	9/16				
Main Hoist Rope Type	rotation resistant				
Did the unit pass the inspection?		XYes No	Do you want to atta	ach an annual certification to this unit?	X Yes No
Unit Location at Time of Inspec GPS Tag:	tion: Wilmington, MA				
Inspector  Steve Marquis				Steve Marquis *** INSPECT  *** YCASI1AQE  *** Enso Črane S	OR ****

Enso Crane Services P.O. Box 671

603-781-7795

Company Owner: Perry, Stephen Contact: Perry, Stephen Generated on 06/22/2020 - 11:29:22 GMT





## **Inspection Details**

Type of Inspection: BOOM TRUCK-ANNUAL	Inspection ID: 88.577.1592825362		
S=Satisfactory R=Recommendation D=Deficiency N=Not Ap	plicable		
Item Con	dition	Item Con	dition
BOOM TRUCK-ANNUAL		32. Tire Inflation Pressure	S
CRANE DATA		DRIVERS CAB	
1. Inspection Records Daily / Monthly / Annual	S	33. Brakes Service / Parking	S
2. Maintenance Records	S	34. Headlights / Tail Lights	S
3. Wire Rope Inspection Records	S	35. Brake Lights / Turn Signals	S
4. Ground Conditions	S	36. Back-up Alarm / Lights	S
GENERAL CONDITION		37. Audible Warning (low air)	S
5. Sheet Metal	S	38. Glass	S
6. Paint Condition / Corrosion Control	S	39. Windshield Wipers	S
7. Guards / Covers	S	40. Defroster / Heater	S
8. Housekeeping	S	41. Seat Belts	S
9. Warning / Safety Labels	S	42. Steering Free Play	S
10. OSHA Approved Hand Signal Chart (outside)	S	43. Fire Extinguisher	S
TRUCK POWER PLANT		44. Gauges / Light Display	S
11. Engine / Pumps Performance	S	45. Access / Grab Rails / Steps	S
12. Exhaust System / Guards & Insulators	S	46. Mirrors	S
13. Belts	S	47. Power Take-Off	S
14. Hoses	S	48. Air Pressure	S
15. Compressor Performance	S	49. Horn	S
16. Guards / Covers for Rotating Parts	S	50. Engine Clutch	S
17. Engine Oil Level	S	51. Accelerator	S
18. Transmission Oil Level	S	52. Operators Manual	S
19. Coolant Level	S	OUTRIGGERS	
20. Leaks	S	53. Outrigger Boxes	S
CARRIER / DRIVETRAIN		54. Outrigger Beams	S
21. Engine Mounts / Bolts	S	55. Outrigger Cylinders / Extensions & Stabilizers	S
22. Transmission Mounts / Bolts	S	56. Outrigger Floats / Pads	S
23. Drive Line	S	57. Outrigger Hydraulic Hoses	S
24. U-Joints	S	58. Outrigger Hydraulic Tubing	S
25. Main Frame Members	S	59. Outrigger Hydraulic Fittings	S
26. Axle Mounts	S	60. Pilot Operated Check Valves	S
27. Carrier Hydraulic Hoses	S	61. Outrigger Crush Warning Labels	S
28. Carrier Hydraulic Tubing	S	ROTATING SUPERSTRUCTURE	
29. Carrier Hydraulic Fittings	S	62. Turntable / All Structural Welds	S
30. Hydraulic Fluid Level	S	63. Turntable Mounting Bolts	S
31. Tire / Wheel Condition	S	64. Directional Control Valves	S





## **Inspection Details**

Inspection Details  Type of Inspection: BOOM TRUCK-ANNUAL		Inspection ID: 88.577.159282	05262	
	.T.4 A1:1.1.	hispection iD. 88.377.139282	23302	
S=Satisfactory R=Recommendation D=Deficiency N=Not Applicable  Item Condition		Item	Condition	
		1	Condition	
65. Swivel Hydraulic Hoses	S	96. Boom Length		
66. Swivel Hydraulic Tubing	S	28 - 92 ft		
67. Swivel Hydraulic Fittings	S	97. Boom Lift Cylinders  98. Boom Telescoping Cylinder(s)		
68. Hydraulic Pressure / Relief Valves S		98. Boom Telescoping Cylinder(s)		
69. Electrical Wiring	S	99. Holding Device / Holding Valves	S	
70. Swing / Slew Gearbox	S	100. Boom Hydraulic Hoses	S	
71. Main Hoist Mounting Bolts S		101. Boom Hydraulic Tubing		
72. Wire Rope Lay on Main Hoist	S	102. Boom Hydraulic Fittings S		
OPERATORS STATION		103. Boom Extension / Retraction Cables	S	
73. Cab Access / Steps / Ladders	S	104. Boom Wear Pads	S	
74. Hand Holds / Guardrails	S	105. Boom Section Alignment	S	
75. Anti Slip Surfaces	S	106. Equal Extension / Boom Sequence	S	
76. Fire Extinguisher 10BC	S	107. Condition of Sheaves	S	
77. Operators Manual	S	108. Hoist Retainers / Keepers	S	
78. All Safety Decals In Cab	S	109. Condition of Boom Structure	S	
79. Electrocution Warning In Cab	S	110. Condition of Boom Head	S	
80. Crane Level Indicator	S	SOLID DESIGN BOOM EXTENSION		
81. Horn	S	111. Jib Length		
82. Gauges / Light Display	S	26 or 46 ft		
83. Crane Function Controls Movement S		112. Jib Type (Fixed, Off-Set, Luffing, etc.)		
84. Crane Function Controls Identified	S	fixed		
85. Swing Brake / Lock	S	113. Condition of Boom Extension	S	
RATED CAPACITY CHART		114. Condition of Mounting Pins / Keepers	S	
86. Correct Capacity Chart for Crane	S	115. End Connections / Attachment Points	S	
87. Legible / Durable	S	116. Condition of Sheaves	S	
88. Secured / Accessible to Operator	S	117. Stowage Brackets Front / Rear	S	
OPERATIONAL AIDS		118. Boom Extension Alignment	S	
89. Boom Angle Indicator	S	119. Wire Rope Retainers / Keepers	S	
90. Boom Length Indicator	S	120. Condition of Welds	S	
91. Anti Two Block / Device / Warning	S	121. Positive Stops	S	
92. LMI Make & Model		LOAD BLOCK AND HOOK		
PAT DS-160		INFORMATION		
93. Load Moment Indicator S		122. Manufacturer		
94. Load Radius Indicator S		McKissick		
95. Load Weight Indicator S		123. Serial Number		
MAIN BOOM	D	02-56467		
mm Boom		124. Rated Capacity		
		20 UST		





### **Inspection Details**

Type of Inspection: BOOM TRUCK-ANNUAL Inspection ID: 88.577.1592825362

 $\frac{S}{S}$ 

S

S

S

S

S=Satisfactory R=Recommendation D=Deficiency N=Not Applicable

Item	Condition	Item	Condition
125. Block Weight		148. Damage	S
264 lbs		149. Wear	S
ITEM		150. Broken Wires	S
126. Capacity Marking	S	151. Lubrication	S
127. Weight Marking	S		•
128. Sheave(s)	S		

134. Pins and Retainers
OTHER NOTES

133. Bearing

129. Safety Latch

132. 10% Hook Wear

135.

stowed on truck

#### OVERHAUL BALL AND HOOK

130. 0 Degree Hook Bend or Twist

131. 5% Hook Throat Opening or 1/4 inch

#### **INFORMATION**

136. Manufacturer

## McKissick

137. Serial Number

05-89420

138. Rated Capacity

7 UST

139. Ball Weight

178 lbc

1 / 8 108	
ITEM	
140. Capacity Marking	S
141. Weight Marking	S
142. Safety Latch	S
143. 0 Degree Hook Bend or Twist	S
144. 5% Hook Throat Opening or 1/4	S
145. 10% Hook Wear	S
146. Bearing	S
147. Wedge Socket / End Fitting	S
MAIN HOIST WIRE ROPE	

**INFORMATION** 





Image 1







Image 2







## Notes

# Inspection ID:88.577.1592825362

Explanation

93: OPERATIONAL AIDS - Load Moment Indicator: LMI functions as designed

94: OPERATIONAL AIDS - Load Radius Indicator: accuracy confirmed with a tape measure

95: OPERATIONAL AIDS - Load Weight Indicator: accuracy acceptable with a known weight





# **Annual Certification**

This is to certify that the unit described below received an BOOM TRUCK-ANNUAL in accordance with

OSHA 1926.1400, 1910.180,1926.601 ASME B30.5,B30.1

Equipment Owner: SHERMAN CRANE

Model No.: 2892

**Equipment Make: MANITOWOC** 

Serial No.: 50407

Equipment Type: BOOM TRUCK

Unit Id: C-125

Inspection ID: : 88.577.1592825362

Inspected on this: 17th (Wednesday) day of June, 2020

by: Enso Crane Services

P.O. Box 671 03821 Dover(NH)

603-781-7795

http://www.ensocrane.com



This Certificate Expires One Year From The Date of Inspection Above

Enso Crane Services P.O. Box 671

603-781-7795

Contact: Perry, Stephen Generated on 06/22/2020 - 11:29:22 GMT