

1996 ShuttleLift 3330-ELB / 15220996

Prepared for: SHERMAN CRANE

140 West St. Wilmington, MA 01887

on

6/4/2023

Overview

Breakdown by Form

Form Type		High 🧶	Med 🧶	Low	# Forms
Inspection		0	0	0	1
Local Acknowledgment Of Unit Examination		0	0	0	1
	Overall:	0	0	0	2
Breakdown by Location					
Location		High 🔵	Med 🧶	Low	# Forms
Wilmington, MA		0	0	0	2
	Overall:	0	0	0	2
Breakdown by Asset					
Asset Type		High 🔵	Med 🧶	Low	# Assets
Telescoping Boom Crane		0	0	0	1
	Overall:	0	0	0	1

FolderID: Al6354

FormID: 16960170



Inspection SHERMAN CRANE

140 West St. Wilmington, MA 01887



Telescoping Boom Crane			
Location:	Wilmington, MA		
Serial #:	15220996		
TagID:	C-132		
Status:	In Service		

Description:1996 ShuttleLift 3330-ELB / 15220996

Manufacturer:	ShuttleLift
Model:	3330-ELB
Capacity:	per OEM capacity chart
Length/Lift:	8 - 26 ft
Hook Type:	Overhaul Ball & Hook

Но	Hours and Miles			
	1.	Hours	1,496.	
	2.	Miles		
His	stori	cal Records		
	3.	Monthly Inspection	(NA) Not Applicable	
	4.	Record of Maintenance	(SAT) Satisfactory	
	5.	Documentation of Annual / Comprehensive Inspection	(SAT) Satisfactory	
	6.	Equipment Modification(s) or additions	(NA) Not Applicable	
	7.	Record of Load Test	(NA) Not Applicable	
Ge	ener	al		
	8.	External Lights	(SAT) Satisfactory	
	9.	Housekeeping	(SAT) Satisfactory	
	10.	Safety and Warning Labels	(SAT) Satisfactory	
	11.	Hand Signal Chart	(SAT) Satisfactory	
Dr	iver'	s Cab and Station		
	12.	Service Brake	(SAT) Satisfactory	
	13.	Emergency Brake	(NA) Not Applicable	
	14.	Parking Brake	(SAT) Satisfactory	
	15.	External Lights (Headlights, Taillights, Brake Lights)	(NA) Not Applicable	
	16.	Audible Warning Device	(SAT) Satisfactory	
	17.	Audible Reverse Signal Alarm	(SAT) Satisfactory	
	18.	Windows / Mirrors	(SAT) Satisfactory	
	19.	Windshield Wipers	(SAT) Satisfactory	

	20.	Windshield Defroster	(SAT) Satisfactory
	21.	Seatbelts	(SAT) Satisfactory
	22.	Tires	(SAT) Satisfactory
	23.	Seat	(SAT) Satisfactory
	24.	Steering	(SAT) Satisfactory
	25.	Housekeeping	(SAT) Satisfactory
	26.	Fire Extinguisher	(SAT) Satisfactory
Lo	wer	Carrier Power Plant	
•	27.	Engine Performance	(SAT) Satisfactory
	28.	Exhaust System	(SAT) Satisfactory
	29.	Belts	(SAT) Satisfactory
•	30.	Rotating and Reciprocating Parts	(SAT) Satisfactory
Ca	arrie		, , , , , , , , , , , , , , , , , , ,
	31.		(SAT) Satisfactory
•	32.		(SAT) Satisfactory
	33.	Tires	(SAT) Satisfactory
•	34.	Tire Air Pressure	(SAT) Satisfactory
•	35.	Main Frame Members	(SAT) Satisfactory
•	36.	Hydraulic Hoses, Fittings, Tubes	(SAT) Satisfactory
	37.		(SAT) Satisfactory
	38.	Hoses / Tubing / Fittings .	(SAT) Satisfactory
	39.	Slip Resistant Walking surface	(NA) Not Applicable
_		Axle Lockout	(NA) Not Applicable
_		Audible Reverse Signal Alarm	(SAT) Satisfactory
<u> </u>		•	(SAT) Satisfactory
	_	gers Boxes & Beams	(CAT) Satisfactory
-		Hydraulic Cylinders	(SAT) Satisfactory
_		Pad / Float	(SAT) Satisfactory
_			(SAT) Satisfactory
•		Hoses / Tubing / Fittings	(SAT) Satisfactory
•		Holding Valves	(SAT) Satisfactory
		Caution / Warning Signs	(SAT) Satisfactory
Op		tor's Station	(0.7)
	48.	Windows	(SAT) Satisfactory
	49.	Windshield Wipers	(SAT) Satisfactory
•	50.	Cab Door Restraint	(SAT) Satisfactory
	51.	Cab Access	(SAT) Satisfactory
	52.	Steps / Ladders / Handrails	(NA) Not Applicable
	53.	Anti-Skid Stepping Surfaces	(NA) Not Applicable
	54.	Load Chart	(SAT) Satisfactory
	55.	Fire Extinguisher	(SAT) Satisfactory
	56.	Operator's Manual	(SAT) Satisfactory
	57.		(SAT) Satisfactory
	58.	Seatbelts	(SAT) Satisfactory
	59.	Electrocution Warning Sign(s)	(SAT) Satisfactory
	60.	Level	(SAT) Satisfactory
	61.	Horn	(SAT) Satisfactory
	62.	Load Indicator	(NA) Not Applicable

	63.	Controls Identified	(SAT) Satisfactory
	64.	Control Mechanisms	(SAT) Satisfactory
	65.	Power Plant Controls	(SAT) Satisfactory
	66.	Brake and Clutch	(NA) Not Applicable
	67.	Travel Brakes	(SAT) Satisfactory
	68.	Travel Controls	(SAT) Satisfactory
	69.	Travel Mechanism	(SAT) Satisfactory
	70.	Travel Locks	(NA) Not Applicable
_c	oad C	Chart	` ´ · · ·
	71.	Ground Level, Remotely Controlled	(NA) Not Applicable
	72.	Per Configuration	(SAT) Satisfactory
	73.	Visible from Fixed Operator's Station	(SAT) Satisfactory
A STATE OF THE PARTY OF THE PAR	Gracie to	Devices / Operational Aids	
	75.	Boom Angle Indicator	(SAT) Satisfactory
	76.	Boom Length Indicator	(NA) Not Applicable
)	77.	Main Drum Rotation Indicator	(NA) Not Applicable
	78.	Auxiliary Drum Rotation Indicator	(NA) Not Applicable
	79.	Load Moment Indicator	(NA) Not Applicable
_	80.	Load Weight Indicator	(NA) Not Applicable
	81.	Radius Indicator	(NA) Not Applicable
	82.		
	oz.	Level Indicator	
h .	QΩ	Pargo Liet & Trim Indicator	(SAT) Satisfactory
	83.	Barge List & Trim Indicator	(NA) Not Applicable
)	84.	Barge List & Trim Indicator If Barge Mounted, Is The Crane Secured To The Barge Two-Block System	

	03.	barge List & Trim indicator	(NA) Not Applicable
	84.	If Barge Mounted, Is The Crane Secured To The Barge	(NA) Not Applicable
	85.	Two-Block System	(SAT) Satisfactory
	86.	Overload Prevention Device	(NA) Not Applicable
Ro	tatir	ng Upper Structure	
	91.	Turntable / Bearing	(SAT) Satisfactory
	92.	Turntable / Rollers	(NA) Not Applicable
	93.	Counterweight Frame	(SAT) Satisfactory
	94.	Ring and Pinion Gear	(SAT) Satisfactory
	95.	Hydraulic and Pneumatic Pumps	(SAT) Satisfactory
	96.	Hydraulic Tubes, Fitting, and Hoses	(SAT) Satisfactory
	97.	Hydraulic Pressure	(SAT) Satisfactory
	98.	Electrical Wiring	(SAT) Satisfactory
	99.	Main Hoist - Brakes and Clutch System	(SAT) Satisfactory
	100.	Main Hoist - Wire Rope Reeving	(SAT) Satisfactory
	101.	Main Hoist - Meets 2 rope wrap minimum	(SAT) Satisfactory
	102.	Auxiliary Hoist - Brakes and Clutch System	(NA) Not Applicable

	103	Auxiliary Hoist - Wire Rope Reeving		(NA) Not Applicable
		Auxiliary Hoist - Meets 2 rope wrap m	inimum	(NA) Not Applicable
		Swing System / Assembly	illillidill	(SAT) Satisfactory
		Counterweight Mounting		(SAT) Satisfactory
		Counterweight Posted Warnings		
				(SAT) Satisfactory
D4		Electrocution Posted Warnings		(SAT) Satisfactory
IVI		Boom		(OAT) Oatisfaatama
		Lift Cylinder(s)		(SAT) Satisfactory
		Telescoping Boom Cylinder(s)		(SAT) Satisfactory
		Hydraulic Hoses, Tubes, and Fittings		(SAT) Satisfactory
		Holding Device		(SAT) Satisfactory
		Boom Sections Alignment		(SAT) Satisfactory
		Wear Pads		(SAT) Satisfactory
		Sheaves		(SAT) Satisfactory
		Hoist Line Dead End		(SAT) Satisfactory
		Boom Hinge Pin		(SAT) Satisfactory
		Boom Head Section		(SAT) Satisfactory
		Auxiliary Boom Head		(NA) Not Applicable
		Structure		(SAT) Satisfactory
Ji				
		Structure		(SAT) Satisfactory
		Sheaves		(SAT) Satisfactory
		Wire Rope Retainers		(SAT) Satisfactory
		End Connections and Pins		(SAT) Satisfactory
		Wire Rope Retainers.		(SAT) Satisfactory
M		Orum Wire Rope		
		Rope Damage		(SAT) Satisfactory
	135.	Diameter and wear		
		Slze	Actual diameter measurement	
		7/16 - 0.437	0.448	
		Lubrication		(SAT) Satisfactory
	137.	End Connectors		(SAT) Satisfactory
Lo	oad E	Block & Hook		
	159.	Capacity Marking		(SAT) Satisfactory
	•	JOHNSON -12 UST		
	160.	Weight Marking		(SAT) Satisfactory
	•	318 lbs		
		Sheave(s)		(SAT) Satisfactory
		Safety Latch(es)		(SAT) Satisfactory
		0° Hook Bend or Twist		(SAT) Satisfactory
	164.	5% Hook Opening or 1/4" Max		(SAT) Satisfactory
	165.	10% Hook Wear Max		(SAT) Satisfactory
	166.	Bearing		(SAT) Satisfactory
	167.	Wedge Socket / End Fitting		(SAT) Satisfactory
	168.	Reeving		(NA) Not Applicable
O	verha	aul Ball & Hook		
	169.	Capacity Marking		(SAT) Satisfactory



170. Weight Marking	(SAT) Satisfactory
171. Safety Latches	(SAT) Satisfactory
172. 0° Hook Bend or Twist	(SAT) Satisfactory
173. 5% Hook Opening or 1/4" Max	(SAT) Satisfactory
174. 10% Hook Wear Max	(SAT) Satisfactory
175. Swivel / Bearing	(SAT) Satisfactory
176. Wedge Socket / End Fitting	(SAT) Satisfactory

No-Load Operational Test

177. No-Load Operational Test

Verification and Completion

178. Inspector Name and Signature

Steve Marquis



179. Date of Inspection
 06/01/2023

180. Customer Name and Signature SHERMAN CRANE

181. Certificate Issued (Y) Yes



FolderID: Al6354 FormID: 16960171



Local Acknowledgment Of Unit Examination SHERMAN CRANE

140 West St. Wilmington, MA 01887



Telescoping Boom Crane			
Location:	Wilmington, MA		
Serial #:	15220996		
TagID:	C-132		
Status:	In Service		

Description:1996 ShuttleLift 3330-ELB / 15220996

Manufacturer:	ShuttleLift
Model:	3330-ELB
Capacity:	per OEM capacity chart
Length/Lift:	8 - 26 ft
Hook Type:	Overhaul Ball & Hook

Lo	ocal A	Acknowledgment Of Unit Examin	ation	
	1.	OWNERS IDENTIFICATION		C-132
	2.	OWNER/EMPLOYER		SHERMAN CRANE
	3.	OWNERS ADDRESS		140 West St Wilmington, MA 01887
	4.	TYPE OF DEVICE		CRANE
	5.	CRANE LOCATION/ADDRESS		140 West St Wilmington, MA 01887
	6.	DOES UNIT CHANGE WORKSITES?		(Y) YES
	7.	HOUR METER		7841.
	8.	MANUFACTURER		ShuttleLift
	9.	MODEL		3330-ELB
	10.	SERIAL NUMBER		15220996
	11.	DESCRIPTION OF DEVICE		hydraulic carry-deck
	12.	MAXIMUM CAPACITY		see OEM load capacity chart for configuration
	13.	SERVICE STATUS		HOOK WORK
	14.	BOOM LENGTH & TYPE		8 - 26 ft / telescopic full power
	15.	LUFFING JIB LENGTH & TYPE		
	16.	FIXED JIB LENGTH & TYPE		10 ft / SAW offset lattice
	17.	TOWER HEIGHT & TYPE		
	18.	PROOF LOAD TEST APPLIED 1.1		
		BOOM LENGTH	BOOM ANGLE	RADIUS

19. PROOF LOAD TEST APPLIED 1.2 RATED LOAD **PROOF LOAD** % OF RATED LOAD 20. PROOF LOAD TEST APPLIED 1.3 **BOOM DIRECTION** LOAD CHART NUMBER HOIST USED 21. DESCRIPTION OF PROOF LOAD 22. BASIS FOR ASSIGNED LOAD RATINGS **OEM** designed rating 23. REMARKS AND/OR LIMITATIONS IMPOSED 24. I certify that on this date, the above device was examined & tested by the 06/01/2023 undersigned or authorized representative who in their opinion, said the unit complied with the standards or requirements of OSHA: 1926.1400 and ASME B30.5 25. SIGNATURE OF AUTHORIZED PERSON **Steve Marquis**