

Commonly Requested Veterinary Compounding Ideas – Canine

Sedation / Restraint / Pre-Anesthesia

- Acepromazine Maleate 5 mg/0.3 mL Topical Lipoderm® (Vet)
- Butorphanol Tartrate 20 mg/mL Topical Lipoderm®

Motion Sickness / Nausea

Ginger works well and can be compounded into an Animal Treat.

- Acepromazine Maleate 5 mg/0.3 mL Topical Lipoderm® (Vet)

Suspensions for Vet Use

- Fixed Oil Oral Suspension – General Formula
- Itraconazole 150 mg/mL Oil Oral Suspension (Vet)
- Doxycycline 10 mg/mL Oil Oral Suspension (Vet)
- Chloramphenicol 250 mg/mL Oral Suspension (Vet)
- Tetracycline HCl 100 mg/mL Oral Suspension (Vet)
- Ciprofloxacin 50 mg/mL Oral Suspension (Vet)
- Hydrocodone Bitartrate 1 mg/mL/Homatropine Methylobromide 0.3 mg/mL Oil Oral Suspension (Vet)
- Gabapentin 100 mg/mL Oil Oral Suspension (Vet)
Human commercial product contains xylitol.

Degenerative Myelopathy

- Amino Caproic Acid Syrup 16.7% (Vet)
- Acetylcysteine 5% Oral Solution (Vet)
- Antioxidant/Multivitamin Oral Suspension (Vet-Canine) Dietary Supplementation

Lack of Appetite

- Cyproheptadine HCl 100 mg/mL Oral Suspension (Vet)

Diarrhea

- Kaolin 195 mg/Neomycin 25 mg Compound Capsules Size #0 (Vet)
- Loperamide HCl 10% Topical Lipoderm®
- Kanamycin Compound Antidiarrhea Mixture

Parasiticidals

- Ivermectin 0.1 mg/0.1 mL Topical Lipoderm® (Vet)
- Ivermectin 1% Hair Lotion

Poloxamer Gel (Thermoreversible Gel)

Can be utilized with various drugs in:

- Oral, Non-Sterile Preparations
- Non-Oral, Non-Sterile Preparations

Transitional Bladder Carcinoma

- Piroxicam 2 mg/mL Oral Suspension (Vet)



Specialized devices such as PCCA's AccuPen™-15 metered dose applicator allow for accurate and convenient application of topical medications directly onto the skin. Ask the pharmacist for patient usage instructions.

Ask the Pharmacist About This Exclusive Transdermal Base – Studies Are Available!



The self-sealing Stay-Safe™ Closure allows oral/topical syringes to draw the exact amount needed while reducing the risk of spill, evaporation and contamination.

Poloxamer Gel is thermoreversible, meaning it is liquid at cold temperatures and a gel at body temperature, and adheres to body cavities, both internal and external. A variety of drugs can be incorporated into it, and it's water washable. This gel is useful in areas such as: sinus cavities, ears, external wounds, internal abscesses, oral, and ophthalmic.

Ask the pharmacist for a copy of the Poloxamer Information Sheet for more details about this versatile dosage form.



Commonly Requested Veterinary Compounding Ideas – Canine

Behavioral Issues Separation Anxiety, Thunderstorms, Fireworks, Etc.

- Fluoxetine 10 mg/mL Oral Syrup (Vet)
- Clomipramine HCl 5 mg/mL Oral Suspension (Vet)
- Clomipramine HCl 5 mg/0.1 mL Topical Lipoderm® (Vet)
- Amitriptyline HCl 10 mg/0.1 mL Topical Lipoderm® (Vet)
- Acepromazine Maleate 5 mg/0.3 mL Topical Lipoderm® (Vet)

Seizures

- Potassium Bromide 350 mg/mL Oral Solution (Vet)
- Phenobarbital 200 mg/mL Oral Suspension (Vet)
- Phenobarbital 200 mg Animal Treat – 4.2 Gm Mold (Vet)
- Diazepam 15 mg/mL Rectal Gel (Vet)

Foot Toughener

- Foot Toughener for Dogs

Urinary Incontinence

- Diethylstilbestrol 20 mg/mL Oil Oral Suspension Concentrate (Vet)
- Phenylpropanolamine 12.5 mg/0.1 mL Oral Solution (Vet-Canine)
- Phenylpropanolamine HCl 25 mg Capsules Size #3 (Vet)
- Diethylstilbestrol 1 mg Capsules Size #3

Acral Lick Granuloma

- Capsaicin 0.08%/Sucrose Octaacetate 1% Topical Bitter Spray (Vet)
- Sucrose Octaacetate 10% Topical Cream
- Diphenhydramine HCl 2% Polyox Bandage (Vet)
- Polyox 301 Bandage

Otitis Topical Antimycotic

- TRIS 0.6%/EDTA 0.12% Buffered Otic Solution (Vet)
- Chlorhexidine 0.5% Ear Cleanser (Vet)

Poison Control Vitamin K is a common request. Our pharmacy can prepare it as a Fixed Oil Oral Suspension.

- Apomorphine HCl 3 mg Ophthalmic Nonsterile Capsules Size #3 (Vet)
- Apomorphine 6 mg Ophthalmic Solution (Vet) – Non Sterile



See the Feline and Equine Compounding Idea Sheets for more veterinary-related ideas.

The 30 mL Collapsible Bottle is used for wound care often with the Polyox Bandage. Drugs commonly added to the bandage include: diphenhydramine, misoprostol, phenytoin, aloe vera, bupivacaine, antibiotics, and antifungals.

Ask the pharmacist for the Patient Instructions for Use of an External Wound Bandage.



Our pharmacy offers a variety of different veterinary flavors! Ask the pharmacist for more information!

These Are Just a Few Ideas. Contact Us to Find Out More, Today!



Katherine Hunt, PharmD, RPh
Tiffany Wright, PharmD, RPh
1101 W. Main St., Suite F • League City, Texas 77573
Ph: (832) 905-2961 • Fax: (832) 905-3142
www.gccompoundingrx.com