

PSORIASIS SPECIALTY CARE PROGRAM

Phone: **856-963-4742** • Fax: **856-541-8580**

KLOUDSCRIPT Community Led Specialty Pharmacy Care	w
---	---

y Palieni inf	ORMATION:	PRESCRIBER INFORMATION:		
I = = .		Managara		
ddress:	Otata, 75	Address: City: State: Zip: _ Phone: Fax: NPI: DEA: Tax I.D.: Office Contact: Phone:		
ity:	State: Zip:	City: State: Zip: _		
morie:	Ait. Priorie	Priorie: Fax Fax		
Шан	Gender: O.M. O.F. Caregiver:	NFI DEA Tay I D :		
leight:	Weight: Allergies:	Office Contact: Phone:		
3	7 mergreer	Attach All Medical Documentation) Prior Indicate I	Drug Na	0m0
STATEMENT	OF MEDICAL NECESSITY: (Please	Attach All Medical Documentation) Prior Indicate I	of Trea	ame tment
Date of Diagnosis:	Other: Patient also Serious or	Database All Methotrexate? Database All Methotrexate? Database All Methotrexate? Database All Methotrexate? Database All Methotrexate Database All Methotrexate	oi iiea	unem
JD-10: 'R Test: Positive	Utner: Serious or	active infection present?		
FT: ALT:	Negative Date: ST: Date: Does patie	d out or treatment started? □ Yes □ No □ Methotrexate nt have latex alleroy? □ Yes □ No □ Oral Meds		
ssessment: Moder	rate Mod to Severe Severe			
% BSA affected				
J Scalp ☐ Face ☐ Ch		alternatives will be provided to the prescriber UVA UVB		
_		care Provider O Pharmacist to Provide Training O Patient Trained in MD Office O Manufactur	rer Nurse	Sunnor
		O Physician's Office O Pharmacy to Coordinate	ici ivaisc	оиррог
		nt and Back Copies of Pharmacy and Medical Card		
RESCRIPTION	INFORMATION: (Please be sure to	choose both induction and maintenance dose where applicable)		
atient Name: Medication	Dosage & Strength	Patient's Date of Birth: Direction	QTY	Pofill
Medication		☐ Inject 400mg SC every other week	GIY	neill
☐ CIMZIA®	□ 200mg/ml Prefilled Syringe□ 200mg Lyophilized Powder Vial	☐ Induction Dose: (Weight <90kg) Inject 400mg SC initially and at weeks 2 and 4☐ Maintenance Dose: (Weight <90kg) Inject 200mg SC every other week		
□ ENBREL®	□ 50mg/ml Sureclick Autoinjector	☐ Induction Dose: Inject 50mg SC twice a week (3-4 days apart) for 3 months, then start maintenance dosing	8	2
	☐ 50mg/ml Enbrel Mini™ Prefilled Cartridge For Enbrel Mini™ only: AutoTouch™ Autoinjector	☐ Maintenance: Inject 50mg SC once a week Pediatric Patients: To achieve pediatric doses other than	4	
	□ 50mg/ml Prefilled Syringe	50mg or 25mg, use reconstituted Enbrel lyophilized powder		
	□ 25mg/0.5ml Prefilled Syringe	> 138lbs or more: Inject 50mg weekly	4	
	☐ 25mg Lyophilized Powder Multiple Dose Vial ☐ Other:	□ < 138lbs: Inject 0.8mg/kg weekly □ Other:		
	☐ Psoriasis 80mg/0.8ml and 40mg/0.4ml	Industion Docar Inject 20mg SC on day 1, then 40mg SC	3	0
□ HUMIRA®	Starter Package	☐ Induction Dose: Inject 80mg SC on day 1, then 40mg SC on day 8, then 40mg SC every other week	4	0
	☐ Psoriasis 40mg/0.4ml Starter Package ☐ 40mg/0.4ml Pen	☐ Maintenance: Inject 40mg SC every other week		"
	☐ 40mg/0.4ml Prefilled Syringe	□ Other:	2	
	☐ Hidradenitis Suppurativa 80mg/0.8ml	□ Induction Dose:	3	0
- HOMINA	Starter Package Hidradenitis Suppurativa 40mg/0.4ml	☐ Inject two 80mg pens SC on day 1, then one 80mg pen SC on day 15		"
	Starter Package	☐ Inject one 80mg pen SC on day 1, one 80mg pen on day 2, then one 80mg pen on day 15	6	0
	□ 40mg/0.4ml Pen	☐ Maintenance: Inject 40mg SC on day 29 and every week thereafter	4	
	☐ 40mg/0.4ml Prefilled Syringe	☐ Patient has signed HUMIRA Complete form	-	
☐ ORENCIA®	All strengths a □ 125mg/ml ClickJect™ Autoinjector	nd dosages listed are Humira® Citrate Free		
UKENCIA"	☐ 125mg/ml Prefilled Syringe	☐ Inject 125mg SC once a week ☐ Starter Pack: Take one tablet in the morning on day 1, then take one tablet in the	4	
☐ OTEZLA®	☐ Starter Pack (Titration)	morning and one tablet in the evening as directed on the starter pack	1	0
·	☐ 30mg Tablets	☐ Maintenance: Take one 30mg tablet by mouth twice daily	60	
⊒ RASUVO®	<u> </u>			
SIMPONI® (for PsA)	☐ 50mg/0.5ml Smartject Injector ☐ 50mg/0.5ml Prefilled Syringe	☐ Inject 50mg SC once a month	1	
□ SKYRIZI [™]	, ,	☐ Induction Dose: Inject 150mg (two 75mg injections) SC at weeks 0 and 4	4	0
	☐ 75mg/0.83ml Prefilled Syringe ☐ Yes or ☐ No: SKYRIZI SELE-INJECTION: Healtho	☐ Maintenance: Inject 150mg (two 75mg injections) SC every 12 weeks thereafter are provider certifies that patient has been trained and is eligible for self-injection	2	
		☐ Induction Dose: To achieve pediatric dose:		
□ STELARA®	☐ 45mg/ml Single-Dose Vial	□ < 60kg: Inject 0.75mg/kg		0
		☐ 60kg - 100kg: Inject 45mg SC☐ > 100kg: Inject 90mg SC☐	1	0
	☐ 45mg/0.5ml Prefilled Syringe (for < 220 lbs)	☐ Inject the contents of 1 prefilled syringe SC on day 1		
	☐ 90mg/1ml Prefilled Syringe (for > 220 lbs)	☐ Maintenance: Inject the contents of 1 prefilled syringe SC on day 29	1	
	☐ Yes or ☐ No: STELARA SFI F-IN.IFCTION: Health	and every 12 weeks thereafter locare provider certifies that patient has been trained and is eligible for self-injection		
	= .55 of = 115. GTEETHA GEET INGEGRAAN	☐ Induction Dose: Inject 100mg/ml SC at weeks 0 and 4	2	0
	☐ 100mg/ml Prefilled Syrings			
☐ TREMFYA [™]	□ 100mg/ml Prefilled Syringe□ 100mg/ml One- Press Patient Controlled Injector		1	
		<u> </u>	60	
☐ TREMFYA [™] ☐ XELJANZ [®] ☐ XELJANZ [®] XR	☐ 100mg/ml One- Press Patient Controlled Inject	or ☐ Maintenance: Inject 100mg/ml SC every 8 weeks thereafter	_	