Faxed prescriptions will only be accepted from a prescribing practitioner. Patients must bring an original prescription to the pharmacy. Prescribers are reminded patients may choose any pharmacy of their choice.

LIFELINE SPECIALTY PHARMACY	Send your Rx to: Phone: 1-8 Fax: 1-833	333-4-LIFELINE (1-833-454-3354) -785-4461	NPI: 1568975464	If you have o concerns, plea	questions se contac
Date Medication Needed:Ship To: □ Patient's H		ient's Home Prescriber's Office Pick-up (store I	ocation):	Injection bypharr	training nacy?
1: Patient Info					
	Bi		nale Height: Weight:		bs. 🗌 k
	Preferred Phone:		State:		
ldress: ternate Caregiver Nam	ne:	Preferred Phone:		zıp	
		and BACK copy of ALL Insurance cards (Presc			
mary Prescription Ins			Bin		
			t Rx Group Number		
► 3: Prescriber	Information				
		DE4#·	NPI#:Ta	av ID#·	
			Fax:		
ty, State, Zip:			Phone:		
	Clinical Information Please	e FAX recent clinical notes, Labs, Tests, with th			ori <u>zati</u> o
agnosis:			ICD-10:		
Patient Support	and Injection Training Authoriza	ation			
► 5: Prescriptio	n Information	ke this authorization, he/she may do so by writing a letter to Lifeline Sp	eciany Pharmacy at 3233 Corporate Cou	rt, Ellicott City, MD, 2	1042.
Medication	Dose/Strength	Sig	atwasks 0, 2 and 4	Qty.	Refills
Cimzia®	Prefilled Syringes (2x200mg) Lyophilized Vials (2x200 mg)	Induction Dose: Inject 400 mg subcutaneously Maintenance Dose: Inject 400 mg subcutaneou			
Dificid®	200mg Tablet	Take 1 tablet twice daily with or without food fo	· · · ·	20 Tablets	
1	□ 300 mg/2mL pen	Inject 300 mg subcutaneously once weekly			
Dupixent®	300 mg/2mL PFS	,,			
_	300 mg/2mL PFS		8 weeks		
] Dupixent [®]] Entyvio [®]		Induction Dose Infuse 300 mg via IV at week 0 Maintenance Dose Infuse 300 mg via IV every	8 weeks		
] Entyvio®	300mg vial		8 weeks		
_	☐ 300mg vial		8 weeks		
] Entyvio [®]] Humira [®]	□ 300mg vial □ 20mg Pen □ 20mg PFS □ 40mg PFS □ 40mg Pen		8 weeks		
] Entyvio®	□ 300mg vial □ 20mg Pen □ 20mg PFS □ 40mg PFS	Induction Dose: Infuse 300 mg via IV at week 0 Maintenance Dose: Infuse 300 mg via IV every Other:	8 weeks		
] Entyvio [®]] Humira [®]] Humira [®] Citrate	□ 300mg vial □ 20mg Pen □ 20mg PFS □ 40mg PFS □ 40mg Pen	Induction Dose: Infuse 300 mg via IV at week 0 Maintenance Dose: Infuse 300 mg via IV every Other: Induction Doses: Inject 160 mg subcutaneously on Day 1, then inj Inject 80 mg SC on Day 1, then inject 80 mg SC SC on day 15 Maintenance Doses:	8 weeks		
] Entyvio®] Humira®] Humira® Citrate	□ 300mg vial □ 20mg Pen □ 20mg PFS □ 40mg PFS □ 40mg Pen	□ Induction Dose: □ Maintenance Dose: □ Other: □ Induction Doses: □ Inject 160 mg subcutaneously on Day 1, then inj □ Inject 80 mg SC on Day 1, then inject 80 mg SC SC on day 15 Maintenance Doses: □ Inject 40 mg SC every other week	8 weeks		
Entyvio® Humira® Humira® Citrate Free (CF)	Image: second system	□ Induction Dose: □ Maintenance Dose: □ Other: □ Inject 160 mg subcutaneously on Day 1, then inj □ Inject 80 mg SC on Day 1, then inject 80 mg SC SC on day 15 Maintenance Doses: □ Inject 40 mg SC every other week □ Inject 80 mg SC every other week	8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg		
Entyvio® Humira® Humira® Citrate Free (CF)	Image: second system	□ Induction Dose: □ Maintenance Dose: □ Other: □ Inject 160 mg subcutaneously on Day 1, then inj □ Inject 80 mg SC on Day 1, then inject 80 mg SC SC on day 15 Maintenance Doses: □ Inject 40 mg SC every other week □ Inject 80 mg SC every other week □ Inject 80 mg SC every other week	8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg veek 0, week 2, and week 6		
Entyvio® Humira® Humira®Citrate Free (CF)	Image: second system		8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg veek 0, week 2, and week 6		
Entyvio® Humira® Humira® Citrate Free (CF) Remicade®	Image: second system	Induction Dose: Maintenance Dose: Other: Inject 160 mg subcutaneously on Day 1, then inj Inject 80 mg SC on Day 1, then inject 80 mg SC SC on day 15 Maintenance Doses: Inject 40 mg SC every other week Inject 80 mg SC every other week Other: Inject 80 mg SC every other week Other: Maintenance Dose: Inject 80 mg SC every other week Other: Other: Induction Dose: Infuction Dose: Infact 80 mg SC every other week Other: Take 45 mg by mouth once daily for 8 weeks	8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg veek 0, week 2, and week 6		
] Entyvio [®]] Humira [®]] Humira [®] Citrate	Image: second system Image: second system Image: second	□ Induction Dose: □ Maintenance Dose: □ Other: □ Other: □ Inject 160 mg subcutaneously on Day 1, then inj □ Inject 80 mg SC on Day 1, then inject 80 mg SC SC on day 15 Maintenance Doses: □ Inject 40 mg SC every other week □ Inject 80 mg SC every other week □ Inject 80 mg SC every other week □ Other: □ Induction Dose: □ Other: □ Other: □ Other: □ Take 45 mg by mouth once daily for 8 weeks □ Take 30 mg by mouth once daily	8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg veek 0, week 2, and week 6		
Entyvio® Humira® Humira® Citrate Free (CF) Remicade®	Image: second system Image: second system Image: second	Induction Dose: Maintenance Dose: Other: Inject 160 mg subcutaneously on Day 1, then inj Inject 80 mg SC on Day 1, then inject 80 mg SC SC on day 15 Maintenance Doses: Inject 40 mg SC every other week Inject 80 mg SC every other week Other: Inject 80 mg SC every other week Other: Maintenance Dose: Inject 80 mg SC every other week Other: Other: Induction Dose: Infuction Dose: Infact 80 mg SC every other week Other: Take 45 mg by mouth once daily for 8 weeks	8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg veek 0, week 2, and week 6		
Entyvio® Humira® Humira® Citrate Free (CF) Remicade® Rinvoq®	Image: second system Image: second system Image: second	Induction Dose Infuse 300 mg via IV at week 0 Maintenance Dose Infuse 300 mg via IV every Other:	8 weeksect 80 mg SC on day 15 on day 2, then inject 80 mg reek 0, week 2, and week 6 every 8 weeks		
Entyvio® Humira® Humira® Citrate Free (CF) Remicade® Rinvoq® Other:	Image: second system Image: second system Image: second	Induction Dose: Infuse 300 mg via IV at week 0 Maintenance Dose: Infuse 300 mg via IV every Other:	8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg reek 0, week 2, and week 6 every 8 weeks sisted patient support prog	gram	
Entyvio® Humira® Humira® Citrate Free (CF) Remicade® Reinvoq® Other: ient Support Progr	Image: second system Image: second system Image: second	Induction Dose Infuse 300 mg via IV at week 0 Maintenance Dose Infuse 300 mg via IV every Other:	8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg reek 0, week 2, and week 6 every 8 weeks sisted patient support prog	gram	
Entyvio® Humira® Humira® Citrate Free (CF) Remicade® Reinvoq® Other: ient Support Progr	Image: second system Image: second system Image: second	Induction Dose Infuse 300 mg via IV at week 0 Maintenance Dose Infuse 300 mg via IV every Other:	8 weeks ect 80 mg SC on day 15 on day 2, then inject 80 mg reek 0, week 2, and week 6 every 8 weeks sisted patient support prog	gram	