



LABORATORY REPORT

Spring Creek Pharmacy
3737 Mapleshade Lane
Plano, TX 75075

Phone: 972-517-7900

Account #: E15081
Sample Name: SEMAGLUTIDE/PYRIDOXINE
2.5MG/10MG/ML 1ML
Lot #: LG355002060
Storage Conditions: Refrigerated

Date Received: 1/29/2026

Submission #: ETX-260128-0373



Chemistry Tests:

Potency (Peptides) (Semaglutide : 2.50000 mg/mL)

Date Started: 2/5/2026 Date Completed: 2/6/2026

Measured Concentration: 2.42 mg/mL

Potency: 96.8 %

Method: USP<621>

Disclaimer: The potency method(s) used for testing passed system suitability requirements per Eagle SOP 2.500.001. Product-specific method validation is not available for this sample.

Microbiology Tests:

ScanRDI Sterility Test

Date Started: 1/31/2026 Date Completed: 1/31/2026

Method Suitability: ETX-250812-0287

Result: Pass

USP <85> Bacterial Endotoxin Test

Date Started: 1/30/2026 Date Completed: 1/30/2026

Numerical Value : <2 EU/mL

Endotoxin Limit: 1000 EU/mL

Result: Pass

Respectfully submitted,
EAGLE ANALYTICAL SERVICES INC.

Alison Eng, Quality Control Manager

Results apply only to the tested sample(s) as received.