

# Professional Communication



## Diagnostic Testing & Screening

BD Veritor™ System For Rapid Detection of SARS-CoV-2 (Antigen Test)

### COVID-19

Patient name (print) \_\_\_\_\_ Date of birth \_\_\_\_ / \_\_\_\_ / \_\_\_\_  
Date of testing \_\_\_\_ / \_\_\_\_ / \_\_\_\_ Age \_\_\_\_ Phone number (\_\_\_\_) \_\_\_\_ - \_\_\_\_  
Patient address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

#### Patient symptoms

People with COVID-19 have had a wide range of symptoms reported – ranging from mild symptoms to severe illness. Symptoms may appear 2-14 days after exposure to the virus. People with these symptoms may have COVID-19:

- |  |   |
|--|---|
| <input type="checkbox"/> Fever or chills                             | <input type="checkbox"/> New loss of taste or smell |
| <input type="checkbox"/> Cough                                       | <input type="checkbox"/> Sore throat                |
| <input type="checkbox"/> Shortness of breath or difficulty breathing | <input type="checkbox"/> Congestion or runny nose   |
| <input type="checkbox"/> Fatigue                                     | <input type="checkbox"/> Nausea or vomiting         |
| <input type="checkbox"/> Muscle or body aches                        | <input type="checkbox"/> Diarrhea                   |
| <input type="checkbox"/> Headache                                    |   |

\_\_\_\_\_  
\_\_\_\_\_  
Symptoms started \_\_\_\_\_ (hours)

#### COVID Test Results

Negative \_\_\_\_\_ Positive \_\_\_\_\_

**Your patient tested positive for COVID-19 and based on CDC guidelines, I recommend a treatment protocol of the following:**

Testing sites must report data for all diagnostic and screening testing completed, which includes molecular, antigen, and antibody testing, for each individual tested. These data must be reported daily, within 24 hours of test completion, to the appropriate local, state, territorial or tribal health department, based on the individual's residence.

#### You can be around others after:

- 10 days since symptoms first appeared and
- 24 hours with no fever without the use of fever-reducing medications and
- Other symptoms of COVID-19 are improving\*

\*Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation

**Date recorded:** \_\_\_\_\_ **Recorded by:** \_\_\_\_\_

Note that these recommendations do not apply to persons with severe COVID-19 or with severely weakened immune systems (immunocompromised).

<https://www.cdc.gov/coronavirus/2019-ncov/if-you-are-sick/end-home-isolation.html>  
<https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html>

**Risk Level: Low: \_\_\_\_\_ High: \_\_\_\_\_ (if high, please select reason below)**

**Reasons for High Risk:**

Over 65 _____	Heart Condition _____
Cancer _____	Immunocompromised _____
Chronic Kidney disease _____	Obesity _____
COPD _____	Sickle Cell Disease _____
Smoker _____	Type 2 Diabetes _____