Commonly Requested Compounding Ideas for Women's Health



Commonly Requested Formulas for Patients with Vulvodynia

PCCA Formula # 11108	Amitriptyline HCl 2%/Baclofen 2% Vaginal Gel (MucoLox™)
PCCA Formula # 11109	Ketamine HCl 0.5%/Diazepam 1%/Baclofen 2% Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11110	Gabapentin 6% Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11114	Diazepam 10 mg/Gm Vaginal/Rectal Gel (MucoLox™/VersaBase®) (FormulaPlus™ BUD Study)
PCCA Formula # 6988	Atropine Sulfate 2.5 mg/Ketoconazole 100 mg/Biotin 100 mg Base MBK Suppository (Blue Mold)

Commonly Requested Formulas for Patients with Female Sexual Dysfunction/Libido

PCCA Formula # 11116	Estriol 0.1%/Testosterone 0.1% Vaginal Gel (MucoLox™/VersaBase®) (FormulaPlus™ BUD Study)
PCCA Formula # 11947	Testosterone 0.2% Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11948	Sildenafil 1%/Testosterone 0.1% Topical Gel (MucoLox™)
PCCA Formula # 11724	Oxytocin 120 U/Gm Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11386	Dehydroepiandrosterone 13 mg/Gm Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 10879	Papaverine HCl 0.1%/Arginine 6% Topical Lipoderm®
PCCA Formula # 9295	Sildenafil 1%/Arginine HCl 11.7%/Naltrexone HCl 0.817%Topical Cream (VersaBase®)
PCCA Formula # 9294	Sildenafil 2%/Aminophylline 3%/Arginine HCl 6%Topical Cream (VersaBase®)

Commonly Requested Formulas for Patients Interested in Weight Loss

DCC4 F # 4001	DI	l: , 200 Cl Dl C l C: #0
PCCA Formula # 4081	Phentermine HCL 37.5mg/Chromium Pico	linate 200 mcg Slow Release Capsules Size #0

		_	_
1	.,	$\boldsymbol{\Gamma}$	G
		•	v

PCCA Formula # 10219	Chorionic Gonadotropin 125 U Base A Troche (Tablet Triturate 100 mg Mold)
PCCA Formula # 9830	Chorionic Gonadotropin 100 U/0.1 mL Nasal Spray
PCCA Formula # 10144	Chorionic Gonadotropin 500 U/Gm Topical LipodermR HMW™

MIC (Lipotropics)

PCCA Formula # 10834	Methionine 15 mg/mL/Choline Chloride 100 mg/mL/Inositol 50 mg/mL/Cyanocobalamin 6 mcg/mL
	Injection Solution (FormulaPlus™ BUD Study)
PCCA Formula # 11769	Choline Bitartrate 450 mg/Methionine (DL) 150 mg/Inositol 100 mg Capsules Size #00 (LoxOral™)

Commonly Requested Formulas for Patients with Cervical Dysplasia

PCCA Formula # 10829	Gowey Tincture 20% (W/W) Topical Gel (VersaBase®)
PCCA Formula # 10830	Gowey Tincture 30% (W/W) Topical Gel (VersaBase®)

Commonly Requested Formulas for Patients with Bacterial Vaginosis

PCCA Formula # 9076	Metronidazole 125 mg/mL/Nystatin 25,000 U/mL Vaginal Cream
PCCA Formula # 7447	Chlorhexidine Gluconate 0.5% Vaginal Gel
PCCA Formula # 10207	Acetic Acid 0.9% (W/W)/Hydroxyquinoline Sulfate 0.025% Vaginal Gel (VersaBase®)
PCCA Formula # 11368	Boric Acid 30% Vaginal Gel (MucoLox™)
PCCA Formula # 11367	Boric Acid 600 mg Base MBK/MucoLox™ Vaginal Suppository (Pink Mold)



Commonly Requested Formulas for Patients with Atrophic Vaginitis

For more information, see Treatment Options for Vaginal Atrophy: What Do the New Studies Show? by Annie DeReese, PharmD (PCCA Document #98289).

PCCA Formula # 11115 Estriol 0.05% Vaginal Gel (MucoLox™/VersaBase®)

PCCA Formula # 9911 Hyaluronic Acid Sodium 5 mg/Gm Compound Vaginal Cream

PCCA Formula # 9893 Estriol 1 mg/Progesterone 30 mg Base MBK Vaginal Suppository (Medium Shell Mold)

PCCA Formula # 11386 Dehydroepiandrosterone 13 mg/Gm Vaginal Gel (MucoLox™/VersaBase®)

Commonly Requested Formulas for Patients with Vaginal Dryness

PCCA Formula # 11115	Estriol 0.05% Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 12111	Estradiol 10 mcg Vaginal Suppository (Tablet Triturate 200 mg Mold)
PCCA Formula # 11116	Estriol 0.1%/Testosterone 0.1% Vaginal Gel (MucoLox™/VersaBase®) (FormulaPlus™ BUD Study)
PCCA Formula # 11117	Sodium Hyaluronate 5 mg/Gm Compound Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11118	Hyaluronic Acid 5 mg/Gm Compound Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11119	Vitamin E 200 u/Gm Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 8990	Vitamin E 200 IU Base MBK Vaginal Suppository (Large Shell Mold)
PCCA Formula # 10590	Glycerin 15%/Vitamin E Acetate 0.2% Vaginal Gel
PCCA Formula # 9953	Glycerin/Caprylic/Capric Triglycerides Base MBK Vaginal Suppository (Small Shell Mold)

Commonly Requested Formulas for Patients with Yeast Infections

PCCA Formula # 11156	Clotrimazole 2%/Ibuprofen 2%/Tea Tree Oil 1% Topical Gel (MucoLox™/VersaBase®)
PCCA Formula # 11368	Boric Acid 30% Vaginal Gel (MucoLox™)
PCCA Formula # 11367	Boric Acid 600 mg Base MBK/MucoLox™ Vaginal Suppository (Pink Mold)
PCCA Formula # 11113	Flucytosine 15% Vaginal Cream (MucoLox™/VersaBase®)
PCCA Formula # 11122	Miconazole Nitrate 2%/Acidophilus 15%/Lidocaine HCl 1% Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 1004	Amphotericin B 50 mg Base MBK Vaginal Suppository (Blue Mold)

Commonly Requested Formulas for Patients with Vaginal Itching

PCCA Formula # 11887	Tranilast 1%/Betamethasone 0.05% Topical/Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11575	Ketotifen 0.4% Vaginal Gel (MucoLox™/VersaBase®)

Ginger Root 200 mg Sorbitol Lollipop Base

Commonly Requested Formulas for Patients with Nausea/Vomiting

Note: Using various dosage forms of a drug (e.g., switching from oral to topical, etc.) does not improve the safety profile of a drug. Use standard drug information for drugs during pregnancy or breastfeeding.

	3 11
PCCA Formula # 11820	Doxylamine Succinate 10 mg/Pyridoxine HCl 10 mg/Ginger Root Capsules Size #1
PCCA Formula # 8941	Pyridoxine HCl 10 mg/Ginger 300 mg Oral Effervescent
PCCA Formula # 8986	Ondansetron 4 mg/0.1 mL Topical Lipoderm®
PCCA Formula # 6769	Ondansetron 8 mg Oral Effervescent
PCCA Formula # 9491	Promethazine HCl 25 mg/Gm Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 1947	Doxylamine Succinate 10 mg/Pyridoxine HCl 10 mg Base MBK Suppository (Blue Mold



PCCA Formula # 5547

Commonly Requested Formulas for Patients with Polycystic Ovary Syndrome (PCOS)

For more information, see PCOS Nutritional References (PCCA Document #98746) and VOD: PCOS, Endometriosis, and Sleep Disorders in Menopause (PCCA Document #98833).

PCCA Formula # 11946 Progesterone 10% Vaginal Gel (MucoLox™/VersaBase®)

PCCA Formula # 11542 Metformin HCl 10% Vaginal Gel (MucoLox™)

PCCA Formula # 10871 Metformin HCl 10% Topical Lipoderm® For more information, see the Transdermal Metformin —

Consultant's Corner Article from the February 2014/November 2015 Apothagram

(PCCA Document #98749).

Commonly Requested Formula for Patients with Meniere's Disease

PCCA Formula # 10961 Betahistine Dihydrochloride 8 mg Capsules Size #1 (LoxOral™)

Commonly Requested Formulas for Patients with Endometriosis

For more information, see VOD: PCOS, Endometriosis, and Sleep Disorders in Menopause (PCCA Document #98833).

PCCA Formula # 11946 Progesterone 10% Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11950 Danazol 10% Vaginal Gel (MucoLox™/VersaBase®)

PCCA Formula # 7224 Progesterone 100 mg Base MBK Suppository (Medium Shell Mold)

Commonly Requested Formulas for Patients with Pelvic Pain

PCCA Formula # 11114 Diazepam 10 mg/Gm Vaginal/Rectal Gel (MucoLox™/VersaBase®) (FormulaPlus™ BUD Study)
PCCA Formula # 11109 Ketamine HCl 0.5%/Diazepam 1%/Baclofen 2% Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 9918 Diazepam 5 mg Base MBK Suppository (Blue Mold)

PCCA Formula # 9918 Diazepam 5 mg Base MBK Suppository (Blue Mold)
PCCA Formula # 9111 Ibuprofen 600 mg Base MBK Suppository (Pink Mold)

External Use Only

PCCA Formula # 11709

PCCA Formula # 9447 | Ibuprofen 20% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 9448 | Ketoprofen 10% Topical Lipoderm® (FormulaPlus™ BUD Study)

PCCA Formula # 9874 Ketoprofen 10%/Cyclobenzaprine HCl 2% Topical Lipoderm® (FormulaPlus™ BUD Study)

Commonly Requested Formulas for Patients with Rosacea

PCCA Formula # 11710 Niacinamide 5%/Glycosaminoglycans 5%/Dimethyl Sulfone 2%/Biotin 0.2% Topical Cream

Niacinamide 4%/Metronidazole 1% Topical Cream (Clarifying™)

(Clarifying™)

PCCA Formula # 6998 Nicotinamide Adenine Dinucleotide 1% Topical Ointment

PCCA Formula # 10723 Brimonidine Tartrate 0.5% Topical Gel (PracaSil™-Plus/VersaBase®)

PCCA Formula # 11046 Metronidazole 1%/Niacinamide 4% Topical Gel (PracaSil™-Plus)

PCCA Formula # 10128 Niacinamide 5%/Glyosaminoglycans 5%/Dimethyl Sulfone 2%/Biotin 0.2% Topical Cream

(Occlusaderm®)

PCCA Formula # 10020 Oxymetazoline HCl 0.06% Facial Lotion (VersaBase®)



Commonly Requested Compounding Ideas for Women's Health (cont'd)

Commonly Requested Formula for Patients with Scars (Post C-Section/Post-Surgical)

Use PracaSil™-Plus (PCCA #30-4655)

Commonly Requested Formulas for Patients with Stretch Marks

PCCA Formula # 11420 Topiramate 2.5%/Aloe Vera 0.5% Topical Gel (PracaSil™-Plus)

PCCA Formula # 7559 Collagen/Panthenol/Glycolic Acid 5% (W/W)/Sodium Pyrrolidone Carboxylate/Shea

Butter/Wheat Germ Oil/ Emu Oil Topical Cream

Commonly Requested Formula for Patients with Lichen Sclerosis

PCCA Formula # 11884 Clobetasol Propionate 0.05% Topical/Vaginal Gel (MucoLox™/VersaBase®)

Commonly Requested Formulas for Patients with Hemorrhoids

PCCA Formula # 11954	Pramoxine HCl 1%/Zinc Oxide 12.5%/Lidocaine HCl 5% Rectal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11491	Lidocaine 2%/Hydrocortisone 1% Base MBK/Wax/MucoLox™ Suppository (Rectal Rocket)
PCCA Formula # 3515	Lidocaine 2%/Hydrocortisone 1% Base MBK/Wax Suppository (Rectal Rocket)

Commonly Requested Formula for Patients with Genital Herpes

PCCA Formula # 11413 Acyclovir 5%/Lidocaine HCl 5%/Deoxy-D-Glucose 2% Vaginal Gel (MucoLox™)

Commonly Requested Formulas for Patients with Genital Warts (External)

PCCA Formula # 11415	Deoxy-D-Glucose 0.2%/A	cyclovir 5%/Imio	juimod 2.5%/Tea Tree (Oil 2.5% Vaginal Gel

(MucoLox™/VersaBase®) For more information, see Multi-Therapy Use of Topical Imiquimod &

Formulas (PCCA Document #98856).

PCCA Formula # 11111 Fluorouracil-(5 FU) 5% Topical Gel (MucoLox™/VersaBase®)
PCCA Formula # 11313 Fluorouracil (5-FU) 5% Topical Gel (MucoLox™/PracaSil™-Plus)

PCCA Formula # 11112 Imiquimod 0.5% Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11004 Imiquimod 6 mg Base MBK Suppository (Blue Mold)

The formulas and/or statements listed are provided for educational purposes only. They are compounding ideas that have commonly been requested by physicians, and have not been evaluated by the Food and Drug Administration. Formulas and/or material listed are not to be interpreted as a promise, guarantee or claim of therapeutic efficacy or safety. The information contained herein is not intended to replace or substitute for conventional medical care, or encourage its abandonment. Every patient is unique, and formulas should be adjusted to meet their individual needs.

