Commonly Requested Compounding Ideas for Patients Seeing Podiatrists



Commonly Requested Formulas for Patients Needing Nail Removal (Non-Surgical)

PCCA Formula # 10229 Urea 40% Occlusive Ointment

PCCA Formula # 4121 Urea 40%/Bacitracin 500 U/Gm/Clotrimazole 2%/Ibuprofen 2%/Deoxy-D-Glucose (2) 0.19%

Topical Ointment

Commonly Requested Formulas for Patients with Nail Fungus

Dispense these solutions in wide mouth amber bottles (PCCA #35-1412) with a brush cap (PCCA #35-2085).

PCCA Formula # 4337	Itraconazole 1%/Ibuprofen 2%/DMSO Nail Solution
PCCA Formula # 3353	Fluconazole 1%/DMSO Topical Solution
PCCA Formula # 11577	Ciclopirox 8%/Fluconazole 1%/Terbinafine HCl 1% Topical Gel
PCCA Formula # 11839	Ketoconazole 2%/Urea 40%/DMSO Nail Suspension
PCCA Formula # 11990	Itraconazole 1%/Terbinafine HCl 3%/Tea Tree Oil 6.6%/Urea 10%/Biotin 0.6%/DMSO Nail
	Suspension

Commonly Requested Formulas for Patients with Fungal Skin Infections

PCCA Formula # 9329	Ketoconazole 2%/Miconazole 2%/Clotrimazole 1% Topical Cream (VersaBase®)
PCCA Formula # 4650	Clotrimazole 2%/Ibuprofen 2%/Tea Tree Oil 1% Topical Cream
PCCA Formula # 4435	Ketoconazole 2%/Tea Tree Oil 5%/DMSO Topical Solution
PCCA Formula # 1001	Amphotericin B 3% Topical Lotion

Commonly Requested Formulas for Patients with Circulation Problems or Raynaud's Phenomenon

PCCA Formula # 8540	Nifedipine 4% Topical Lipoderm®
PCCA Formula # 9875	Pentoxifylline 5%/Nifedipine 2% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 10844	Pentoxifylline 3%/Nifedipine 3% Topical Lipoderm®
PCCA Formula # 5471	Pentoxifylline 5% Topical Lipoderm®
PCCA Formula # 9405	Nifedipine 16% Topical Lipoderm®

Commonly Requested Formulas for Patients with Diabetic Neuropathy

For more information, see PCCA Document #98675 VOD Overview: Treatment of Neuropathies and Inflammatory Conditions by Sebastian Denison (#45-2229). Dispense these creams in EMP jars or MegaPumps for patient convenience. See PCCA Document #97526 for tips on filling and dispensing devices.

		the PCCA Members-Only Website.
PCCA Formula # 8541	Ketamine 10%/Gabapentin 6%/Clonidine 0.2%/Nifedipine	
	2% Topical Lipoderm®	
PCCA Formula # 10435	Nifedipine 10%/Pentoxifylline 5%/Ketamine HCl 10%/Gabapenti	n 6%/Lidocaine 3%/Prilocaine
	3% Topical Lipoderm® ActiveMax™	
PCCA Formula # 9376	Amitriptyline HCl 2%/Baclofen 2%/Ketamine HCl 5%/Ketoprofer	n 10% Topical Lipoderm®
PCCA Formula # 9377	Amitriptyline HCl 2%/Baclofen 2% Topical Lipoderm®	
PCCA Formula # 9375	Amitriptyline HCl 2%/Ketoprofen 2%/Carbamazepine 2% Topical Lipoderm®	
PCCA Formula # 11019	Ketamine HCl 10%/Gabapentin 6%/Tizanidine HCl 0.2%/Nifedip	ine 2% Topical Lipoderm® ActiveMax™



For more information, see

Experiencing Pain/Neuropathy,

PCCA Document #94064, in the

Resources/Documents section of

Algorithm for Patients

Commonly Requested Formulas for Patients with Heel Spurs

PCCA Formula # 11007	Ketamine HCl 5%/Gabapentin 10%/Tizanidine HCl 0.2%/Baclofen 2% Topical Lipoderm®
PCCA Formula # 11019	Ketamine HCl 10%/Gabapentin 6%/Tizanidine HCl 0.2%/Nifedipine 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 11100	Ketamine HCl 5%/Gabapentin 6%/Amitriptyline HCl 3%/Indomethacin 5%/Tizanidine HCl
	0.2%/Lidocaine 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 11099	Ketoprofen 10%/Tizanidine HCl 0.2%/Bupivacaine HCl 1% Topical Lipoderm®
PCCA Formula # 9448	Ketoprofen 10% Topical Lipoderm® (FormulaPlus™ BUD Study) <i>This is the formula used in PCCA's</i>
	Lipoderm ${f @}$ study – see the Members-Only Website to download your copy.
PCCA Formula # 9376	Amitriptyline HCl 2%/Baclofen 2%/Ketamine HCl 5%/Ketoprofen 10% Topical Lipoderm®
PCCA Formula # 9447	Ibuprofen 20% Topical Lipoderm® (FormulaPlus™ BUD Study)

Commonly Requested Formulas for Patients with Foot Cramps

PCCA Formula # 9791	Guaifenesin 10% Topical Lipoderm®
PCCA Formula # 9874	Ketoprofen 10%/Cyclobenzaprine HCl 2% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 9096	Magnesium Chloride 10%/Peppermint 1% Topical Cream
PCCA Formula # 12050	Magnesium Chloride Hexahydrate 10% Topical Lipoderm®
PCCA Formula # 10056	Guaifenesin 10%/Magnesium Sulfate Heptahydrate 10% Topical Lipoderm®

Commonly Requested Formula for Patients with Gout

PCCA Formula #11470 Indomethacin 2%/Tetracaine HCl 2%/Colchicine 0.2% Topical Lipoderm®

Commonly Requested Formulas for Patients with Hyperhidrosis of the Feet (Sweaty Feet)

PCCA Formula # 2385	Glycopyrrolate 1% Topical Cream
PCCA Formula # 9230	Glycopyrrolate 0.5% Topical Solution The roll-on bottle (PCCA #35-1922 or 35-3696) is ideal for
	dispensing this topical solution.
PCCA Formula # 2332	Glycopyrrolate 1% Topical Lotion

Ketoprofen 2%/Lidocaine 2%/Misoprostol 0.0024%/Phenytoin 2%/Aloe Vera 0.2% Topical Gel

Commonly Requested Formulas for Patients with Wounds/Burns Without Infection

	(PracaSil™-Plus)
PCCA Formula # 10943	Aloe Vera/Vitamin E/Allantoin/Glycosaminoglycans Spira-Wash™ Gel
PCCA Formula # 10944	Allantoin 2%/Vitamin D3 1000 IU/Gm/Aloe Vera 0.5% Spira-Wash™ Gel
PCCA Formula # 10946	Silver Sulfadiazine 1% Spira-Wash™ Gel
PCCA Formula # 10947	Collagenase 250 U/Gm Spira-Wash™ Gel
PCCA Formula # 10948	Phenytoin 5%/Misoprostol 0.0024%/Arginine HCl 1% Spira-Wash™ Gel
PCCA Formula # 10949	Phenytoin 5%/Misoprostol 0.0024%/Arginine HCl 1%/Sodium Hyaluronate 0.5% Spira-Wash™ Gel
PCCA Formula # 4795	Phenytoin 5%/Misoprostol 0.0024% Topical Gel (PF)
PCCA Formula # 4429	Phenytoin 2%/Misoprostol 0.0024%/Lidocaine 2%/Bupivacaine HCl 0.2%/Diphenhydramine HCl
	1%/Aloe Vera 0.2% Polyox Bandage The polyox bandage is a good base for oozing wounds. See
	PCCA Document #97963 for external wound bandage patient instructions.
PCCA Formula # 3476	Ketoprofen 2%/Lidocaine 2%/Misoprostol 0.0024%/Phenytoin 2%/Aloe Vera 0.2% Topical Cream
PCCA Formula # 11975	Aloe Vera 0.2%/Arginine HCl 1%/Misoprostol 0.0024%/Naltrexone HCl 1% Topical Gel (MucoLox™)
PCCA Formula # 11953	Misoprostol 0.0024%/Phenytoin 2%/Beta Glucan 0.5% Topical Gel (MucoLox™)
PCCA Formula # 11964	Arginine HCl 1%/Aloe Vera 0.2%/Misoprostol 0.0024%/Naltrexone HCl 1%/Phenytoin 2% Topical
	Gel (Spira-Wash™)
PCCA Formula # 11975	Aloe Vera 0.2%/Arginine HCl 1%/Misoprostol 0.0024%/Naltrexone HCl 1% Topical Gel (MucoLox™)
PCCA Formula # 12074	Beta Glucan 0.5%/Naltrexone HCl 0.5% Topical Spray (MucoLox™)



PCCA Formula # 11396

Commonly	Requested	Formulas for	Patients with	Infected Wounds
----------	-----------	--------------	---------------	-----------------

PCCA Formula # 4125	Misoprostol 0.0024%/Phenytoin 5%/Metronidazole 2% Topical Gel (PF)
PCCA Formula # 4111	Misoprostol 0.0024%/Phenytoin 5%/Gentamicin 0.2% Topical Gel (PF)
PCCA Formula # 11930	Misoprostol 0.0024%/Mupirocin 2% Anhydrous Topical Spray (PracaSil-Plus™)
PCCA Formula # 11973	Doxycycline 20 mg/Phenytoin 20 mg/Misoprostol 0.024 mg/Lidocaine HCl 10 mg Wound Care

Capsules Size #1 (XyliFos™/LoxaSperse™)

Commonly Requested Formulas for Patients with Plantar Fasciitis

Commonly Requested For	itulas for ratients with riantal rascitus
PCCA Formula # 10319	Flurbiprofen 10%/Cyclobenzaprine HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine HCl 2%
	Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 9517	Ibuprofen 20%/Piroxicam 1%/Cyclobenzaprine HCl 1% Topical Lipoderm®
PCCA Formula # 10288	Lidocaine 2%/Diclofenac Sodium 3%/Cyclobenzaprine HCl 2%/Baclofen 2% Topical Lipoderm®
	ActiveMax™
PCCA Formula # 10533	Flurbiprofen 10%/Cyclobenzaprine HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 10586	Tramadol HCl 5%/Lidocaine 5%/Cyclobenzaprine HCl 2%/Diclofenac Sodium 5%/Menthol
	1%/DMSO 5% Topical Lipoderm® Activemax™
PCCA Formula # 10612	Flurbiprofen 10%/Amitriptyline HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine 2%/Magnesium
	Chloride 5% Topical Lipoderm® ActiveMax™
PCCA Formula # 10862	Ketamine HCl 10%/Diclofenac Sodium 8%/Gabapentin 6%/Bupivacaine HCl 1%/Cyclobenzaprine
	HCl 2%/Baclofen 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 11492	Ketoprofen 10%/Ibuprofen 10%/Lidocaine 5%/Piroxicam 2%/Cyclobenzaprine HCl 2% Topical
	Lipoderm [®] ActiveMax™
PCCA Formula # 11090	Flurbiprofen 10%/Baclofen 2%/Cyclobenzaprine HCl 2%/Tetracaine 2% Topical Lipoderm®
	ActiveMax™ (FormulaPlus™ BUD Study)
PCCA Formula # 11091	Ketamine HCl 10%/Baclofen 2%/Cyclobenzaprine HCl 2%/Gabapentin 6%/Lidocaine 5% Topical
	Lipoderm® ActiveMax™
PCCA Formula # 9936	Flurbiprofen 5%/Capsaicin 0.025%/Menthol 0.5%/Camphor 0.5% Topical Lipoderm®
PCCA Formula # 11006	Flurbiprofen 5%/Tizanidine HCl 0.2%/Cyclobenzaprine HCl 2%/Lidocaine HCl 2% Topical Lipoderm®
PCCA Formula # 9378	Ketoprofen 20%/Ibuprofen 2%/Ketamine 2%/Clonidine 0.2%/Amitriptyline HCl 2%/Guaifenesin
	2% Topical Lipoderm®
PCCA Formula # 9381	Ketoprofen 10%/Guaifenesin 10%/Capsaicin 0.025%/Lidocaine 2%/Amitriptyline HCl 2% Topical
	Lipoderm [®]
PCCA Formula # 9874	Ketoprofen 10%/Cyclobenzaprine HCl 2% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 9379	Baclofen 2%/Ketoprofen 10%/Lidocaine 5%/Gabapentin 5% Topical Lipoderm®
PCCA Formula # 9375	Amitriptyline HCl 2%/Ketoprofen 2%/Carbamazepine 2% Topical Lipoderm®

Commonly Requested Formulas for Patients with Burning Foot Syndrome

PCCA Formula # 11007	Ketamine HCl 5%/Gabapentin 10%/Tizanidine HCl 0.2%/Baclofen 2% Topical Lipoderm®
PCCA Formula # 11019	Ketamine HCl 10%/Gabapentin 6%/Tizanidine HCl 0.2%/Nifedipine 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 11100	Ketamine HCl 5%/Gabapentin 6%/Amitriptyline HCl 3%/Indomethacin 5%/Tizanidine HCl
	0.2%/Lidocaine 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 11099	Ketoprofen 10%/Tizanidine HCl 0.2%/Bupivacaine HCl 1% Topical Lipoderm®
PCCA Formula # 10213	Flurbiprofen 10%/Amitriptyline HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine 2% Topical
	Lipoderm® ActiveMax™
PCCA Formula # 9376	Amitriptyline HCl 2%/Baclofen 2%/Ketamine HCl 5%/Ketoprofen 10% Topical Lipoderm®



Commonly Requested Compounding Ideas for Patients Seeing Podiatrists (cont'd)

PCCA Formula # 9377	Amitriptyline HCl 2%/Baclofen 2% Topical Lipoderm®
PCCA Formula # 9381	Ketoprofen 10%/Guaifenesin 10%/Capsaicin 0.025%/Lidocaine 2%/Amitriptyline HCl 2% Topical
	Lipoderm®
PCCA Formula # 8541	Ketamine 10%/Gabapentin 6%/Clonidine 0.2%/ Nifedipine 2% Topical Lipoderm®
PCCA Formula # 9250	Gabapentin 10%/Clonidine HCl 0.2%/Baclofen 1% Topical Anhydrous Lipoderm®
PCCA Formula # 10612	Flurbiprofen 10%/Amitriptyline HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine 2%/Magnesium
	Chloride 5% Topical Lipoderm® ActiveMax™

Commonly Requested Formulas for Patients with Diabetic Toes

commonly nequested i	ornalias for rational man blabotic roots
PCCA Formula # 9875	Pentoxifylline 5%/Nifedipine 2% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 10844	Pentoxifylline 3%/Nifedipine 3% Topical Lipoderm®
PCCA Formula # 8540	Nifedipine 4% Topical Lipoderm®
PCCA Formula # 5471	Pentoxifylline 5% Topical Lipoderm®
PCCA Formula # 9405	Nifedipine 16% Topical Lipoderm®
PCCA Formula # 8541	Ketamine 10%/Gabapentin 6%/Clonidine 0.2%/ Nifedipine 2% Topical Lipoderm®
PCCA Formula # 10435	Nifedipine 10%/Pentoxifylline 5%/Ketamine HCl 10%/Gabapentin 6%/Lidocaine 3%/Prilocaine 3%
	Topical Lipoderm® ActiveMax™

Commonly Requested Formulas for Patients with Corns/Callouses

PCCA Formula # 1435	Salicylic Acid 10%/Podophyllum 10%/Trichloroacetic Acid 10% (W/V) Topical Solution
PCCA Formula # 3057	Salicylic Acid 20%/Menthol 0.1% Topical Cream

Commonly Requested Formulas for Patients with Rough/Dry Feet

PCCA Formula # 10417	Urea 20% Topical Gel (PracaSil™-Plus)
PCCA Formula # 10414	Sodium Hyaluronate 0.5%/Urea 10%/PracaSil™-Plus Topical Gel (Spira-Wash™)
PCCA Formula # 7558	Urea 8% Topical Cream
PCCA Formula # 3669	Urea 20%/Lactic Acid 5% (W/W) Topical Cream
PCA Formula # 9465	Urea 40%/Lactic Acid 10% (W/W)/Salicylic Acid 3% Topical Cream
PCCA Formula # 10608	Salicylic Acid 5%/Urea 20%/Ammonium Lactate 12% Topical Cream

Commonly Requested Formulas for Patients with Warts

commonly requested to	initial for Facility with Warts
PCCA Formula # 11414	Imiquimod 1%/Acylovir 2%/Deoxy-D-Glucose 0.2%/EGCg 1%/Aloe Vera 0.2%/Ibuprofen 2%
	Topical Gel (PracaSil™-Plus)
PCCA Formula # 11417	Cimetidine 10%/Fluorouracil 5%/Deoxy-D-Glucose 2%/Imiquimod 5% Topical Lipoderm®
PCCA Formula # 11418	Deoxy-D-Glucose 0.2%/Imiquimod 5%/Tea Tree Oil 2.5%/Cimetidine 10% Topical Cream (VersaBase®)
PCCA Formula # 9403	Fluorouracil 5%/Salicylic Acid 15%/Cimetidine 5%/Deoxy-D-Glucose 0.2% Topical Lipoderm®
PCCA Formula # 10359	Salicylic Acid 15%/Cimetidine 5% Topical Occlusaderm®
PCCA Formula # 10847	Cimetidine 10%/Deoxy-D-Glucose 0.2%/Ibuprofen 2%/Lidocaine 5%/Salicylic Acid 15% Topical
	Occlusaderm [®]
PCCA Formula # 11001	Imiquimod 5%/Deoxy-D-Glucose 0.2% Topical Gel (PracaSil™-Plus)
PCCA Formula # 11002	Imiquimod 5%/EGCg 1% Topical Gel (PracaSil™-Plus)
PCCA Formula # 11084	Salicylic Acid 16.7%/Lactic Acid 16.7%/Trichloroacetic Acid 12%/Flexible Collodion Topical Solution
PCCA Formula # 11070	Imiquimod 5%/Fluorouracil 5%/Salicylic Acid 30%/Tretinoin 0.1% Topical Gel (VersaBase®)
PCCA Formula # 11073	Cimetidine 10%/Fluorouracil 5%/Deoxy-D-Glucose 2%/Salicylic Acid 10%/Imiquimod 5% Topical
	Lipoderm [®]



Commonly Requested Compounding Ideas for Patients Seeing Podiatrists (cont'd)

PCCA Formula # 12048	Naltrexone HCl 1%/Deoxy-D-Glucose 0.2%/EGCg 0.2%/Cimetidine 15%/Salicylic Acid
	15%/Vitamin A Palmitate 25,000 U/Gm/Zinc Acetate 0.5% Topical Anhydrous Lipoderm®
PCCA Formula # 5615	Cimetidine 10%/Deoxy-D-Glucose 0.29%/Ibuprofen 2% Topical Lipoderm®
PCCA Formula # 3058	Salicylic Acid 40% Topical Ointment
PCCA Formula # 2274	Salicylic Acid 16.67% Compound Collodion Topical Solution
PCCA Formula # 1941	Dinitrochlorobenzene 0.05% Topical Ointment
PCCA Formula # 0375	Squaric Acid Dibutyl Ester 0.1% Topical Solution
PCCA Formula # 4257	Diphenylcyclopropenone 0.01% Topical Solution
PCCA Formula # 2145	Cantharidin Topical Liquid
PCCA Formula # 2191	Cantharidin Plus Topical Liquid
PCCA Formula # 2334	Fluorouracil 5%/Salicylic Acid 6% Topical Cream
PCCA Formula # 9403	Fluorouracil 5%/Salicylic Acid 15%/Cimetidine 5%/Deoxy-D-Glucose 0.2% Topical Lipoderm®

Commonly Requested Formulas for Patients with Amputation Pain

J - 1	The state of the s
PCCA Formula # 10862	Ketamine HCl 10%/Diclofenac Sodium 8%/Gabapentin 6%/Bupivacaine HCl 1%/Cyclobenzaprine
	HCl 2%/Baclofen 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 11492	Ketoprofen 10%/Ibuprofen 10%/Lidocaine 5%/Piroxicam 2%/Cyclobenzaprine HCl 2% Topical
	Lipoderm® ActiveMax™
PCCA Formula # 11090	Flurbiprofen 10%/Baclofen 2%/Cyclobenzaprine HCl 2%/Tetracaine 2% Topical Lipoderm®
	ActiveMax™ (FormulaPlus™ BUD Study)
PCCA Formula # 11091	Ketamine HCl 10%/Baclofen 2%/Cyclobenzaprine HCl 2%/Gabapentin 6%/Lidocaine 5% Topical
	Lipoderm® ActiveMax™
PCCA Formula # 9378	Ketoprofen 20%/Ibuprofen 2%/Ketamine 2%/Clonidine 0.2%/Amitriptyline HCl 2%/Guaifenesin
	2% Topical Lipoderm®
PCCA Formula # 9381	Ketoprofen 10%/Guaifenesin 10%/Capsaicin 0.025%/Lidocaine 2%/Amitriptyline HCl 2% Topical
	Lipoderm [®]
PCCA Formula # 9874	Ketoprofen 10%/Cyclobenzaprine HCl 2% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 9379	Baclofen 2%/Ketoprofen 10%/Lidocaine 5%/Gabapentin 5% Topical Lipoderm®
PCCA Formula # 7919	Ketamine HCl 5%/Gabapentin 10%/Clonidine HCl 0.2%/Baclofen 2% Topical Lipoderm®
PCCA Formula # 9380	Ketoprofen 5%/Cyclobenzaprine HCl 0.5%/Lidocaine HCl 5%/Bupivacaine HCl 1% Topical Lipoderm®

The formulas and/or statements listed are provided for educational purposes only. They are compounding ideas that have commonly been requested by physicians, and have not been evaluated by the Food and Drug Administration. Formulas and/or material listed are not to be interpreted as a promise, guarantee or claim of therapeutic efficacy or safety. The information contained herein is not intended to replace or substitute for conventional medical care, or encourage its abandonment. Every patient is unique, and formulas should be adjusted to meet their individual needs.

