PREFERRED VENDOR
BUYER'S GUIDE

Business Solutions
Pharmacy Services
Pharmacy Supplies
Retail Merchandise
Retail Services

FPN FEDERATION OF PHARMACY NETWORKS

28202 Cabot Road, suite 300 • Laguna Niguel, CA 92677
(949) 495-5257 • www.fpn.org

Experience You Can Trust

Over 40 Years of Experience, At Your Service!

For over four decades, PRS Pharmacy Services has been the trusted partner for independent pharmacies.

Whether you need help with **compliance**, **buying** or **selling** a pharmacy, meeting **DSCSA** requirements, or expert **valuations**, PRS has the knowledge and tools to help your pharmacy succeed.

Discover All We Can Do for Your Pharmacy.

Visit www.PRSRX.com or Call 800-338-3688 Today!

Always Ask For Your FPN Buying Group Discounts ⬡ **STRONGER TOGETHER**

READY TO PROTECT against RSV[1]

mRESVIA®
(Respiratory Syncytial Virus Vaccine)

The only ACIP-recommended Ready-to-use RSV Vaccine in a Pre-filled Syringe[1,2]

For adults aged 60 years or older, mRESVIA is the only RSV protection **in a ready-to-use, pre-filled syringe.**[1,3,4]

mRESVIA is ready to use once thawed to room temperature.[1*]



mRESVIA Provides Exceptional Convenience[1]

Pre-filled syringe presentation

No reconstitution required

Flexible storage and handling options[†]

Indication

mRESVIA (Respiratory Syncytial Virus Vaccine) is a vaccine indicated for active immunization for the prevention of lower respiratory tract disease (LRTD) caused by respiratory syncytial virus (RSV) in adults 60 years of age and older.

Important Safety Information

Contraindications
Do not administer mRESVIA to individuals with a history of severe allergic reaction (e.g., anaphylaxis) to any component of mRESVIA.

Warnings and Precautions

- **Management of Acute Allergic Reactions:** Appropriate medical treatment must be immediately available to manage potential anaphylactic reactions following administration of mRESVIA.
- **Syncope:** Syncope (fainting) may occur in association with administration of injectable vaccines, including mRESVIA. Procedures should be in place to avoid injury from fainting.
- **Altered Immunocompetence:** Immunocompromised individuals, including those receiving immunosuppressive therapy, may have a diminished immune response to mRESVIA.

Adverse Reactions
In a clinical trial, the most commonly reported (≥10%) adverse reactions were injection-site pain (55.9%), fatigue (30.8%), headache (26.7%), myalgia (25.6%), arthralgia (21.7%), axillary (underarm) swelling or tenderness (15.2%), and chills (11.6%).

To report suspected adverse reactions, contact ModernaTX, Inc. at 1-866-663-3762 or VAERS at 1-800-822-7967 or https://vaers.hhs.gov.

Click here for full mRESVIA Prescribing Information.

*Stored frozen between -40 °C to -15 °C (-40 °F to 5 °F), with the option to thaw at refrigeration or room temperature. A carton of 1 pre-filled syringe can be thawed at refrigeration 2 °C to 8 °C (36 °F to 46 °F) for 100 minutes or at room temperature 15 °C to 25 °C (59 °F to 77 °F) for 40 minutes. A carton of 10 pre-filled syringes can be thawed at refrigeration 2 °C to 8 °C (36 °F to 46 °F) for 160 minutes or at room temperature 15 °C to 25 °C (59 °F to 77 °F) for 80 minutes.[1]

[†]Please see mRESVIA Full Prescribing Information for details on how to store mRESVIA.

ACIP, Advisory Committee on Immunization Practices; RSV, respiratory syncytial virus.

References: 1. mRESVIA Prescribing Information. ModernaTX, Inc. **2.** Centers for Disease Control and Prevention. CDC updates RSV vaccination recommendation for adults. Updated June 26, 2024. Accessed September 5, 2024. https://www.cdc.gov/media/releases/2024/s-0626-vaccination-adults.html **3.** AREXVY Prescribing Information. GlaxoSmithKline Biologics SA. **4.** ABRYSVO Product Information. Pfizer Inc.

For Colorado and Connecticut price disclosure, please visit https://modernadirect.com/wac-disclosure.

moderna

MyFluVaccine® Now Offers More Than Influenza Vaccines

Secure your 2024-25 Influenza, COVID-19, and RSV vaccines today.

Simplifying access to respiratory vaccines

- **Safety** – Leading our industry in safe pharmaceutical distribution through Guaranteed Channel Integrity® and our National Association of Boards of Pharmacy accreditation since 1988
- **Choice** – Access to a comprehensive portfolio of frozen/refrigerated respiratory vaccines for everyone 6 months and older
- **Confidence** – Dependable deliveries to meet your patients' immunization needs
- **Commitment** – Ensures you receive the respiratory vaccines you need, when you need them*
- **Support** – From order to delivery, we are here for you 24/7 via live customer care and online chat
- **Resources** – Free vaccine resources to help educate your patients and promote your clinics

** FFF Enterprises, Inc. aligns our shipping expectations with manufacturers' estimated shipping commitments.*

MyFluVaccine®

MyFluVaccine® (MFV) is a program of FFF Enterprises, Inc., the nation's largest and most trusted specialty pharmaceutical distributor and diversified healthcare company specializing in plasma products, rare and orphan drugs, and vaccines.

MyFluVaccine.com | 800-843-7477 | FFFenterprises.com

PHARMACY INSURANCE NETWORK™
A DIVISION OF THE SELZER COMPANY

FOR INDEPENDENT PHARMACIES

COMPLETE COMPREHENSIVE BUSINESS INSURANCE COVERAGE

Endorsed by both National and Regions Independent Pharmacy Associations.

What We Do

By partnering with the best, we have taken the complex world of business insurance needs and created one place to gain everything you need as an independent pharmacy. Ensuring coverage options not available anywhere else, PIN can save pharmacies an average of 21% on their coverage!

Who We Are

Pharmacy Insurance Network (PIN), administered by The Selzer Company, offers competitive business insurance options, designed exclusively for PIN and their partner association members.
Partnered with MyHealthily to create complete health insurance benefits for association members. Ensuring the most possible health insurance options available no matter how small your team.

What We Offer

Druggists Professional Liability
Property
General Liability
Auto Insurance
Workers Compensation
Cyber Liability
Umbrella
Employment Practices Liability
Health Insurance

PHARMACY INSURANCE NETWORK™
A DIVISION OF THE SELZER COMPANY
MyHealthily

GET IN TOUCH

215-491-2704 | mike@selzercompany.com | www.selzercompany.com
Michael P. Egan, Jr. , CIC
Pharmacy Program Director

STRONGER TOGETHER ⬡ ***Always Ask For Your FPN Buying Group Discounts***

american greetings



American Greetings, the industry leader in social expression, is a perfect partner to help you build and strengthen connections by making your store a meaningful, creative and effective greeting card destination.



Program Features

- Minimum 24' linear footage requirement
- A one-time allowance equal to 30% of the prior twelve month's net shipments of the products (existing customers re-signing with AG)
- 8% Off invoice discount
- Initial fixture order free of charge with contract
- Volume Requirement: based on 5-year contract

American Greetings Categories:

- **La Rosa** *Hispanic*
- **L'Chayim** *Jewish*
- **Our Voices** *African American*
- **Military**
- **Value** *$0.99 and $1.99*
- **Simply Noteworthy** *Blank cards*

For More Information Contact:

Mai Duong, Account Manager

Mai.Duong@amgreetings.com

aggreetingsgateway.amgreetings.com

1-800-442-7662 x 4890

At VaxServe, We Know Vaccines

We are an extension of your immunization program, focused on the wellness of your business, so you can focus on the wellness of your patients.

As Your Trusted Vaccine Partner, We Offer:

- Competitive Pricing
- 1-2 Day Shipping
- Extensive Vaccine Portfolio
- Data-Driven Market Insights
- Streamlined Ordering & Operational Efficiencies
- Collaborative Sales & Marketing Strategies

Let's Work Together

VAXSERVE
A SANOFI COMPANY

VAX9022

12/24

STRONGER TOGETHER ⬡ ***Always Ask For Your FPN Buying Group Discounts***

Even though rabies is almost always fatal, it is vaccine preventable[3]

BAVARIAN NORDIC

RabAvert® (Rabies Vaccine) is the market-leading rabies vaccine in the US[4]

RabAvert® is indicated for pre-exposure vaccination, in both primary series and booster dose, and for post-exposure prophylaxis against rabies in all age groups[5]

More than 35 years of worldwide clinical and market experience with more than 50 clinical trials since 1983[6]

EFFICACY

- When administered according to the then current WHO-recommended immunization schedule for pre-exposure vaccination, 100% of subjects in clinical trials attained a protective titer.[5]
- The immunogenicity of RabAvert® was demonstrated in clinical trials conducted in different countries such as the US, the UK, Croatia, and Thailand.[5]
- When administered according to the then current WHO-recommended immunization schedule for post-exposure vaccination, >99% of subjects attained a protective titer.[5]
- Among the 203 patients in post-exposure trials followed for at least 10 months, no cases of rabies were observed.[5]
- Clinical studies of RabAvert® have shown it to be generally well-tolerated.[5]
- Anaphylaxis, meningitis, neuroparalytic events such as encephalitis, transient paralysis, Guillain-Barré syndrome, myelitis, retrobulbar neuritis, and multiple sclerosis have been reported to be temporally associated with the use of RabAvert®. A patient's risk of acquiring rabies must be carefully considered before discontinuing vaccination.[5]
- In clinical trials with RabAvert®, the most common adverse reactions were injection site reactions (erythema, induration, and pain); flu-like symptoms (asthenia, fatigue, fever, headache, myalgia, and malaise); arthralgia; dizziness; lymphadenopathy; nausea; and rash.[5]

IMPORTANT SAFETY INFORMATION

- Patients considered to be at risk of a severe hypersensitivity reaction (e.g. anaphylaxis) to RabAvert® or any of its components should receive an alternative rabies vaccine if a suitable product is available. However, in view of the almost invariably fatal outcome of rabies, there is no contraindication to post-exposure prophylaxis, including pregnancy.
- RabAvert® is contraindicated for pre-exposure vaccination in anyone with a history of a severe allergic reaction (eg, anaphylaxis) to the vaccine or any of its components, which include residues of egg and chicken proteins to which some individuals may be hypersensitive.
- Review immunization history for possible vaccine sensitivity and previous vaccination-related adverse reactions, as well as medical history for emergence of clinical symptoms of anaphylaxis after exposure to egg or chicken proteins, which RabAvert® contains. Reconstituted RabAvert® also contains processed bovine gelatin and trace amounts of neomycin, chlortetracycline, and amphotericin B, to which some individuals may be hypersensitive. Appropriate medical treatment—including immediately available epinephrine injection (1:1,000), and readily available volume replacement, corticosteroids, and oxygen—must be close at hand to manage possible anaphylactic reactions following administration of RabAvert®.
- Development of active immunity after vaccination may be impaired in immune-compromised individuals. Radiation therapy, antimalarials, corticosteroids, other immunosuppressive agents, and immunosuppressive illnesses can interfere with the development of active immunity after vaccination and may diminish the protective efficacy of RabAvert®. Pre-exposure vaccination should be administered to such persons with the awareness that the immune response may be inadequate. If persons receiving corticosteroids or other immunosuppressive therapy, or who are immunosuppressed, are vaccinated post-exposure, it is important that a serum sample on Day 14 (the day of the fourth vaccination) be tested for rabies antibody to ensure that an acceptable antibody response has been induced.
- Pre-exposure vaccination should be postponed in the case of sick and convalescent persons and those considered to be in the incubation stage of an infectious disease.

Please see continued Important Safety Information throughout and enclosed full Prescribing Information.

RabAvert® Rabies Vaccine

BAVARIAN NORDIC

Dosing schedule for RabAvert® (Rabies Vaccine)

Pre-exposure prophylaxis (PrEP)

According to the FDA-approved prescribing information, RabAvert® is administered intramuscularly in 3 doses on Day 0, Day 7, and Day 21 or 28.[5]



**Please note that current CDC/ACIP dosing recommendations (2022) differ from those in the prescribing information, no longer calling for a third dose in the primary series.*

A BOOSTER DOSE may be advisable depending on the results of serological testing for the antibody titer level.[5,7,8]

- for those with continuous rabies exposure, as often as every 6 months
- for those with frequent rabies exposure, as often as every 2 years

Pre-exposure vaccination does not eliminate the need for additional treatment after a known rabies exposure.[5]

Post-exposure prophylaxis (PEP)

The essential components of rabies PEP are prompt local treatment of wounds and administration of both human rabies immune globulin (HRIG) and vaccine.[5]

PEP should begin the same day exposure occurred or as soon after exposure as possible.[5]

Ensure patients understand the need to promptly initiate and complete the full course of doses.

Previously unvaccinated

According to the FDA-approved prescribing information, the HRIG injection is followed by a series of **5 individual injections** of RabAvert® (1.0 mL each) given intramuscularly on **days 0, 3, 7, 14,** and **28.**[5]

†Please note the CDC/ACIP recommendations differ, calling for a 5th dose on Day 28 only for patients who are immunocompromised.[5]

Previously vaccinated



HRIG should not be administered to previously vaccinated patients. **Two individual injections** of RabAvert® (1.0 mL each) should be given intramuscularly on **Day 0** and **Day 3.**[5]

IMPORTANT SAFETY INFORMATION (CONTINUED)

- This product contains albumin, a derivative of human blood. It is present in RabAvert® at concentrations of ≤0.3 mg/dose. Based on effective donor screening and product manufacturing processes, it carries an extremely remote risk for transmission of viral diseases. A theoretical risk for transmission of Creutzfeld-Jakob disease (CJD) also is considered extremely remote. No cases of transmission of viral diseases or CJD have ever been identified for albumin.
- Because animal reproductive studies or studies in pregnant or lactating woman have not been conducted with RabAvert®, it is not known whether RabAvert® can cause fetal harm when administered to a pregnant woman, whether it can affect reproduction capacity, or whether it is excreted in animal or human milk with consequent risk to breastfed infants (but many drugs are excreted in human milk). Use RabAvert® in pregnant or lactating women only if clearly needed.
- Pre-exposure vaccination does not eliminate the need for additional therapy after a known rabies exposure.
- For intramuscular use only. Unintentional intravascular injection may result in systemic reactions, including shock.
- Syncope (fainting) can occur in association with administration of injectable vaccines, including RabAvert®. Procedures should be in place to avoid falling injury and to restore cerebral perfusion following syncope.
- No data are available regarding the concurrent administration of RabAvert® with other vaccines.

Please see continued Important Safety Information throughout and enclosed full Prescribing Information.

RabAvert®
Rabies Vaccine

BAVARIAN NORDIC

Ordering information for RabAvert® (Rabies Vaccine)

There is typically a seasonal increase in rabies exposures during the months of June through September due to increased opportunity for human and animal interactions. Consider this when planning your inventory.

To learn more, visit: **Bavarian-Nordic.com** or **BNVaccines.com**

PRODUCT ORDERING INFORMATION

NDC number product description
50632-010-01 RabAvert® (Rabies Vaccine)

Package size	Case size
Single Dose Kit	140

BILLING CODE

90675 — Rabies Vaccine, for intramuscular use

SINGLE DOSE KIT INCLUDES:

- One vial of freeze-dried vaccine containing a single dose
- Disposable prefilled syringe of sterile diluent for reconstitution of RabAvert®
- Two identical needles: one for reconstitution, one for injection

IMPORTANT SAFETY INFORMATION (CONTINUED)

- Administration of Human Rabies Immune Globulin (HRIG), which along with prompt local cleaning of wounds should take place before post-exposure prophylaxis, must not exceed the recommended dose, since active immunization to the vaccine may be impaired. HRIG should not be administered to previously vaccinated persons as it may blunt their rapid memory response to rabies antigen.

Please see enclosed full Prescribing Information.

References

1. WHO. Rabies Key Facts. Available at: https://www.who.int/news-room/fact-sheets/detail/rabies. Accessed January 2024. 2. CDC. Human rabies. Available at: https://www.cdc.gov/rabies/location/usa/surveillance/human_rabies.html. Accessed January 2024. 3. WHO. Vaccinating against rabies to save lives. Available at: https://www.who.int/activities/vaccinating-against-rabies-to-save-lives. Accessed January 2024. 4. IQVIA. Data on file. 2018–August 2022. Accessed January 2024. 5. RabAvert® Prescribing Information. Available at: https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm. Accessed January 2024. 6. Giesen A, et al. *Expert Rev Vaccines.* 2015;14:351–67. doi: 10.1586/14760584.2015.1011134. 7. Rao AK, et al. *MMWR Morb Mortal Wkly Rep.* 2022;71(18):619-627. doi: 10.15585/mmwr.mm7118a2. 8. Immunization Action Coalition. Ask the Experts—Rabies. Available at: https://www.immunize.org/askexperts/experts_rab.asp. Accessed January 2024. 9. Rupprecht CE, et al. *MMWR Morb Mortal Wkly Rep.* 2010;59(RR02);1–9. Available at: https://www.cdc.gov/mmwr/preview/mmwrhtml/rr5902a1.htm. Last accessed January 2024.

To report SUSPECTED ADVERSE REACTIONS, contact Bavarian Nordic at **1-844-4BAVARIAN** or the US Department of Health and Human Services by either visiting **www.vaers.hhs.gov/reportevent.html** or calling **1-800-822-7967**.

BAVARIAN NORDIC

FUTURE OF PHARMACY
REVENUE GROWTH TODAY

Wherever your pharmacy is on the journey of delivering clinical services, Workflow Services can help you commercialize new services, optimize existing workflows, and maximize revenue potential.

Pharmacies will get support to:

- Launch services allowed in your state
- Secure contracts with medical insurance payors
- Easily follow compliant, digital protocols
- Collect payment for services: out-of-pocket or insurance reimbursement

Scan to start your evolution beyond a traditional dispensing model!

WORKFLOW SERVICES PLATFORM

Payor Credentialing and Enrollment → **Patient Engagement** → **Pharmacy Workflow** → **Cash Pay & Medical Claims Reimbursement**

A TURN-KEY SOLUTION

- **Seamless:** deliver care with an end-to-end platform
- **Cloud-based:** start today with no hardware to install
- **Integrated:** access records for 95% of U.S. patients
- **Safe:** follow protocols that protect the patient and pharmacist
- **Compliant:** automate test-result reporting to CDC
- **Support:** Receive white-glove service from a highly engaged, US-based customer success team



Unlock 320M Patient Records

- Query data from patient records with no EHR integration required
- Access 96% of hospital and clinic electronic health records—see what patients' PCP sees
- No sifting through long records; relevant data fields automatically populate in workflow
- Share data back into patient record to build bridges between healthcare settings

WORKFLOWSERVICES by IMAGEMOVER

workflowservices.com | 608-620-4980 | workflowservices@imagemovermd.com

SAY GOODBYE TO DSCSA HEADACHES WITH

DSCSA 360

The Most Complete DSCSA Compliance Program for Your Pharmacy

PROVIDED BY

PRS Pharmacy Services + ADVASURE

PROGRAM INCLUDES

- ESTABLISHED SOPs
- EMPLOYEE TRAINING
- AUDIT ASSISTANCE
- ELECTRONIC REPOSITORY
- CONTINUING EDUCATION

COVERING ALL ASPECTS OF DSCSA COMPLIANCE INCLUDING

- AUTHORIZED TRADING PARTNERS
- PRODUCT IDENTIFIERS
- ENHANCED DRUG DISTRIBUTION SECURITY (EDDS)
- VERIFICATION PROCESS
- PRODUCT TRACING

DSCSA360

SCAN TO LEARN MORE

800-338-3688 DSCSA360.com

STRONGER TOGETHER ⬡ *Always Ask For Your FPN Buying Group Discounts*

With more than 24,000 designs, designergreetings™ offers the perfect choice for the independent pharmacy.

- Superior **Service**
- Superior **Margins**
- Superior **Programs**
- Superior **Quality**

LEARN MORE

www.designergreetings.com

Contact Us: 800.654.6960

@designergreetings

Always Ask For Your FPN Buying Group Discounts ⬡ **STRONGER TOGETHER**

FRANKLIN EYEWEAR®

Sun & Reading Glasses

ALL $9.99 Retail

Each Deal Price $720
144 Pair @ $5.00 a Pair

Sunglasses price tags
color coded by category

Reading glasses price tags
color coded by strength

Easy Merchandising
& Re-Ordering

Great Variety Of
Quality Styles

Free Display | Free Shipping

FRANKLIN
EYEWEAR

Focusing on fashion and quality ... with value pricing!

CALL (877) 766-0321 OR VISIT WWW.FRANKLINEYEWEAR.COM

FLUAD® (Influenza Vaccine, Adjuvanted)

Designed to Address 2 Key Challenges:

Weakened Immune Systems
Vaccine effectiveness may be reduced in adults 65+ as a result of a weakened immune response to vaccines. [1, 2]

Strain Mismatch
Strain mismatch, which occurred in 7 out of 10 flu seasons from 2010-2011 through 2019-2020, may further reduce vaccine effectiveness. [3,-13]

FLUAD

Approved for Use in Adults 65 Years and Older
For active immunization against influenza disease [14]

ACIP Preferentially Recommended
ACIP preferentially recommends FLUAD over standard-dose influenza vaccines for adults 65+.[15]

Adjuvant Technology
Adding an adjuvant strengthens, broadens, and lengthens the immune response more than antigen alone.[16-18]



Robust Response & Demonstrated Safety Profile
FLUAD produced a robust immune response in clinical trials and has a demonstrated safety profile.[14,32]

Clinically Effective
20+ years of real-world evidence (RWE) in over 59 million patients supports the clinical effectiveness of the only adjuvanted flu vaccine in the U.S. for adults 65+.[7, 19-31]

CONTRAINDICATIONS
Do not administer FLUAD to anyone with a history of a severe allergic reaction (e.g., anaphylaxis) to any component of the vaccine, including egg protein, or to a previous influenza vaccine.

Please see the full Important Safety Information on the back of this page and the accompanying full US Prescribing Information for FLUAD.

FLUAD® (Influenza Vaccine, Adjuvanted)

INDICATION AND IMPORTANT SAFETY INFORMATION

INDICATIONS AND USAGE

FLUAD is a vaccine indicated for active immunization for the prevention of influenza disease caused by influenza virus subtypes A and type B contained in the vaccine. FLUAD is approved for use in adults 65 years of age and older.

This indication is approved under accelerated approval based on the immune response elicited by FLUAD. Continued approval for this indication may be contingent upon verification and description of clinical benefit in a confirmatory trial.

IMPORTANT SAFETY INFORMATION

CONTRAINDICATIONS

Do not administer FLUAD to anyone with a history of a severe allergic reaction (e.g., anaphylaxis) to any component of the vaccine, including egg protein, or to a previous influenza vaccine.

WARNINGS AND PRECAUTIONS

If Guillain-Barré Syndrome (GBS) has occurred within six weeks of previous influenza vaccination, the decision to give FLUAD should be based on careful consideration of the potential benefits and risks.

Appropriate medical treatment must be immediately available to manage potential anaphylactic reactions following administration of FLUAD.

Syncope (fainting) may occur in association with administration of injectable vaccines including FLUAD. Procedures should be in place to avoid injury from fainting.

The immune response to FLUAD in immunocompromised persons, including individuals receiving immunosuppressive therapy, may be lower than in immunocompetent individuals.

Vaccination with FLUAD may not protect all vaccine recipients against influenza disease.

ADVERSE REACTIONS

The most common (≥10%) local and systemic adverse reactions in adults 65 years of age and older who received FLUAD were injection site pain (25%), injection site tenderness (21%), myalgia (15%), fatigue (13%) and headache (13%).

Other adverse events may occur.

To report SUSPECTED ADVERSE REACTIONS, contact CSL Seqirus at 1-855-358-8966 or VAERS at 1-800-822-7967 and www.vaers.hhs.gov.

Before administration, please see the full Prescribing Information for FLUAD.

References:

1. CDC. Flu & people 65 years and older. Accessed October 27, 2024. https://www.cdc.gov/flu/highrisk/65over.htm
2. Monto AS, et al. Vaccine. 2009;27(37):5043-5053.
3. Skowronski DM, et al. PLoS One. 2014;9(3):e92153.
4. CDC. MMWR Morb Mortal Wkly Rep. 2011;60(21):705-712.
5. Ohmit SE, et al. Clin Infect Dis. 2014;58(3):319-327.
6. McLean HQ, et al. J Infect Dis. 2015;211(10):1529-1540.
7. Gaglani M, et al. J Infect Dis. 2016;213(10):1546-1556.
8. Zimmerman RK, et al. Clin Infect Dis. 2016;63(12):1564-1573.
9. Jackson ML, et al. N Engl J Med. 2017;377(6):534-543.
10. Rolfes MA, et al. Clin Infect Dis. 2019;69(11):1845-1853.
11. Flannery B, et al. J Infect Dis. 2020;221(1):8-15.
12. Tenforde MW, et al. Clin Infect Dis. 2021;73(11):e4244-e4250.
13. Zost SJ, et al. Proc Natl Acad Sci USA. 2017;114(47):12578-12583
14. FLUAD. Package insert. Seqirus Inc.
15. MMWR: Prevention and Control of Seasonal Influenza with Vaccines – US, 2024-25
16. O'Hagan DT, et al. Vaccine. 2012;30(29):4341-4348.
17. O'Hagan DT, et al. Expert Rev Vaccines. 2013;12(1):13-30.
18. Banzhoff A, et al. Influenza Other Respir Viruses. 2008;2(6):243-249.
19. Izurieta HS, et al. Clin Infect Dis. 2021;73(11):e4251-e4259.
20. Izurieta HS, et al. J Infect Dis. 2020;222:278-287.
21. Boikos C, et al. Clin Infect Dis. 2021;73(5):816-823.
22. Izurieta HS, et al. J Infect Dis. 2019;220:1255-1264.
23. Pelton SI, et al. Vaccines (Basel). 2020;8(3):E446.
24. McConeghy KW, et al. Clin Infect Dis. 2021;73(11):e4237-e4243.
25. Cocchio S, et al. Vaccines. 2020;8(3):344.
26. Van Buynder PG, et al. Vaccine. 2013;31(51):6122-6128.
27. Mannino S, et al. Am J Epidemiol. 2012;176(6):527-533.
28. Lapi F, et al. Expert Rev Vaccines. 2019;18(6):663-670.
29. Pelton SI, et al. Vaccine. 2021;39(17):2396-2407.
30. van Aalst R, et al. Vaccine. 2020;38(2):372-379.
31. Data on file. Seqirus Inc; 2022.
32. FLUAD package insert.

USA-FLUD-25-0007

For US Healthcare Professional Use Only

Manufactured by: Seqirus Inc., 475 Green Oaks Parkway, Holly Springs, NC 27540, USA
Distributed by: Seqirus USA Inc., 25 Deforest Avenue, Summit, NJ, 07901, USA

INMAR intelligence

BETTER WORKFLOW. BETTER EFFICIENCY. BETTER PROFIT.

We know the financial pressures you're facing today have never been greater. Our Independent Pharmacy Services Bundle helps you improve productivity, drive traffic and grow revenue.

01

Rx Returns

Serving more than 50,000 retail pharmacies nationwide, Inmar's industry leading solution increases speed of credit with minimal user effort. Onsite and offsite service options combined with RxReturns Intel™ dashboards ensure robust reporting, enhanced visibility and manufacturer policy compliance.

02

Consumer Drug Take-Back

This customer-friendly, secure medication take-back program generates publicity, community goodwill and store traffic while supporting efforts to combat prescription drug abuse and helping to protect the environment from the effects of improper drug disposal.

03

RxTransparent

Protect staff and patients from illegitimate medication distribution and safe handling standards for hazardous drugs with Drug Supply Chain Security Act (DSCSA) and USP<800> solutions.

04

Rx Reconciliation

Inmar's Rx Reconciliation Service mitigates receivables risk, improves cash flow and delivers critical business-building intelligence.

05

Healthcare Analytics

Inmar's analytics offering delivers critical business intelligence via dashboards enabling you to make better financial decisions.

06

Commercial Floor Mats

Inmar offers a broad range of customizable matting solutions built with the latest technology and materials to ensure durability.

inmar.com | solutions@inmar.com | (866) 440-6917

PPRB
a Teldon company

PPRB.COM
sales@pprb.com
1.877.544.4575
@pprbconnect

Consistent tangible marketing is important.

With PPRB's signature line of printed wall and desk calendars as well as additional print products, like coloring books, pocket planners, and magnets, staying connected with your current & future customers is easy.

Helping pharmacies build relationships, generate sales, and win loyal customers across North America.

Your store's information will be prominently displayed on the generous bottom flap imprint area of PPRB's wall calendars.

Include your business contact info such as your store address, phone and fax numbers, store hours and website links so your customers can connect with you in-store and on your digital platforms too.

KNOWLEDGEABLE & DEPENDABLE

Remind your customers that you are available to support their well-being by providing the best health care advice and products available to them.

VALUABLE CONTENT

Customers will refer to your calendars for recipes, health tips, day-to-day planning, organizing, and more. Each view/impression encourages them to return to your store for health and wellness inquiries and products.

STAY RELEVENT & BUILD TRUST

Foster long-term connections with current and prospective customers in your community.

STRONGER TOGETHER ⬡ *Always Ask For Your FPN Buying Group Discounts*

Headquartered in Bastian, V.A., InSource, Inc. is an NABP® Accredited Drug Distributor serving Independent Medical Distributors and Independent Retail Pharmacies for over three decades.

InSource operates through a centralized and automated distribution network, with a large selection of Brand and Generic injectables, vaccines, gloves, medsurg, disposables, consumables, lab, equipment, and other medical supplies commonly used in the practitioner, pharmacy, occupational health, industrial health, and home health care space.

VAST SELECTION

- Med-Surg, Diagnostics, Disposables, Pharmaceuticals, Equipment, and so much more!
- Over 80,000 products

VALUE-ADDED SERVICES

- Personal Account Managers
- Free Shipping on most orders over $250.00
- Just-In-Time Inventory
- Multiple Distribution Centers

TECHNOLOGY

- 24/7 Online Ordering
- Customer Support
- Customized Reporting
- Shipment Tracking Capabilities
- Budget Management and Creation

NABP Accredited Drug Distributor

COMPLIANCE

- Free online access to Pedigree information
- Accredited Drug Distributor

Since its inception in 1991, InSource has been providing independent distributors and pharmacies with quality products and unparalleled service!

www.insourceonline.com • **1-800-366-3829**

Return Solutions
[go with what works]™

The Independent's Choice for Rx Returns

If you're in need of a new returns provider, Return Solutions is one of the oldest and most trusted in the industry. With over 30 years of experience and a focus on independent pharmacies and regional chains, we put you first so you can focus on your business and your patients.

Optimize your Rx returns process and payment.

Simplified Reimbursement

Credit due through the OneCheck Select program is consolidated into a single check.

Faster Credit

Choose to receive your check within 10, 30, or 90 days after your return.

No Hidden Charges

The fee is an all-inclusive percentage of your returnable product value.

Return Solutions offers the fastest credit in the industry.

- On-Site service is completely turnkey
- Mail-In service is easy and economical
- Fastest payment as quickly as 10 days
- No additional charges

Sign up today to receive a special promotion on your first return!

Contact Us

1.800.579.4804
support@drugreturns.com
www.drugreturns.com

STRONGER TOGETHER ⬡ ***Always Ask For Your FPN Buying Group Discounts***

SiteLabs®

INDEPENDENT PHARMACIES NEEDED FOR CLINICAL TRIAL RECRUITMENT

SiteLabs, with the support of local Health Systems, is partnering with independent pharmacies to qualify and enroll new patients for critical clinical trials. Your pharmacy can make a profound difference with early detection and specialized care for the patients in your community.

WHY PARTICIPATE?

- Improve community health
- Expand your pharmacy services
- Support early detection
- Compensation per patient enrolled

SCAN OR CLICK FOR MORE INFO

LOW STOCK ON COVID TEST KITS?

SiteLabs is FPN's preferred partner for COVID, Point of Care, and wellness testing supplies. Shop online at SiteLabsglobal.com.

SiteLabs®

828.616.5400 info@sitelabsglobal.com

Always Ask For Your FPN Buying Group Discounts STRONGER TOGETHER

UPDATED CDC recommendations

All eligible adults aged 50+ are now recommended for pneumococcal vaccination[1,2]

- **A single dose of PCV (PCV15, PCV20, or PCV21) is recommended** for all adults aged ≥50 years and for adults aged 19 to 49 years with certain underlying conditions or risk factors* who have not received a PCV or whose vaccination history is unknown[1,2†]
- **If PCV15 is administered,** a single dose of PPSV23[‡] should be administered ≥1 year after the PCV15 dose. A minimum interval of 8 weeks can be considered if PCV15 is used in adults with an immunocompromising condition,[§] cochlear implant, or CSF leak[1]

PCV13-experienced adults who completed the recommended vaccine series
- Shared clinical decision-making is recommended regarding the use of a supplemental PCV20 or PCV21 dose for adults aged ≥65 years who have completed their recommended vaccine series with both PCV13 and PPSV23[1]

PCV13-experienced adults who have not completed the recommended vaccine series
- A single dose of either PCV20 or PCV21 is recommended for adults aged ≥19 years who have started their pneumococcal vaccine series with PCV13 but have not received all recommended pneumococcal vaccine doses[1]

Vaccinate all eligible adult patients for pneumococcal pneumonia and IPD today.

CDC=Centers for Disease Control and Prevention; CSF=cerebrospinal fluid; HIV=human immunodeficiency virus; IPD=invasive pneumococcal disease; PCV7=7-valent pneumococcal conjugate vaccine; PCV13=13-valent pneumococcal conjugate vaccine; PCV15=15-valent pneumococcal conjugate vaccine; PCV20=20-valent pneumococcal conjugate vaccine; PCV21=21-valent pneumococcal conjugate vaccine; PPSV23=23-valent pneumococcal polysaccharide vaccine.

*Alcoholism; chronic heart, liver, or lung disease; chronic renal failure; cigarette smoking; cochlear implant; congenital or acquired asplenia; cerebrospinal fluid leak; diabetes mellitus; generalized malignancy; HIV; Hodgkin disease; immunodeficiency; iatrogenic immunosuppression; leukemia, lymphoma, or multiple myeloma; nephrotic syndrome; solid organ transplant; sickle cell disease; or other hemoglobinopathies.[1]

†Also applies to people who received PCV7 at any age and no other pneumococcal vaccines.[1]

‡For adults who have received PCV15 but have not completed their recommended pneumococcal vaccine series with PPSV23, 1 dose of PCV21 or PCV20 may be used if PPSV23 is not available.[1]

§Chronic renal failure, nephrotic syndrome, immunodeficiency, iatrogenic immunosuppression, generalized malignancy, HIV infection, Hodgkin disease, leukemia, lymphoma, multiple myeloma, solid organ transplant, congenital or acquired asplenia, or sickle cell disease or other hemoglobinopathies.[1]

Learn more about the latest CDC recommendations

CDC=Centers for Disease Control and Prevention.

References: 1. Kobayashi M. Summary of Work Group interpretation of EtR and policy options: PCV use in adults aged ≥50 years. Presented at: Advisory Committee on Immunization Practices; October 23, 2024; Atlanta, GA. Accessed October 23, 2024. https://www.cdc.gov/acip/downloads/slides-2024-10-23-24/04-Kobayashi-Pneumococcal-508.pdf **2.** Centers for Disease Control and Prevention. Pneumococcal vaccination. Accessed October 25, 2024. https://www.cdc.gov/pneumococcal/vaccines/index.html

FEDERATION OF PHARMACY NETWORKS

American Associated Pharmacies
Phoenix, AZ – Scottsboro, AL
rxaap.com

American Pharmacies
Corpus Christi, TX
aprx.org

Association of Affiliated Pharmacies and Apothecaries
Dearborn, MI
aaparx.com

Compliant Pharmacy Alliance
Stoughton, WI
compliantrx.com

EpicRx
Mechanicsville, VA
epicrx.com

Independent Pharmacy Alliance, Inc.
Cranbury, NJ
ipagroup.org

Independent Pharmacy Cooperative
Sun Prairie, WI
ipcrx.com

K&B Pharmacy Associates Inc.
San Marino, CA
kb-rx.com

Keystone Pharmacy Purchasing Alliance
Philadelphia, PA
kpparx.com

Montana Family Pharmacies
Columbus, MT
montanafamilypharmacies.com

Northeast Pharmacy Service Corp.
Framingham, MA
northeastpharmacy.com

PBA Health
Kansas City, MO
pbahealth.com

Pharmacy Owners Alliance
Coral Springs, FL
rxpoa.org

PPSC
Tallahassee, FL
ppsconline.com

Quality Care Pharmacies
Macedon, NY
qcpharmacies.com

Sav-Mor Pharmacy Services
Southfield, MI
mysavmorpharmacy.com

Smart-Fill Management Group
Dallas, TX
smart-fill.com

The Pharmacist Choice
Brentwood, TN
thepharmacistchoice.com

WSPC
Lake Oswego, OR
wspcrx.com

PREFERRED VENDORS

Doing business with our preferred vendor partners strengthens the purchasing alliance of independent pharmacies and provides increased opportunities for future negotiations. Your participation leverages our collective buying power to offer the most competitive contracts. Thank you for your continued commitment to independent pharmacy and for your patronage of our preferred vendor partners.

DSCSA 360 – advasur.com
American Greetings – americangreetings.com
Bavarian-Nordic - bavarian-nordic.com
CLIAwaived – cliawaived.com
Designer Greetings – designergreetings.com
FFF Enterprises – fffenterprises.com
First Financial Bank – ffb1.com
Franklin Eyewear – franklineyewear.com
Inmar Intelligence – inmar.com
InSource – insourceonline.com
Kleen Bill – kleenbill.com
Moderna – modernatx.com
Pfizer – pfizer.com
Pharmacy Insurance Network – selzercompany.com
PRS Pharmacy Services – prsrx.com
Quidel – quidel.com
Return Solutions – drugreturns.com
Seqirus – seqirus.com
SiteLabs – sitelabsglobal.com
Staples Advantage – staplesadvantage.com
Take Charge – takechargerx.com
Teldon – teldon.com
VaxServe – vaxserve.com
Workflow Services – workflowservices.com