


HOME PUMP INFUSION VIA MIDLINE/PICC LINE



- *Your nurse will advise you if HEPARIN is needed in your routine.
- The Blue Injection Cap is on your IV.



DOSE SCHEDULE:

1. WASH HANDS
2. Gather your equipment
3. Open push clamp on PICC/Midline, if it exists
4. Remove air bubble from Saline Syringe
5. Cleanse Blue Injection Cap with alcohol, 15 second friction rub
6. Connect Saline Syringe to Blue Injection Cap and flush, pulsating method, 2 cc at a time.
7. Disconnect and discard in regular garbage.
8. Wipe Blue Injection Cap with alcohol, 15 second friction rub
9. Remove cap from Antibiotic tubing, attach Antibiotic to Blue Injection Cap, open white clamp on antibiotic tubing.

When infusion is complete:

1. WASH HANDS
2. Close white push clamp on home pump tubing
3. Remove home pump tubing from Blue Injection Cap & discard home pump in regular garbage.
4. Remove air bubble from Saline Syringe
5. Wipe Blue Injection Cap with alcohol, 15 second friction rub & connect Saline Syringe to Blue Injection Cap and flush, pulsating method, 2 cc at a time.
6. Disconnect and discard Saline Syringe in regular garbage.
7. *Remove air bubble from Heparin Syringe
8. *Wipe Blue Injection Cap with 15 second alcohol friction rub, attach Blue Injection Cap, flush, disconnect and discard in regular garbage.

IF YOU HAVE ANY QUESTIONS OR CONCERNS CALL: 516-292-2961 or 1-800-245-8290